TEMPLATE P63 · CONSUMPTION BUDGET AND COST RECONCILIATION

Consumption budget and cost reconciliation

Sets the consumption budget for each use case with its alerts and its degradation cascade, records the allocation keys for shared costs, reconciles AI cost with the accounts and calculates the cost of stopping.

Fernando García Varela Version 0.1 (working draft) 19-09-2026 Draft for review

IN THIS DOCUMENT

01 Instructions for use

02 Identification

03 Tagging and access keys

04 Use case consumption budget

05 Alerts and response

06 Technical limits per agent

07 Cost-driven degradation cascade

08 Monthly consumption tracking

09 Allocation keys for shared costs

10 Monthly reconciliation

11 Cost of stopping and avoided investment

12 Quality criteria

13 Approval and verification

14 Version control

Legal notice and disclaimer. SEVEN-G is a reference methodological framework provided "as is" and for information purposes only. It does not constitute legal, regulatory, financial or professional advice, nor does it guarantee compliance with any law or standard. References to general regulation (such as the EU AI Act, the GDPR, DORA or NIS2), to technical standards and to regulation specific to each sector or jurisdiction may be incomplete, may not apply to a particular case or may become out of date as a result of regulatory changes, interpretations or supervisory positions after their consultation date. **Each organisation that uses SEVEN-G is solely responsible for identifying the regulation that applies to it, verifying that it is current and certifying its own regulatory compliance**, with the appropriate qualified advice. This methodology is a generic, free aid shared with the community so that nobody has to start from scratch; each person or organisation can and should adapt it to its own use. It must not be inferred that its legally sensitive parts have been reviewed by legal counsel: those reviews, for each company or sector, are the ultimate responsibility of the company, consultant or organisation that uses it. Although every effort is made to keep it up to date, some regulation may have changed without being reflected here. To the fullest extent permitted by law, the author accepts no responsibility whatsoever for the effects of its application in any organisation or for its full applicability. The methodology does not grant certification of any kind. The author accepts no liability for any use made of this content or for any decisions taken on the basis of it. The data, figures, companies and cases in the examples are fictitious or illustrative.

> **Why it matters.** The cost of generative AI and agents is variable and can soar within days. If consumption has no budget, alerts and a defined response, when the money runs out only two bad options remain: cut the service or keep spending. If shared costs are allocated without approved keys, the cost of each use case is argued at every committee meeting and the net value stops being comparable. And if AI cost is not reconciled with the accounts, the board cannot rely on any net value figure. This template records all three and makes them verifiable.

01

Instructions for use

Aspect	Guidance
When it is used	Budget, alerts, limits and cascade (sections 3 to 7): approved at G5 and reviewed at each R6. Tracking (section 8): every month. Allocation keys (section 9): at C3, once per financial year. Reconciliation (section 10): at each monthly close. Cost of stopping (section 11): when a stop or a retirement is recorded.
Who completes it	Sections 3 to 8: AI Operations Owner with the AI Technical Owner. Sections 9 and 10: management control with the AI Office. Section 11: AI Product Owner with management control.
Who verifies it	AI Office in Lite; AI Auditor in Enterprise (42 §11.2).
Who decides or approves	The consumption budget is approved with the G5 decision (body in 01 §7.5). Allocation keys: the AI Committee with management control at C3. Budget supplements: the AI Sponsor with the AI Office.
Stage, *gate* or moment	G5, R6, C3, monthly close and annual close; stop or retirement.
Tool	T13 · Cost calculator per use case (parameters, consumption, shared costs, reconciliation and stops modules, 42 §12).
Reference document	Document 42 (§6, §7, §8, §10, §11); document 52 §10.3 (cost-driven degradation cascade); P24 and P25.
Lite versus Enterprise	Lite may omit the fields marked **(Enterprise)**. In the cascade, Lite defines at least N1 and N4; Enterprise defines it in full and tests it before G5 (52 §14).

Completion rules:

- **Cost is not reduced:** it is charged in full from day one; an unknown cost is "no data" and so is the net value (42 §2).
- **No tag, no resource:** each resource, model access key and licence carries the tag of its initiative (42 §7). Tagging is verified at G5.
- **Allocation keys are not changed mid-year** except in the event of an error, and the change is recorded.
- **The cascade reduces cost, not controls:** no degradation deactivates filters, human oversight, agent limits or records (52 §10.3, rule 6).
- The thresholds in this template are indicative; the company sets them at C2 (document 13).

02

Identification

Field	Content	Guidance
Initiative code		IA-AAAA-NNN (T01). In sections 9 and 10, "portfolio" or the platform (`PLAT-` in the tag, 42 §7.1).
AI systems		SIA-AAAA-NNN (P05).
Type of system		Predictive ML · Generative AI · Agent · Embedded third-party AI.
Intensity		Lite · Enterprise.
Financial year and period		For example, 2027 · March.
Version of the T13 parameters		Parameters versioned by financial year.
Document version, author and date		DD-MM-AAAA.

03

Tagging and access keys

Tag or key	Value	Verified at G5 (Yes · No)
`iniciativa`		

Tag or key	Value	Verified at G5 (Yes · No)
`sistema`		
`entorno`	development · testing · pre-production · production	
`centro_coste`		
Model access key per use case and environment		
Own credentials and budget for each agent		

04

Use case consumption budget

Variable cost category	Monthly budget (€)	Annual budget (€)	Volume assumption	Consumption source	Non-linear profile (closes, campaigns)
Model consumption				Model gateway or provider billing	
Compute and infrastructure				Cloud billing	
Other variable costs					
***(illustrative example)* Model consumption of the customer service assistant**	12,000	144,000	60,000 queries per month	Model gateway	Peak in the last week of the month

Month-end forecast = cumulative consumption ÷ days elapsed × days in the month. It is recalculated daily for agents and use cases with direct exposure, and weekly for the rest (42 §8.1).

05

Alerts and response

Threshold	Approved value	Alert to	Response	Link to P25
Consumption against budget (indicative 50%)		AI Operations Owner	Review the forecast.	
Consumption against budget (indicative 80%) or month-end forecast > 100%		AI Operations Owner and AI Product Owner	Analyse the cause and decide measures; activate N1 if defined.	
Consumption against budget (indicative 100%)		AI Sponsor and AI Office	Applicable level of the cascade or a supplement with reasons.	
Anomalous consumption		AI Operations Owner and security	Treat it as a possible incident (document 37).	

06

Technical limits per agent

Only if the system includes agents. Configured in P18 and checked at G5 (42 §8.3).

Agent	Maximum cost per run	Maximum calls per run	Maximum daily and monthly spend	Concurrent runs	Action on reaching the limit
					Stop · Refer to a person · Degraded mode, with a record

The agent's kill switch can also be activated for cost reasons.

07

Cost-driven degradation cascade

Defined in P24, with the minimum quality from P25 and the fallback model recorded in P16 (52 §10.3).

Level	What is done in this system	Trigger	Who activates it	Condition met (Yes · No · Not applicable)	Minimum quality during the level
N0 · Normal operation	Primary model and G5 configuration	—	—	—	—
N1 · Optimisation without a model change		*(illustrative example)* 80% of the budget		Parameters within the G5 ranges	
N2 · Fallback model (Enterprise; optional in Lite)		*(illustrative example)* 100% of the budget		Evaluated before G5 with the reference set and the bias tests; version in P16	
N3 · Reduced scope				Allocation criterion in P24 and people available	
N4 · Alternative without AI				Tested rollback plan (P19)	

Field	Content	Guidance
Does the system decide or recommend about people, support a critical function or is it high-risk?		If Yes, N2 is not used unless specifically validated for that use; move to N3, N4 or a supplement (52 §10.3, rule 2).
Cascade test before G5		Date and result, together with the rollback test.

08

Monthly consumption tracking

Month	Budget (€)	Actual consumption (€)	%	Days at N1 · N2 · N3 · N4	Quality measured in the mode against the minimum (OPE-18)	Supplements approved	Cause and action
(illustrative example) **March 2027**	12,000	12,600	105%	6 · 5 · 0 · 0	91% against 88%	No	Actual volume growth; the R6 adjusts the budget

Month	Budget (€)	Actual consumption (€)	%	Days at N1 · N2 · N3 · N4	Quality measured in the mode against the minimum (OPE-18)	Supplements approved	Cause and action

Each activation and each return to N0 is recorded in P27. More than one month at N2 or above is taken to the next R6 with a proposal: supplement, permanent optimisation (42 §8.5) or change of the primary model.

09

Allocation keys for shared costs

Approved at C3 by the AI Committee with management control, for the whole financial year (42 §6 and §11.2). Method in the order of 42 §6.1: direct charging · measured consumption · cost driver · weighted allocation.

No.	Shared cost	Annual amount (€)	Method	Preferred key	Alternative key	What is not allocated to use cases	Tolerance for untagged consumption	Approv date
CR-01 ***(illustrative example)***	Shared model platform	240,000	Measured consumption	Consumption per access key	Calls per use case	Platform testing	5%	15-01-2027
CR-02 ***(illustrative example)***	AI Office	280,000	Weighted allocation	Hours charged	Use cases weighted by intensity (Enterprise 2, Lite 1)	40% corporate structure	—	15-01-2027

CR-01

Field	Content	Guidance
Key changes during the year		Only for errors; date, reason and who approves it.
Check: amount allocated = total shared cost		For each key (42 §12).

10

Monthly reconciliation

Total AI cost in the accounts = Σ cost charged to use cases + corporate use cost + governance structure cost + unattributed cost (42 §11.3).

Month	Total cost in the accounts (€)	Charged to use cases (€)	Corporate use (€)	Governance structure (€)	Unattributed (€) (IND-COS-08)	Difference (€)	Explanation or correction	Consecut closes unexplair

Close magnitude	Value	Guidance
Untagged consumption above tolerance		If it exceeds it, it is not allocated: unattributed cost and a tagging action; two closes in a row, minor nonconformity (42 §6.3).
Idle licences (IND-COS-09) (Enterprise)		Assigned licences without use × unit cost.
Budget variance per use case (IND-COS-04)		Quarterly.
Difference unexplained for two consecutive closes		Reported to the AI Committee.

11

Cost of stopping and avoided investment

When a stop or a retirement is recorded in T01 and T13 (42 §10).

Magnitude	Amount (€)	Treatment
Approved budget		
Spent up to the decision (sunk cost)		Plays no part in the decision; recorded for lessons.
Non-cancellable commitments		Reported separately; their reuse is sought.

Magnitude	Amount (€)	Treatment
Cost of stopping (closure, penalties, retention or deletion)		Cost of the initiative.
Avoided investment = approved − spent − commitments		IND-COS-10. Does not add to value.
Estimated avoided recurring cost		Estimated. Does not add to value.

(Illustrative example) Approved €400,000; spent €45,000; commitments €20,000; penalty €8,000 and closure €5,000. Cost of stopping: €13,000. Avoided investment: €335,000.

12

Quality criteria

Formal criteria in document 21 (G3.04, G4.08, G4.16, G5.16, R6.03 and G7.05); rules in document 42.

#	Check	Status
1	The use case has its own tags and keys, verified before G5.	Met · Not met · Not applicable · Pending
2	The consumption budget is monthly and annual, with a volume assumption, and approved at G5.	
3	Each alert threshold has a recipient and a response, and is configured in P25.	
4	Agents have technical limits and an action on reaching them.	
5	The cascade defines triggers, who activates and minimum quality; N2 only with a model evaluated before G5.	
6	No level of the cascade deactivates critical controls.	
7	Each shared cost has a key approved at C3 and the amount allocated matches the total.	
8	The monthly reconciliation has been done and differences explained or corrected.	
9	In a stop, the avoided investment and the cost of stopping are recorded and do not add to value.	

13

Approval and verification

Function	SEVEN-G role	Name and position	Date	Signature or reference
Prepares budget, alerts and cascade	AI Operations Owner			
Approves the consumption budget	Body that decides G5 (01 §7.5)			
Approves the allocation keys	AI Committee with management control (C3)			
Reconciles	Management control			
Verifies	AI Office (Lite) · AI Auditor (Enterprise)			

Segregation of duties: whoever operates the system does not approve their own budget supplement; management control approves the keys and reconciles, but does not take part in building the initiatives.

14

Version control

Completed document

Version	Date	Author	Changes

Template

Version	Date	Changes
0.1	19-09-2026	First version. Covers the consumption budget, alerts and limits in 42 §8, the cost-driven degradation cascade in 52 §10.3, the allocation keys in 42 §6 and §11.2, the reconciliation in 42 §11.3 and the cost of stopping in 42 §10.