

TEMPLATE P16 · DATA AND MODEL LINEAGE

# Data and model lineage

Records where the data come from, how they are transformed and which models and versions are involved, so that any output of the system can be explained, reproduced and rolled back.

## IN THIS DOCUMENT

|    |                              |    |                                                  |
|----|------------------------------|----|--------------------------------------------------|
| 01 | Instructions for use         | 07 | Reproducibility and traceability of outputs      |
| 02 | Identification               | 08 | Treatment in the event of rollback or retirement |
| 03 | Data sources                 | 09 | Quality criteria                                 |
| 04 | Datasets and transformations | 10 | Approval and verification                        |
| 05 | Models and components        | 11 | Version control                                  |
| 06 | End-to-end journey           |    |                                                  |

**Legal notice and disclaimer.** SEVEN-G is a reference methodological framework provided "as is" and for information purposes only. It does not constitute legal, regulatory, financial or professional advice, nor does it guarantee compliance with any law or standard. References to general regulation (such as the EU AI Act, the GDPR, DORA or NIS2), to technical standards and to regulation specific to each sector or jurisdiction may be incomplete, may not apply to a particular case or may become out of date as a result of regulatory changes, interpretations or supervisory positions after their consultation date. **Each organisation that uses SEVEN-G is solely responsible for identifying the regulation that applies to it, verifying that it is current and certifying its own regulatory compliance,** with the appropriate qualified advice. The author and SEACHAD accept no liability for any use made of this content or for any decisions taken on the basis of it. The data, figures, companies and cases in the examples are fictitious or illustrative.

# 01 Instructions for use

| Aspect                              | Guidance                                                                                                                                                                                  |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| When it is used                     | Phase 4 (Solution design), before requesting G4. It is updated in phase 5 with the versions actually deployed and in phase 6 with every change to data, model, prompts or knowledge base. |
| Who completes it                    | AI Technical Owner, with the owners of the source data.                                                                                                                                   |
| Who verifies it                     | AI Office under Lite; AI Auditor under Enterprise (01 §7.5). The AI Risk Owner reviews the legal basis and the restrictions on use.                                                       |
| At which <i>gate</i> it is reviewed | G4. It is checked again at G5 (deployed versions) and at every R6 continuity review.                                                                                                      |
| Lite versus Enterprise              | Lite may omit the fields marked <b>(Enterprise)</b> . If the system is classified as high-risk, all fields are completed regardless of intensity.                                         |

| Aspect       | Guidance                                                                                                                                                                               |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Relationship | P05 Inventory record · P11 Regulatory classification · P15 Architecture record · P19 Rollback plan · P27 Incident and change log · P30 Scale or retire decision · documents 51 and 53. |

Completion rules:

- Each source, dataset, model and component has an **identifier, version and owner**. Generic descriptions such as "customer data" are not accepted: the table, file, API or service is identified.
- Third-party models, including general-purpose models consumed via API, are recorded with the supplier, commercial name and exact version.
- In generative AI and agents, **system prompts, knowledge bases and connected tools** are versioned components, just like a model.
- Every version change in production is recorded as a change in P27 and updates this template.
- "No data" is not zero: if a field is not known, *No data* and the reason are stated.

This template does not constitute legal advice. The legal basis for processing must be validated by data protection.

## 02

# Identification

| Field                     | Content     | Guidance                                                                                                        |
|---------------------------|-------------|-----------------------------------------------------------------------------------------------------------------|
| Initiative code           | IA-AAAA-NNN | from the initiative register (T01).                                                                             |
| Initiative name           |             | Short, understandable name.                                                                                     |
| AI system(s)              |             | Identifier in the AI system inventory (T02, P05).                                                               |
| Intensity                 |             | Lite · Enterprise (P04).                                                                                        |
| Regulatory classification |             | Prohibited · High risk · Transparency obligations · Minimal risk · Out of scope · Pending classification (P11). |
| Document version          |             | 0.1, 0.2...; 1.0 upon approval. Each change in production increments the version.                               |
| Author                    |             | Role and name.                                                                                                  |
| Date                      |             | DD-MM-AAAA.                                                                                                     |

| Field           | Content                                                                | Guidance |
|-----------------|------------------------------------------------------------------------|----------|
| Document status | Draft · Submitted for verification · Verified · Approved · Superseded. |          |

03

## Data sources

One row per source. **Data type:** Personal · Special categories · Confidential · Internal · Public · Synthetic. **Legal basis (GDPR Art. 6):** Consent · Contract · Legal obligation · Vital interests · Public interest · Legitimate interest · Not applicable (no personal data).

| ID                                    | Source and source system                                                      | Data owner          | Data type | Legal basis    | Restrictions on use                          | Update frequency | Quality verified (Yes · No · Partial)        |
|---------------------------------------|-------------------------------------------------------------------------------|---------------------|-----------|----------------|----------------------------------------------|------------------|----------------------------------------------|
| F-01<br><i>(illustrative example)</i> | Maintenance incident history, work order table of the asset management system | Head of maintenance | Internal  | Not applicable | Internal use only; not shared with suppliers | Daily            | Partial: 4 % of records without a fault code |
|                                       |                                                                               |                     |           |                |                                              |                  |                                              |
|                                       |                                                                               |                     |           |                |                                              |                  |                                              |
|                                       |                                                                               |                     |           |                |                                              |                  |                                              |

| Supplementary field                                       | Content | Guidance                                                                       |
|-----------------------------------------------------------|---------|--------------------------------------------------------------------------------|
| Third-party or acquired data                              |         | Supplier, licence and conditions of use for AI.                                |
| Transfers outside the European Economic Area (Enterprise) |         | Destination, safeguard applied and reference to the supplier assessment (P14). |
| Data protection impact assessment                         |         | Carried out · Not required (with justification) · Pending. Link to P11.        |

# Datasets and transformations

**Use:** Training · Fine-tuning · Validation · Testing · Knowledge base (retrieval) · Inference · Monitoring.

| Dataset ID                             | Use      | Sources (ID) | Main transformations                                                           | Version or fingerprint                           | Period covered     | Volume          | Bias and representativeness controls (Enterprise)                 | Loan and retention |
|----------------------------------------|----------|--------------|--------------------------------------------------------------------------------|--------------------------------------------------|--------------------|-----------------|-------------------------------------------------------------------|--------------------|
| CD-01<br><i>(illustrative example)</i> | Training | F-01, F-02   | Removal of duplicates; imputation of dates; pseudonymisation of the technician | v3 · fingerprint recorded in the data repository | 01-2023 to 12-2025 | 180,000 records | Distribution by plant and asset type compared with the population | Annual report 5 y  |



# Models and components

**Model type:** In-house trained · In-house fine-tuned on a base model · Third-party via API · Third-party deployed on own infrastructure · General-purpose model · Rules (not AI). **Status:** In development · Validated · In production · Retired.

| Model ID                              | Type             | Supplier and exact version | Datasets used | Purpose                                            | Reference metrics                                      | Known limitations                                             | Status    |
|---------------------------------------|------------------|----------------------------|---------------|----------------------------------------------------|--------------------------------------------------------|---------------------------------------------------------------|-----------|
| M-01<br><i>(illustrative example)</i> | In-house trained | Internal · v1.4            | CD-01, CD-02  | Estimate the probability of failure within 30 days | Discrimination and calibration metrics recorded in P22 | Poor performance on assets with less than 6 months of history | Validated |

Generative AI and agent components (if applicable):

| Component                                           | Identifier and version | Owner | Location | What a change requires                                                                                                                                                               |
|-----------------------------------------------------|------------------------|-------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| System prompts                                      |                        |       |          | Regression testing and recording in P27.                                                                                                                                             |
| Knowledge base                                      |                        |       |          | Content review, cut-off date and access permissions.                                                                                                                                 |
| Agent's connected tools                             |                        |       |          | Permissions review in P18.                                                                                                                                                           |
| Generation parameters (Enterprise)                  |                        |       |          | Regression testing.                                                                                                                                                                  |
| Cost fallback model (document 52 §10.3), if planned |                        |       |          | Provider and exact version; evaluated before G5 with the reference set and the bias tests of the primary model. Adding it or changing its conditions is a change (document 52 §6.4). |

## 06

# End-to-end journey

Describe, in order, how a source data item becomes an output of the system. One row per step; no text diagrams.

| Step                            | Input            | Process                  | Output                     | Record that evidences it         |
|---------------------------------|------------------|--------------------------|----------------------------|----------------------------------|
| 1 <i>(illustrative example)</i> | F-01             | Nightly extraction       | Dated raw copy             | Load process log                 |
| 2 <i>(illustrative example)</i> | Raw copy         | CD-01 transformations    | CD-01 v3                   | Dataset fingerprint              |
| 3 <i>(illustrative example)</i> | Data for the day | Inference with M-01 v1.4 | Prioritised list of assets | Inference log with model version |

## Reproducibility and traceability of outputs

| Field                                                                    | Content | Guidance                                                                                                                                                                      |
|--------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Can each output be linked to the version of the model, data and prompts? |         | Yes · Partially · No. If not, it is a finding for G4.                                                                                                                         |
| Automatic logs retained                                                  |         | What is logged (input, output, version, date, user). In high-risk systems, align with the record-keeping obligations of the <a href="#">EU AI Act</a> (document 34).          |
| Log retention period                                                     |         | Period set by the company, not shorter than that required by applicable regulation.                                                                                           |
| Ability to retrain or regenerate a previous version (Enterprise)         |         | What is kept to reconstruct a version (code, data, parameters).                                                                                                               |
| Reference for detecting drift                                            |         | Dataset and period used as the reference for monitoring (P25). For generative AI and agents, usage reference: topics, intents and scope validated at G5 (document 52 §4.2.6). |

## Treatment in the event of rollback or retirement

| Field                                            | Content | Guidance                                                            |
|--------------------------------------------------|---------|---------------------------------------------------------------------|
| Previous stable version available                |         | Identifier of the model and components to be reverted to (P19).     |
| Data that must be retained                       |         | Due to legal obligation, audit or legal defence.                    |
| Data that must be deleted or anonymised          |         | Includes copies held by suppliers.                                  |
| Supplier obligations on termination (Enterprise) |         | Return, certified deletion, no reuse for training. Detailed in P30. |

## Quality criteria

The verifier checks, as a minimum, the following. The formal G4 criteria are in document 21 and checklist LV-G4 in document 22.

| # | Check                                                                               | Status (Met · Not met · Not applicable · Pending) |
|---|-------------------------------------------------------------------------------------|---------------------------------------------------|
| 1 | All sources have an owner, data type and legal basis where there are personal data. |                                                   |
| 2 | Each dataset has a version or fingerprint and a period covered.                     |                                                   |
| 3 | Each model and component has an exact version, including third-party ones.          |                                                   |
| 4 | The end-to-end journey makes it possible to link an output to its versions.         |                                                   |
| 5 | Known limitations are declared and carried over to P17 and P24.                     |                                                   |
| 6 | There is an identified previous version for rollback.                               |                                                   |
| 7 | The template existed and had been verified before G4 was requested.                 |                                                   |

## Approval and verification

| Function                   | Role                                       | Name | Date | Signature or reference |
|----------------------------|--------------------------------------------|------|------|------------------------|
| <b>Author</b>              | AI Technical Owner                         |      |      |                        |
| <b>Legal basis review</b>  | Data protection or AI Risk Owner           |      |      |                        |
| <b>Verifier</b>            | AI Office (Lite) · AI Auditor (Enterprise) |      |      |                        |
| <b>Gate decision-maker</b> | According to 01 §7.5 (recorded in P29)     |      |      |                        |

Segregation of duties: the verifier is not part of the team that builds and is not the same person as the author (01 §7.4 and §8.2).

# Version control

| Version | Date       | Changes                                                                                                                         |
|---------|------------|---------------------------------------------------------------------------------------------------------------------------------|
| 0.1     | 16-09-2026 | First version of the template.                                                                                                  |
| 0.1     | 18-09-2026 | Cost fallback model in the components and usage reference for drift in generative AI and agents (document 52 §4.2.6 and §10.3). |

# External sources cited

Links to the official or primary source, checked before publication. Always verify the version in force on the date of use.

**Regulation (EU) 2016/679 of the European Parliament and of the Council of 27 April 2016 on the protection of natural persons with regard to the processing of personal data and on the free movement of such data, and repealing Directive 95/46/EC (General Data Protection Regulation)** · <https://eur-lex.europa.eu/eli/reg/2016/679/oj/eng> · Parlamento Europeo y Consejo de la UE · 27-04-2016

**Regulation (EU) 2024/1689 of the European Parliament and of the Council of 13 June 2024 laying down harmonised rules on artificial intelligence (Artificial Intelligence Act)** · <https://eur-lex.europa.eu/eli/reg/2024/1689/oj/eng> · Parlamento Europeo y Consejo de la UE · 13-06-2024