

Notes

This presentation answers a very specific question: which data an AI system is built on and how it is kept alive in production.

Many conversations about AI end on go-live day. SEVEN-G starts from the opposite idea: that is where the part that decides whether the value lasts begins. An AI system can fail without going down. It stays available, but its responses get worse, its data changes, its cost grows or its provider changes the model without notice.

The area brings together three moments of the initiative lifecycle:

- Data and knowledge, before building: whether they exist, whether their quality is sufficient and whether they can be used lawfully (document 51).
- The build, increasingly assisted by AI: what minimum controls SEVEN-G requires of AI-generated code and how SPAD, the methodology for software engineering with AI, fits in (document 53).
- Operation: monitoring, drift, changes, incidents, cost, rollback and continuity review (document 52).

The ten slides follow this order: why it matters, the key concepts, how SEVEN-G handles it, building with SPAD, the tools and templates, an example with fictitious figures, common errors, questions for management or the classroom and how to start.

Why it matters: the board approves the investment at G3 and G5, but most of the risk and the value appears afterwards, in daily operation.


Question to open the session: think of an AI system in your organisation that has been in production for a year. Does anyone know whether it works better or worse today than on the day it was approved?

SOURCES AND LINKS

- **Action area: Data, build and operations** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/areas/operacion.html
- **Document 52, section 2: operating principles** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#operating-principles
- **Area page** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/areas/operacion.html

DATA, BUILD AND OPERATIONS IN 10 SLIDES

- **What SEVEN-G is** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/entrada/index.html



Notes

The left-hand column lists situations that SEVEN-G itself describes as common mistakes. The right-hand column shows what the framework requires to avoid them.

- Data reviewed through descriptions. SEVEN-G starts from a premise: lack of data availability or quality is the main cause of failure of initiatives that do not reach production or do not sustain their value. The framework does not base it on market figures, but on its logic, and proposes measuring it in each company with indicator DAT-07. That is why the data assessment is done in phase 3 with real data or a representative sample. An assessment based only on interviews or data dictionaries does not pass the feasibility gate (G3).
- Usage drift. An assistant validated for product queries that starts receiving complaints or legal questions still works and its evaluations stay green, because they measure what was anticipated and not what is happening. SEVEN-G sets a usage reference at G5 and monitors how far use moves away from it.
- The provider changes too. A new version of the model from the same provider and family is a significant change; a change of provider or model family requires a return to G5.
- Budget exhausted. Without a defined cascade, only two bad options remain. With one, cost is contained in steps and no step may disable critical controls.

Why it matters: these failures do not show up in an availability report. They show up in complaints, in bias or in the income statement, when it is already too late.


Question for the classroom: which of the four situations on the left seems most likely in your organisation, and who would detect it?

SOURCES AND LINKS

- **Document 51, section 5.2: the phase 3 assessment** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/51_SEVEN-G_Datos_y_conocimiento.html#5-2-phase-3-the-assessment-that-prevents-the-most-stops
- **Document 52, section 4.2.6: usage drift** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#usage-drift

DATA, BUILD AND OPERATIONS IN 10 SLIDES

- **Document 52, section 6.2: substantial changes** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#6-2-substantial-changes-and-the-gate-to-return-to
- **Operating principles (52)** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#operating-principles
- **Area page** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/areas/operacion.html



Notes


Six concepts are enough to understand the area.

- AI system: a machine-based system that, with varying levels of autonomy, infers from the input it receives how to generate outputs that can influence physical or virtual environments. The definition is aligned with that of the EU AI Act. Each system has a code in the inventory (SIA-AAAA-NNN).
- Generative AI: systems that generate content from instructions and context. They are operated differently from predictive ML: there are no labels to measure accuracy directly, so they are evaluated with a reference set of cases, responses are sampled and consumption cost is monitored.
- Rollback plan: the plan to return to a safe situation, whether the previous version, a non-AI alternative or reduced autonomy or scope. It is tested before G5 and then at least once a year in Lite and every six months in Enterprise.
- Minor, significant or substantial change: a minor change does not alter behaviour or controls; a significant one alters it within what was approved and requires regression evaluation, updated documentation and a report at the next R6; a substantial one alters the purpose, scope, autonomy, data, critical controls or risk profile and requires a return to the relevant gate.
- AI Operations Owner: the role accountable for stability, monitoring, incidents and changes in production. It cannot verify evidence of its own operation: that is segregation of duties.
- R6 · Continuity review: it replaces the gate in phase 6. It compares realised value with the hypothesis and reviews stability, incidents, compliance and the validity of the classification. Outcomes: Proceed with operation, Proceed with conditions or Bring G7 forward.

Why it matters: with these six terms, a non-technical management team can ask the essential questions without going into technical detail: which system it is, who is accountable, how to roll back and when it was last reviewed.

SOURCES AND LINKS

- **Document 02: glossary of framework terms** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/02_SEVEN-G_Glosario_y_convenciones.html#glossary-of-framework-terms
- **Document 52, section 6.1: change classes** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#6-1-change-classes
- **Document 52, section 8: R6 continuity review** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#r6-continuity-review
- **Regulation (EU) 2024/1689 (EU AI Act)** https://eur-lex.europa.eu/eli/reg/2024/1689/oj/eng
- **Full glossary (document 02)** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/02_SEVEN-G_Glosario_y_convenciones.html#glossary-of-framework-terms
- **Area page** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/areas/operacion.html



Notes

SEVEN-G does not treat data or operation as separate technical matters: it places them in the lifecycle, with a gate or review that checks them.

- Phase 0. Known data restrictions are declared (P02).
- Phase 3 and the feasibility gate (G3). The data owner, in the business, authorises use for that initiative. The assessment covers existence and access, volume, measured quality, labels or ground truth, representativeness, legitimacy, availability in production, knowledge (in generative AI) and preparation cost. Each block is sufficient, sufficient with actions or insufficient.
- Phase 4 and the design gate (G4). Data and model lineage (P16), dataset records, permissions for knowledge sources and AI build tools identified and approved.
- Phase 5 and the go-live gate (G5). Proceed cannot be decided without the operations manual (P24), monitoring with tested alerts (P25), the incident plan (P26), the change and incident log (P27) and the tested rollback plan (P19). The operations owner takes part in phase 5 and accepts the handover.
- Phase 6. The operations owner runs the system. Nine layers are monitored. Drift takes three forms in predictive ML (data, prediction and concept) and one more in generative AI and agents: usage drift. Each change is classified; significant ones in Enterprise need risk clearance from the AI Risk Owner. If the consumption budget runs out, the cascade moves from N0 (normal) to N1 (optimise), N2 (fallback model), N3 (reduced scope) and N4 (alternative without AI). The model is not downgraded in uses that decide about people without specific validation.
- R6 and G7. In Lite the AI Office and the sponsor decide; in Enterprise, the AI Auditor and the AI Committee.

Why it matters: each control arrives at the moment when it is still cheap.

Question for the classroom: in which phase is it usually discovered today that the data is not fit for use?

SOURCES AND LINKS


DATA, BUILD AND OPERATIONS IN 10 SLIDES

- **Document 51, section 5: data preparation by phase** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/51_SEVEN-G_Datos_y_conocimiento.html#data-preparation-by-phase
- **Document 52, section 3.2: readiness to operate** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#3-2-readiness-to-operate
- **Document 52, section 10.3: cost-driven degradation cascade** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#10-3-cost-driven-degradation-cascade
- **Document 20, section 9: phase 6, operation and governance** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/20_SEVEN-G_Manuales_de_fase.html#phase-6-operation-and-governance
- **Data by phase (51)** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/51_SEVEN-G_Datos_y_conocimiento.html#5-1-requirements-by-phase
- **Phase 6 · Operation (20)** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/20_SEVEN-G_Manuales_de_fase.html#phase-6-operation-and-governance
- **Cost-driven degradation (52)** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#10-3-cost-driven-degradation-cascade

■ DATA, BUILD AND OPERATIONS IN 10 SLIDES

Building with SPAD: AI produces, a person validates

SPAD (Structured Prompt-Driven Engineering) is the independent methodology for building software with AI.



- **In phases** Plan, review, tests, build, review and version. No phase starts without the reviewed output of the previous one.
- **Separate roles** The AI that reviews is never the one that builds. No AI approves: an identified person always accepts.
- **Not a gate** A SPAD GO verdict does not replace the design gate (G4) or the go-live gate (G5).
- **Illustration** Illustration in Spanish. Its «IA-Auditor» is the AI Reviewer, a tool; the SEVEN-G AI Auditor is a person.

→ SPAD library | → SEVEN-G and SPAD (document 53)

SEVEN-G · Version 0.x, under review · CC BY 4.0 · Fernando García Varela seachad.github.io/AI_CONSULTING/ 5 / 10

Notes

More and more solutions are built with coding assistants and agents that write code. This happens whether or not the solution is an AI system. SEVEN-G separates two objects: the system being built, which is governed through the lifecycle, and the AI tools that help build it, which are inventoried and approved like any other use of AI.

SPAD is an independent methodology, referenced from SEVEN-G and not integrated into it. It is used mainly in phases 4 (design) and 5 (delivery). Its main cycle runs from context and objective to the plan, the plan review, the code guide, the test strategy, implementation, tests, their reviews, minimal fixes and version management. Each phase leaves an artefact, and its verdicts are GO, GO with changes or NO-GO. Its central principle: compliance with the flow matters more than the apparent quality of the result.

What SEVEN-G requires, whether or not SPAD is used (document 53, section 7):

- A competent person reviews every AI-generated artefact before it is integrated; in Enterprise, a second review for critical components such as payments, personal data or agent limits.
- It is known which part was generated with AI and with which tool.
- The test strategy is defined before implementation.
- Security analysis, secret detection and dependency review before G5. Critical and high findings block G5.
- No personal data or secrets are entered into tools that are not approved.

SPAD, or another equivalent documented method, should be used in Enterprise initiatives with AI-assisted build; in Lite it is optional, with a reduced version. SPAD artefacts are inputs to SEVEN-G evidence, for example the build annexes (P66).

The illustration is in Spanish.

Why it matters: AI generates plausible code at great speed. Without a method, that speed turns into design decisions that nobody took consciously.


SOURCES AND LINKS

- **SPAD · What it is and what it is for** https://seachad.github.io/AI_CONSULTING/SPAD/html/en/00_SPAD_Que_es_y_para_que_sirve.html
- **Document 53, section 7: minimum requirements for AI-generated code** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/53_SEVEN-G_Construccion_de_soluciones_con_IA.html#seven-g-minimum-requirements-for-ai-generated-code
- **Document 53, section 2.3: when to use SPAD** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/53_SEVEN-G_Construccion_de_soluciones_con_IA.html#2-3-when-to-use-spad
- **Template P66: SPAD build annexes** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/plantillas/P66_SEVEN-G_Anexos_de_construccion_con_SPAD.html
- **SPAD library** https://seachad.github.io/AI_CONSULTING/SPAD/html/en/00_SPAD_Que_es_y_para_que_sirve.html
- **SEVEN-G and SPAD (document 53)** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/53_SEVEN-G_Construccion_de_soluciones_con_IA.html#relationship-between-seven-g-and-spad

■ DATA, BUILD AND OPERATIONS IN 10 SLIDES

Tools and templates used

All are free and adaptable. The figure shows the operation loop: monitoring, R6 and G7.



- **P64 and P16** Record for each dataset and inventory of knowledge sources (P64); data and model lineage (P16).
- **P24 and P25** Operations manual (P24) and monitoring and alerts (P25), with thresholds, owners and tested alerts.
- **P19 and P27** Rollback plan and its test (P19); log of incidents and changes with their class (P27).
- **P65 and T01** R6 continuity review package (P65); the initiative register (T01) warns when an R6 is overdue.

→ Operations templates (52) → Initiative register (T01)

Notes

The area does not create new tools: it uses templates that the company adapts and, if it already has a data catalogue or a change management system, relies on them.


- Dataset record and inventory of knowledge sources (P64). Every dataset used to train, validate or feed an AI system has an owner, origin, legal basis, measured quality, representativeness, retention and version. Generative AI knowledge sources have a content owner, permissions and a review date.
- Data and model lineage (P16). It is prepared in phase 4, must be up to date for G5 and is updated with every change.
- Operations manual (P24). It describes the system, its autonomy, its service levels, the on-call arrangements, the degraded modes and the cost-driven degradation cascade with its triggers.
- Monitoring and alert configuration (P25). For each layer, the metric, the baseline, the warning and critical thresholds, the initial severity and the owner. Alerts are tested before G5.
- Rollback plan and test (P19). How to return to the previous version or to a non-AI alternative, and the result of the test.
- Incident and change log (P27). Each change with its class and approval; each incident with its severity S1 to S4, its root cause and its closure.
- Continuity review package (P65). Value against the hypothesis, cost, stability, drift, incidents, agents, human oversight, risk and continuity, with a proposal.
- Initiative register (T01). It holds the phase and status of each initiative; an overdue R6 generates an alert.

The figure shows how an initiative flows: after go-live it enters an operation loop with continuous monitoring and a periodic R6, which can bring forward evolution or retirement (G7).

Why it matters: each template leaves the evidence that an auditor or a regulator will ask for. Without it, what is not recorded did not happen.

SOURCES AND LINKS

- **Template P64: dataset record and inventory of knowledge sources** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/plantillas/P64_SEVEN-G_Ficha_de_conjunto_de_datos_e_inventario_de_fuentes_de_conocimiento.html
- **Template P16: data and model lineage** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/plantillas/P16_SEVEN-G_Linaje_de_datos_y_modelos.html
- **Template P24: operations manual** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/plantillas/P24_SEVEN-G_Manual_de_operacion.html
- **Template P19: rollback plan and test** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/plantillas/P19_SEVEN-G_Plan_de_reversion_y_prueba.html
- **Template P65: R6 continuity review package** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/plantillas/P65_SEVEN-G_Paquete_de_revision_de_continuidad_R6.html
- **Operations templates (52)** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#15-1-operations-templates
- **Initiative register (T01)** https://seachad.github.io/AI_CONSULTING/SEVEN-G/herramientas/T01_registro_iniciativas/registro.html



Notes

This example is fictitious and is taken from SEVEN-G document 52 (section 10.3). It shows how the cost of a generative AI system is contained without improvisation.

Systems with variable consumption, such as generative AI and agents, must have defined in their operations manual (P24) what happens when consumption reaches the budget. The response follows a cascade of levels, from least to most restrictive: N0 normal operation; N1 optimisation without a model change; N2 fallback model, evaluated before G5 with the same evaluation set, including the bias tests; N3 reduced scope, in which people handle the rest; and N4 alternative without AI.

What the example shows:

- The response was decided beforehand. The triggers (N1 at 80%, N2 at 100%) and who activates them are set in P24 and were tested before G5. Activating a planned degraded mode is not a change: it is an approved operating mode and is recorded as an event in P27.
- Not everything is degraded in the same way. Informational queries move to the fallback model; complaints stay on the primary model. In uses that decide or recommend about people, in critical functions or in high-risk systems, the model is not downgraded without specific validation: the system moves to N3 or N4, or a budget supplement is approved.
- Quality is monitored more closely during the mode: sampling is at least doubled and, if quality falls below the minimum, the system moves to the next level.
- Learning is part of the process. If a system spends more than a month in N2 or a higher level, the budget or the design is wrongly sized and it is taken to the R6 with a proposal.

Why it matters: the board knows in advance what quality is delivered at each level and what each month costs, instead of finding out through an invoice or a service outage.

Question for the classroom: which use cases in your organisation should never move to a cheaper model, and why?

SOURCES AND LINKS

- **Document 52, section 10.3: cost-driven degradation cascade** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#10-3-cost-driven-degradation-cascade
- **Document 52, section 6.4: change rules** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#6-4-rules
- **Cost-driven degradation (52)** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#10-3-cost-driven-degradation-cascade
- **Operations manual (P24)** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/plantillas/P24_SEVEN-G_Manual_de_operacion.html

■ DATA, BUILD AND OPERATIONS IN 10 SLIDES

Common errors

Taken from SEVEN-G documents 51, 52 and 20, with how to avoid them.

Common error	What happens	How to avoid it
Building with data that will not be the same in production	Real performance is far below what was validated.	Availability-in-production block in the phase 3 assessment.
Connecting a whole repository to an assistant	Drafts, old versions and people seeing what they should not.	Sources with an owner and validity; permissions filtered at retrieval.
Monitoring only technical availability	Quality, drift or cost get worse without anyone seeing it.	Nine layers in P25, with an owner and an action for each alert.
Changing model or instructions without evaluation or record	If it was substantial and did not return to its gate: major nonconformity.	Classify every change; when in doubt, the higher class.
Treating go-live as the end	The team is withdrawn without handover and value stops being measured.	Handover accepted by the operations owner; R6 in the calendar.
Not versioning training data	Impossible to reproduce or investigate an incident.	Frozen, versioned datasets; lineage (P16) up to date.

→ Data mistakes (51) → Phase 6 mistakes (20)

Notes

The six errors in the table come from the common mistakes lists in document 51 (data and knowledge) and in the phase 6 manual (document 20), and from the change rules in document 52.


- Data that will not be the same in production. A model is built on a clean historical extract and in production receives data with another definition, another frequency or another delay. That is why the phase 3 assessment includes a specific block on availability in production.
- A whole repository connected to an assistant. The quality of generative AI responses depends more on the sources than on the model. A source should not be connected if it has no content owner, if it mixes drafts and official documents or if its permissions cannot be carried over. Permissions are filtered at the moment of retrieval, not only at indexing. If the assistant cites an expired document on prices or terms, it is an incident.
- Availability only. The first principle of the operations manual says it: an AI system can fail without going down.
- Changes without evaluation. Retraining, changing the system instructions or adopting a new version of the provider's model are significant changes. Increasing autonomy, for example from recommendation to supervised action, is substantial and requires a return to G4 and G5.
- Go-live as the end. Phase 6 has no fixed end. Omitting an R6 is a major nonconformity.
- Unversioned data. Without frozen datasets, a result cannot be reproduced and a regulator cannot be answered.

Why it matters: none of these errors is technical in origin. They are organisational decisions that someone did not take in time.

Question for the classroom: which of these errors would be most expensive to correct in your organisation if it were discovered a year from now?

SOURCES AND LINKS

- **Document 51, section 13: common mistakes** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/51_SEVEN-G_Datos_y_conocimiento.html#common-mistakes
- **Document 51, section 10.4: access permissions** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/51_SEVEN-G_Datos_y_conocimiento.html#10-4-access-permissions
- **Document 20, section 9.12: phase 6 common mistakes** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/20_SEVEN-G_Manuales_de_fase.html#9-12-common-mistakes
- **Document 52, section 6.4: change rules** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#6-4-rules
- **Data mistakes (51)** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/51_SEVEN-G_Datos_y_conocimiento.html#common-mistakes
- **Phase 6 mistakes (20)** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/20_SEVEN-G_Manuales_de_fase.html#9-12-common-mistakes



Notes

The first two questions are those that SEVEN-G proposes to the board for enabling spheres 05 (Data) and 06 (Knowledge) in document 51. The other four come from the operations manual (document 52) and from what the continuity review (R6) package must contain.

How to use them:

- In a management or board session, ask for the answer to come with evidence: the dataset record (P64), the operations manual (P24), the change log (P27), the result of the last rollback test (P19) or the definition of the cost-driven degradation cascade.
- An answer such as «the technical team handles it» is not enough. SEVEN-G requires an operations owner who can be reached in accordance with the service level; no owner, no production.
- The question on critical knowledge has a people dimension. An expert's knowledge is captured with their voluntary and informed participation, with recognition and with clarity about later use. It must not be presented as a step before letting the person go without assessing the effect in line with document 50.
- The question on rollback has two parts: the technical test and the people. The plan identifies who, and with what capabilities, operates without the system.


In the classroom, these questions help to analyse a case: the group chooses a well-known AI system, answers the six questions with what it knows and points out which evidence it would be missing.

Why it matters: good questions do not require technical knowledge. They require knowing which evidence should exist and asking for it.

SOURCES AND LINKS

- **Document 51, section 2.1: reference questions** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/51_SEVEN-G_Datos_y_conocimiento.html#2-1-reference-questions
- **Document 52, section 8.2: R6 package** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#8-2-r6-package

- **Document 52, section 10.2: continuity and rollback rules** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#10-2-rules
- **R6 package (52)** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#8-2-r6-package
- **Area page** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/areas/operacion.html



Notes

These five steps order what SEVEN-G already requires in documents 51 and 52, so that a company can start with what is most urgent. They do not create new rules.

- Step 1. Name the owners. Two principles of the framework require it: no data without an owner, and no owner, no production. The operations owner must be reachable during the system's operating hours.
- Step 2. Catalogue data and sources. If the company already has a data catalogue, the record is implemented as an extension of that catalogue; if not, with template P64. For generative AI, each knowledge source needs a content owner, permissions and a review date.
- Step 3. Test the rollback. At least once a year in Lite and every six months in Enterprise, and after every substantial change. The plan also identifies the people who would operate without the system.
- Step 4. Monitor and record. In Lite a reduced set of layers is enough: availability, input data, quality or performance depending on the type of system, cost, and human oversight with value. In Enterprise, all those that apply. Every alert has an owner, a procedure and an initial severity.
- Step 5. Put R6 in the calendar: half-yearly in Lite and quarterly in Enterprise. Its possible outcomes are Proceed with operation, Proceed with conditions or Bring G7 forward.

For systems that were already in production before the framework was applied, SEVEN-G provides for their regularisation (document 20, section 11.8). For what is built from now on with AI assistance, the company can adopt SPAD or an equivalent documented method that meets the minimum requirements of document 53.

All the material is free and adaptable (content CC BY 4.0 and code MIT). SEVEN-G does not certify: the company applies the framework and verifies its own compliance.

Why it matters: AI risk does not wait for the governance project to finish. The systems already in operation are the first ones that must be explainable.

SOURCES AND LINKS

- **Document 52, section 14: Lite and Enterprise operation** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#lite-and-enterprise-operation
- **Document 51, section 3: principles** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/51_SEVEN-G_Datos_y_conocimiento.html#principles
- **Template P65: R6 continuity review package** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/plantillas/P65_SEVEN-G_Paquete_de_revision_de_continuidad_R6.html
- **Regulation (EU) 2016/679 (GDPR)** https://eur-lex.europa.eu/eli/reg/2016/679/oj/eng
- **Area page** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/areas/operacion.html
- **Lite and Enterprise operation (52)** https://seachad.github.io/AI_CONSULTING/SEVEN-G/html/en/52_SEVEN-G_Manual_de_operacion_de_IA.html#lite-and-enterprise-operation
- **SPAD library** https://seachad.github.io/AI_CONSULTING/SPAD/html/en/00_SPAD_Que_es_y_para_que_sirve.html

LEGAL NOTICE

Legal notice: a generic, free methodological aid provided "as is" for information purposes; it is not legal advice and has not been legally reviewed for any case. Each organisation adapts it and is responsible for its legal review and its regulatory compliance; it may not reflect recent regulatory changes. To the fullest extent permitted by law, the author accepts no liability whatsoever for the effects of its application. It does not grant certification of any kind. Details in document 93.

CC BY 4.0 (content) · MIT (code) · Fernando García Varela · seachad.github.io/AI_CONSULTING/