

DOCUMENT 53 · BUILDING SOLUTIONS WITH AI

Building solutions with AI

How design, code and tests generated with AI assistance are governed in phases 4 and 5, and how SPAD is used

Fernando García Varela Version 0.1 (working draft) 16-09-2026 Draft for review

2

phases in which it
applies (4 and 5)

6

minimum
requirements for
AI-generated code

7

SPAD roles mapped

0

approvals an AI can
give

IN THIS DOCUMENT

- | | |
|---|--|
| 01 Purpose and scope | 06 SPAD validation policy and how it fits into SEVEN-G |
| 02 Relationship between SEVEN-G and SPAD | 07 SEVEN-G minimum requirements for AI-generated code |
| 03 Where SPAD fits in the lifecycle | 08 Verification at the gates |
| 04 Mapping of SPAD phases to SEVEN-G evidence | 09 Associated tools and templates |
| 05 Roles: AI Reviewer versus AI Auditor | 10 Related documents |
| | 11 Version control |

This document does not constitute legal advice. Intellectual property, licensing and data protection matters must be validated with qualified legal counsel.

Legal notice and disclaimer. SEVEN-G is a reference methodological framework provided "as is" and for information purposes only. It does not constitute legal, regulatory, financial or professional advice, nor does it guarantee compliance with any law or standard. References to general regulation (such as the EU AI Act, the GDPR, DORA or NIS2), to technical standards and to regulation specific to each sector or jurisdiction may be incomplete, may not apply to a particular case or may become out of date as a result of regulatory changes, interpretations or supervisory positions after their consultation date. **Each organisation that uses SEVEN-G is solely responsible for identifying the regulation that applies to it, verifying that it is current and certifying its own regulatory compliance**, with the appropriate qualified advice. This methodology is a generic, free aid shared with the community so that nobody has to start from scratch; each person or organisation can and should adapt it to its own use. It must not be inferred that its legally sensitive parts have been reviewed by legal counsel: those reviews, for each company or sector, are the ultimate responsibility of the company, consultant or organisation that uses it. Although every effort is made to keep it up to date, some regulation may have changed without being reflected here. To the fullest extent permitted by law, the author accepts no responsibility whatsoever for the effects of its application in any organisation or for its full applicability. The methodology does not grant certification of any kind. The author accepts no liability for any use made of this content or for any decisions taken on the basis of it. The data, figures, companies and cases in the examples are fictitious or illustrative.

THE ESSENTIALS

Conditional: depends on a trigger

Trigger: the solution is built with AI-generated code or with the SPAD methodology. It sets the minimum requirements for that code and how they are verified at the gates.

Obligation matrix and layered reading (document 94)

Purpose and scope

1.1 What it governs

More and more solutions are **built with AI assistance**: coding assistants, agents that write and execute code, models that generate tests, configurations, queries or documentation. This happens whether or not the resulting solution is an AI system.

This document sets out:

1. The **minimum requirements** that SEVEN-G imposes on every AI-generated artefact that forms part of a solution (section 7).
2. How **SPAD** is used as an engineering method in phases 4 and 5, and how its phases, roles and validation policy produce SEVEN-G evidence (sections 3 to 6).
3. The distinction between the **AI Reviewer** (a tool) and the **AI Auditor** (an independent person) (section 5).

1.2 What it does not govern

- The governance of the initiative, its *gates* and its value: these are set by document 01.
- Corporate use of AI assistants outside projects: document 31.
- The security of agents in production: document 35.
- The assessment of AI tool suppliers: document 36 and P14.

1.3 Two distinct objects

Object	What it is	Where it is governed
The system being built	The initiative's solution (which may or may not be an AI system).	Lifecycle 0–7, regulatory classification (document 34), P15–P23.
The AI tools that help build it	Assistants, agents and models used by the team.	Inventory (T02) as corporate or team use; policy (document 31); supplier (P14); this document.

A build tool with the ability to execute actions on repositories, environments or systems is an **agent** and is classified under autonomy levels A0–A3 (document 35). If it acts on production systems or personal data at level A2 or A3, the initiative meets the Enterprise criterion in 01 §9.2.

Relationship between SEVEN-G and SPAD

2.1 Position of SPAD

SPAD (*Structured Prompt-Driven Engineering*) is an **independent methodology** for AI-assisted engineering, referenced from SEVEN-G and not integrated into it (decision D09). It is not a brand, a component or a "capability" of SEVEN-G. SEVEN-G can be applied with SPAD or with another engineering method that meets the requirements of section 7. The full methodology is in the SPAD library (documents 00 to 08).

Aspect	SEVEN-G	SPAD
What it governs	The initiative: value, risk, compliance, decision.	AI-assisted engineering work within the build.
Unit	Initiative (IA-AAAA-NNN) and AI system.	Work topic (<i>TOPIC</i>): feature, fix or change.
Gates	<i>Gates</i> G0–G5, R6, G7 with a decision by a body.	Technical verdicts per phase (GO, GO with changes, NO-GO).
Who decides	People and bodies with segregation of duties.	The human orchestrator validates; the AIs produce and review.
Evidence	Verified templates P01–P31.	Artefacts per phase grouped by topic.

2.2 Rules for using SPAD within SEVEN-G

1. SPAD verdicts **do not replace** any *gate* or the AI Auditor's verification.
2. SPAD artefacts **are inputs** to SEVEN-G evidence; they are not evidence in themselves until they are referenced in the corresponding template with a human author, date, version and verification (01 §7.2).
3. Some SPAD materials predating decision D09 present SPAD as part of SEVEN-G. That relationship is superseded by the one set out in this document.
4. SPAD materials include improvement figures (reductions in rework, incidents or lead times) and return expectations. **SEVEN-G neither uses nor endorses them**, because they lack verifiable support; the value of an initiative is measured with the rules in 00 §6.
5. The internal certification associated with SPAD is not SEVEN-G evidence and does not exempt from any *gate*.
6. AECF, an application of SPAD to a specific technology, has the same status as a related methodology.

2.3 When to use SPAD

Situation	Use of SPAD	Minimum requirements (section 7)
Enterprise initiative with AI-assisted build	SPAD or another equivalent documented method should be used.	They must be met.
Lite initiative with AI-assisted build	SPAD may be used, in its reduced version (section 4.3).	They must be met in their Lite version.
Urgent fix in production (phase 6)	SPAD's urgent fix flow may be used.	They must be met, with a documented subsequent review.
Modification of legacy code	Prior documentation of the existing code should be applied.	They must be met.
Throwaway prototype with no real data or production access	Not necessary.	Only 7.6 (data and confidentiality).


03

Where SPAD fits in the lifecycle

SPAD is used mainly in **phases 4 (Solution design) and 5 (Delivery and validation)**, with occasional support in phases 3 and 6. Phase numbering varies across SPAD documents; this document uses their **names**.

SPAD within the SEVEN-G cycle

Technical verdicts feed evidence; gates are decided by people



Source: SEVEN-G

3.1 SPAD contexts and SEVEN-G evidence

SPAD requires two contexts to be loaded before any phase. In SEVEN-G those contexts **are derived** from existing evidence; they are not drafted afresh.

SPAD context	Content	SEVEN-G source
Global context	Common rules for artefacts, testing, versions, security and prohibitions.	Document 31 (acceptable use), document 35 (security), the company's technical standards.
Project context	Technology, architecture, business rules, compliance and justified exceptions.	P02 (context and constraints), P11 (regulatory classification), P15 (architecture), P17 (human oversight), P18 (security).
Exceptions to the global context	Must be justified, have their risk assessed and be approved in the plan review.	In addition, they are recorded as a risk in P12 and, if they affect a critical control, require clearance from the AI Risk Owner.
Work topic (<i>TOPIC</i>)	Identifier that groups the artefacts.	Must include or reference the initiative code (IA-AAAA-NNN) and be linked from T01 (03 §2, principle 4).

04

Mapping of SPAD phases to SEVEN-G evidence

4.1 Main flow

SPAD phase	What it produces	SEVEN-G phase	SEVEN-G evidence (P-code)	Relationship to the gate
Context and objective	Problem, scope, constraints, success criteria.	3–4	Taken from P02, P08 and P10	Entry condition for phase 4 (G3 passed).
PLAN	Logical architecture, components, data flows, explicit decisions, risks.	4	P15 (architecture and decisions); P16 (data flows); P12 (new technical risks)	Input to G4.
Plan review (AUDIT_PLAN)	Findings and technical verdict.	4	P66 (annex to P15); clearance or conditions in P29	Input to the G4 verification; it is not the verification.
Implementation rules (CODE_PRIMER)	Structure, conventions, contracts, anti-patterns.	4	P66 (annex to P15)	Input to G4.

SPAD phase	What it produces	SEVEN-G phase	SEVEN-G evidence (P-code)	Relationship to the <i>gate</i>
Test strategy (TEST_STRATEGY)	Cases, minimum coverage, test layers, test data.	4	P66 §6 (annex to P22)	Must exist before G4 in Enterprise.
Implementation	Code generated according to the rules.	5	P21 (delivery report)	—
Test implementation	Tests, test data and execution instructions.	5	P22	—
Test review (AUDIT_TESTS)	Actual versus expected coverage, quality, edge cases.	5	P22	Input to G5.
Code review (AUDIT_CODE)	Fidelity to the plan and the rules, technical risks, debt.	5	P21	Input to G5.
Minimal fixes (FIX_PRIMERS)	Problem, minimal change, justification, impact.	5	P66 §8 (annex to P21)	—
Release management	Version number, changes, incompatibilities, migration, fallback plan.	5	P21; P19 (rollback plan); P27 (change log, from production onwards)	Input to G5 and to the P23 sign-off.

4.2 Complementary flows

SPAD flow	SEVEN-G phase	SEVEN-G evidence	Tool
Documentation of existing code and impact analysis (legacy code)	3 (feasibility) and 4	P10, P15, P12	T06
Security review (SECURITY_AUDIT)	5; also for relevant changes in 6	P18, P22; critical and high findings block G5	T10
Incident diagnosis (DEBUG)	6	P27 (root cause analysis)	T08
Urgent fix (HOTFIX) and subsequent review	6	P26, P27, P19; definitive plan as a recorded change	T08

4.3 Reduced version for Lite

In Lite, SEVEN-G allows the plan, its review, the rules and the test strategy to be grouped into a single artefact, and the implementation, the tests and their review into another, provided that the mandatory contents of section 7 are maintained and the human review is recorded.

4.4 Technical verdicts and *gate* outcomes

SPAD verdict	Technical meaning	Treatment in SEVEN-G
GO	The technical phase can continue.	The team can prepare the <i>gate</i> evidence. It does not imply Proceed .
GO with changes	Changes must be applied and reviewed again.	If changes are still pending when the <i>gate</i> is reached, the body may decide Proceed with conditions or Iterate , never by default.
NO-GO	The artefact is not acceptable.	The <i>gate</i> is not requested. If it recurs, it is a signal to Iterate or Pivot at the corresponding <i>gate</i> .

05

Roles: AI Reviewer versus AI Auditor

5.1 Role mapping

Role in SPAD	Name in SEVEN-G	Nature	Accountable human role
Human orchestrator	Orchestrator	Team member	AI Technical Owner (or a team member designated by them in P03).
Planner AI (<i>Planner</i>)	Planner AI	Tool	AI Technical Owner.
Builder AI (<i>Builder</i>)	Builder AI	Tool	AI Technical Owner.
Fixer AI (<i>Fixer</i>)	Fixer AI	Tool	AI Technical Owner.
Analyst AI (<i>Analyst</i>)	Analyst AI	Tool	AI Technical Owner.
Diagnostic AI (<i>SRE</i>)	Diagnostic AI	Tool	AI Operations Owner.
AI Auditor and security auditor AI	AI Reviewer and Security AI Reviewer	Tool	AI Technical Owner; information security for the security review.

5.2 Why the role is renamed

In SEVEN-G, **AI Auditor** is a human control role (01 §8.1): it verifies evidence at the *gates*, closes nonconformities, is independent of the team that builds and does not report to the sponsor. Calling a tool that works within the build team an "auditor" would lead to confusing a technical review with an

independent verification. For this reason, in all SEVEN-G documents, templates and tools, SPAD's *AI Auditor* role is named **AI Reviewer**.

Aspect	AI Reviewer	AI Auditor
Nature	AI tool configured to review.	Person (or team) from the third line or external.
Belongs to	The function that builds .	The function that controls .
What it reviews	Plans, code, tests and security within a technical phase.	That the <i>gate</i> evidence exists, is valid and was produced before the <i>gate</i> .
Outcome	Findings and technical verdict.	<i>Gate</i> verification; opening and closing of nonconformities.
Can approve	Nothing. Its output is an input.	Does not decide the <i>gate</i> , but without its verification there is no decision in Enterprise (01 §7.5).
Independence	Relative: it may share biases with the AI that generated the artefact.	Required by 01 §8.2.
Accountable to	The AI Technical Owner, who validates its output.	The competent body and the third line.

The person acting as human reviewer in SPAD's internal certification is not, by that fact alone, the SEVEN-G AI Auditor either; they may only be so if they satisfy the incompatibilities in 01 §8.2.

5.3 Segregation of duties applied to AI

1. The same AI configuration **must not** generate and review the same artefact in the same phase (a SPAD rule that SEVEN-G adopts).
2. In Enterprise, the AI Reviewer **should** use a model, supplier or configuration different from the AI that generated the artefact, and record which ones were used.
3. **No AI approves.** Every acceptance of an artefact is recorded by an identified person.
4. The person who orchestrated the generation of a critical component **must not** be the only one who approves its merge into the main branch.
5. The AI Auditor may consult the AI Reviewer's outputs, but **must not** base their verification solely on them.

SPAD validation policy and how it fits into SEVEN-G

SPAD declares invalid, and requires the discarding and repetition of, any AI response that breaches the process, even if its result appears correct. SEVEN-G adopts that principle, which is consistent with dual validation (01 §7.2): **complying with the process is a condition for the result to count.**

Cause of invalidity in SPAD	Treatment in SPAD	Additional treatment in SEVEN-G	Evidence
Phase violation (for example, a plan that includes code or a review that makes fixes)	Discard and repeat the phase.	Record of the incident in Enterprise.	P21
Mandatory artefacts missing or altered	Discard and repeat.	Without complete artefacts, the <i>gate</i> is not requested.	P21, P22
Decisions outside the approved plan	Discard and return to the plan.	If the decision affects architecture, data, security or human oversight, P15–P18 are updated before G4 or G5.	P15–P18
Implementation without a prior plan or review	Discard the generated code.	If that code reaches production, it is a major nonconformity ; if it affects a critical control, critical (01 §12).	T08
AI self-approval	Immediate discard; serious breach.	Any approval without an identified person is null and void. If it was used to advance a <i>gate</i> , major nonconformity.	P29, T08

Breach log. SPAD considers it optional. In SEVEN-G it **should** be maintained in Enterprise, in P66 §9, annex to P21, with date, work topic, phase, type of breach, tool or model and action. Repeated patterns feed lessons learned (P30) and, if they reveal an unsuitable tool, the supplier assessment (P14).

SEVEN-G minimum requirements for AI-generated code

They apply to all code, configuration, queries, infrastructure as code, tests or technical documentation generated wholly or partly with AI that forms part of an initiative's solution, regardless of the engineering method.

7.1 Human review

- Every AI-generated artefact **must** be reviewed by a competent person before being merged into the main branch or a shared environment.
- The review **must** be recorded with an identified reviewer, date and outcome (for example, in the version control tool).
- Critical components (authentication, authorisation, personal data, payments, human oversight controls, agent limits of action, calculation of decisions about people) **must** have a second human review in Enterprise.
- Automated review, including that of the AI Reviewer, **does not replace** human review.

7.2 Traceability

- It **must** be possible to identify which parts of the solution were generated with AI, with which tool and in which work topic or initiative (for example, through metadata in the changes or in the delivery report).
- Design decisions **must** be recorded in P15, not only in conversations with the tool.
- In Enterprise, the relevant prompts and the accepted outputs of the plan and review phases **should** be retained, in line with the company's retention policy and without unnecessary personal data.
- The version of each delivery **must** be linked to its rollback plan (P19).

7.3 Testing

- The test strategy **must** be defined before implementation, with minimum coverage and critical cases.
- AI-generated tests **must** be reviewed to check that they verify the expected behaviour and do not merely reproduce the generated code.
- If the solution is an AI system, the tests **must** include the performance, bias, robustness and security testing required in phase 5 (01 §6.7), including prompt injection testing for generative AI and agents.
- The results **must** be recorded in P22 before G5.

7.4 Security

- Static security analysis, secret detection and dependency analysis **must** be run on the generated code before G5; in Enterprise, on every change.
- Dependencies proposed by the AI **must** be verified (existence, provenance, maintenance and known vulnerabilities) before being incorporated, given the risk of non-existent or malicious packages suggested by the tool.
- A software bill of materials for the solution (P54) **should** be generated in Enterprise.

- Build agents **must** operate with least privilege, without production credentials and with logging of their actions; their autonomy is classified under A0–A3 and assessed with T10 (document 35).
- The [OWASP Top 10](#) and the [OWASP Top 10 for Large Language Model Applications](#) lists may be used as technical references.
- Critical and high findings **block** G5 unless there is formal risk acceptance in accordance with 33 and 01 §7.3 ("Proceed with conditions" is not permitted for critical security controls).

7.5 Intellectual property and licences

- The AI tool **must** be approved by the company, with reviewed contractual terms on ownership and use of outputs, use of input data for training and, where applicable, warranties or indemnities (P14, document 36).
- Where the tool offers them, filters or notices of matches with public code **should** be enabled, and flagged matches reviewed.
- The licences of dependencies and of fragments identified as originating from third parties **must** be checked against the company's licensing policy.
- Copyright protection for content generated with little human creative input may be limited or uncertain depending on the jurisdiction. Where ownership of the code is relevant to the business (for example, a marketable product), legal counsel's opinion **must** be obtained and documented in P15 or P21.

7.6 Data and confidentiality

- Personal data, secrets, credentials or confidential information **must not** be entered into tools not approved for that level of information (document 31).
- Test data **should** be synthetic or anonymised; if personal data are used, the legal basis and measures of P11 and P16 apply.
- The tool's configuration regarding data retention and use **must** be verified before it is used in the initiative.

7.7 Intensity

Requirement	Lite	Enterprise
Human review (7.1)	One recorded review	One review; two for critical components
Traceability (7.2)	Identification of tool and scope in P21	In addition, key prompts and outputs retained; breach log
Testing (7.3)	Simplified strategy and results in P22	Full strategy before G4; test review

Requirement	Lite	Enterprise
Security (7.4)	Static analysis, secrets and dependencies before G5	On every change; software bill of materials; security review; T10 for agents
Intellectual property (7.5)	Approved tool; dependency licences	In addition, match filters and legal opinion where appropriate
Data (7.6)	Mandatory	Mandatory
Method	SPAD optional	SPAD or another equivalent documented method recommended

7.8 Relationship with regulation

- Build evidence supports the **technical documentation** (Art. 11 and Annex IV), the **quality management system** (Art. 17) and the **cybersecurity** (Art. 15) of providers of high-risk AI systems under the [EU AI Act](#) (document 34, sections 3.7 and 3.8).
- Coding assistance tools are not, in general, high-risk systems by virtue of their intended purpose, but they must be inventoried and comply with the use policy (document 31). Their specific classification is confirmed with T07.
- If the company manufactures products with digital elements, [Regulation \(EU\) 2024/2847 on cyber resilience \(Cyber Resilience Act\)](#) must be assessed, with reporting obligations from 11-09-2026 and main obligations from 11-12-2027 (verify applicability; document 35).
- For entities subject to [DORA](#), the development of and changes to ICT systems are integrated into their ICT risk management framework (document 34, section 7.1).

08

Verification at the *gates*

The formal criteria will be incorporated into document 21. In the meantime, the verifier should check:

Gate	What is checked regarding AI-assisted build
G4 · Design	AI build tools identified and approved; autonomy of build agents classified; plan and implementation rules reflected in P15; test strategy defined; exceptions to the global context recorded as risks.
G5 · Go-live	Human review recorded; traceability of AI-generated content; test and security results in P22 with no open critical or high findings; licences checked; version linked to a tested rollback plan; breach log reviewed in Enterprise.

<i>Gate</i>	What is checked regarding AI-assisted build
R6 · Continuity	Subsequent AI-generated changes recorded in P27 with the same requirements; urgent fixes with subsequent review closed.

09

Associated tools and templates

Code	Use in this document
T01 · Initiative register	Linking of work topic artefacts to the initiative.
T02 · AI system inventory	Registration of AI build tools.
T03 · <i>Gate</i> manager	Verification at G4, G5 and R6.
T06 · Risk matrix and register	Technical risks and exceptions to the global context.
T08 · Nonconformity and incident register	Implementation without review, self-approval, urgent fixes.
T09 · AI supplier register	Terms of the build tools.
T10 · Agent security assessment	Build agents and security review.
P03	Designation of the orchestrator and the human reviewer.
P12 · P14 · P15 · P16 · P18	Risks · tool supplier · plan, rules and decisions · data flows · security.
P19 · P21 · P22 · P23	Rollback · delivery report · tests and reviews · go-live sign-off.
P26 · P27 · P29 · P30	Incidents · changes and root cause · <i>gate</i> decision · lessons learned.
P54 · P66	Software bill of materials · build annexes with SPAD: plan review, implementation rules, test strategy, and fix and breach logs (annexes to P15, P21 and P22).

Related documents

Document	Relationship
01 · Foundational methodology	Phases 4 and 5, dual validation, roles and incompatibilities.
20 · Phase manuals	Detailed activities of phases 4 and 5.
21 · Gate criteria	Will incorporate the criteria in section 8.
30 · Governance model	AI Auditor role and segregation of duties.
31 · Corporate policy and acceptable use	Approved tools and permitted data.
34 · Regulatory mapping	Technical documentation, quality and cybersecurity required by regulation.
35 · AI and agent security	A0–A3 autonomy and controls for build agents.
36 · AI third parties and suppliers	Contracts for AI tools.
37 · Nonconformities and incidents	Handling of serious breaches.
SPAD (related methodology)	AI-assisted engineering method referenced in this document.

Version control

Version	Date	Changes
0.1	16-09-2026	First version. Defines the relationship with SPAD as an independent methodology (D09), the mapping of phases, roles and validation policy to SEVEN-G evidence, the renaming of SPAD's <i>AI Auditor</i> role to AI Reviewer and the minimum requirements for AI-generated artefacts.

External sources cited

Links to the official or primary source, checked before publication. Always verify the version in force on the date of use.

Regulation (EU) 2022/2554 of the European Parliament and of the Council of 14 December 2022 on digital operational resilience for the financial sector (DORA) · <https://eur-lex.europa.eu/eli/reg/2022/2554/oj/eng> · Parlamento Europeo y Consejo de la UE · 14-12-2022

Regulation (EU) 2024/1689 of the European Parliament and of the Council of 13 June 2024 laying down harmonised rules on artificial intelligence (Artificial Intelligence Act) · <https://eur-lex.europa.eu/eli/reg/2024/1689/oj/eng> · Parlamento Europeo y Consejo de la UE · 13-06-2024

Regulation (EU) 2024/2847 of the European Parliament and of the Council of 23 October 2024 on horizontal cybersecurity requirements for products with digital elements (Cyber Resilience Act) · <https://eur-lex.europa.eu/eli/reg/2024/2847/oj/eng> · Parlamento Europeo y Consejo de la UE · 23-10-2024

OWASP Top 10 for Large Language Model Applications 2025 · <https://genai.owasp.org/resource/owasp-top-10-for-llm-applications-2025/> · OWASP GenAI Security Project (OWASP Foundation) · 17-11-2024

OWASP Top 10:2025 (web application security risks) · <https://top10.owasp.org/2025/> · OWASP Foundation · 2025
