

TEMPLATE P57 · SUPPLIER REGISTER AND EXIT PLAN

Supplier register and exit plan

Maintains the company's register of AI suppliers, documents their periodic reviews and prepares, tests and closes the exit from each supplier with verified portability and certified deletion.

IN THIS DOCUMENT

01 Instructions for use

02 Register identification

03 Supplier register (T09)

04 Portfolio concentration and dependency

05 Periodic supplier review minutes

06 Exit plan

07 Portability test

08 Deletion certificate (model)

09 Relationship closure record

10 Quality criteria

11 Approval and verification

12 Version control

Legal notice and disclaimer. SEVEN-G is a reference methodological framework provided "as is" and for information purposes only. It does not constitute legal, regulatory, financial or professional advice, nor does it guarantee compliance with any law or standard. References to general regulation (such as the EU AI Act, the GDPR, DORA or NIS2), to technical standards and to regulation specific to each sector or jurisdiction may be incomplete, may not apply to a particular case or may become out of date as a result of regulatory changes, interpretations or supervisory positions after their consultation date. **Each organisation that uses SEVEN-G is solely responsible for identifying the regulation that applies to it, verifying that it is current and certifying its own regulatory compliance**, with the appropriate qualified advice. This methodology is a generic, free aid shared with the community so that nobody has to start from scratch; each person or organisation can and should adapt it to its own use. It must not be inferred that its legally sensitive parts have been reviewed by legal counsel: those reviews, for each company or sector, are the ultimate responsibility of the company, consultant or organisation that uses it. Although every effort is made to keep it up to date, some regulation may have changed without being reflected here. To the fullest extent permitted by law, the author accepts no responsibility whatsoever for the effects of its application in any organisation or for its full applicability. The methodology does not grant certification of any kind. The author accepts no liability for any use made of this content or for any decisions taken on the basis of it. The data, figures, companies and cases in the examples are fictitious or illustrative.

Why it matters. Dependency on a supplier is measured across all systems, not just one (36 §2, principle 6), and the exit is planned before entering, not at termination (principle 3). Without a single register, nobody knows how many systems and how much value depend on the same supplier, which reviews are overdue or which contracts lack key clauses; and without a tested exit plan, replacing a supplier in a critical function becomes unfeasible in time or cost (RT-TER-01, RT-TER-05, RT-TER-07).

01

Instructions for use

Aspect	Guidance
When it is used	Living company-level register. Each supplier–service relationship is registered at stage 1 of the supplier lifecycle (36 §5) and updated at each stage. Review minutes follow the frequency for the level; the exit plan is documented during integration (phases 4–5), tested according to the level and activated at stage 6 (phase 7). The concentration view is reviewed in C3 and reported in C4.
Who completes it	Procurement maintains the register (36 §11); the relationship manager and the AI Operations Owner, the reviews; the AI Technical Owner, the exit plan and the portability test; legal, the contractual closure and the deletion certificate.
Who verifies it	The AI Office checks that the register is complete and reviews are up to date; the AI Auditor verifies at G3, G5 and G7 that the assessment, the contract and the exit match the level (36 §11).
Who decides or approves	Approval of the supplier according to the level (36 §4.2). Concentration limits and acceptance of High third-party risks: AI Committee (36 §7.2). Quarterly report to the board or its board committee (36 §10).
Stage, <i>gate</i> or moment	C3 and C4 (concentration) · G3 (G3.20) · G5 (G5.20: supplier in the register) · R6 (R6.12) · G7 (G7.12: certified deletion and revocation of access).
Tool	T09 · AI supplier register, a module of T01 built on the <i>Supplier</i> entity of the common data model (03 §4). This template is its working format and uses the same fields (36 §9).
Reference document	Document 36 §4.2 (requirements by level), §5 (supplier lifecycle), §6.2 (DORA), §7 (dependency, portability and concentration), §9 (fields) and §10 (indicators).
Lite versus Enterprise	The register is single for the company. The depth of the review and of the exit depends on the N1–N3 level; fields marked (Enterprise) may be omitted for N1 suppliers.

Completion rules:

- **Each supplier–service relationship is a record**, with code PRV-AAAA-NNN. The same supplier may have different levels for different services (36 §4.1).
- Exit by level (36 §4.2): N1, guaranteed data export; N2, documented exit plan; N3, exit plan with an identified alternative and a documented rehearsal or test, and a portability test at least once a year or before renewal (36 §7.1).
- Review by level (36 §4.2): N1 annual; N2 half-yearly with service indicators; N3 quarterly, with monthly indicators and a relationship governance meeting.
- If the company is subject to DORA, T09 feeds the register of information under Art. 28(3) (36 §6.2).
- *This document does not constitute legal advice.*

02

Register identification

Field	Content	Guidance
Company or perimeter		Entity or group to which it applies.
Register owner		Procurement, with the AI Office.
Cut-off date		DD-MM-AAAA.
Applicable concentration limits		Approved in C2 (document 13).
Subject to DORA		Yes · No.
Document version		

Supplier register (T09)

3.1 Identification and service

Code	Legal name · group · country	Type of third party (36 §1.1)	Service (plain-language description)	Models and versions	Type of sourcing	Systems and initiatives	Relationship manager
PRV-AAAA-NNN					Build on · Buy · Adapt · Partner	SIA-AAAA-NNN · IA-AAAA-NNN	
(illustrative example) PRV-2026-003	Supplier Alfa, S.A. (fictitious) · Alfa Group · Ireland	Model provider	Language model via programming interface for the enquiries assistant	General model, version pinned 2026-06	Build on	SIA-2026-007 · IA-2026-012	Technical owner in the customer area

3.2 Classification and data

Code	Criticality	Data	Autonomy	Substitutability	Level	Critical or important function	Regulatory role (supplier · company)	Personal data	Labels
	N1 · N2 · N3	N1 · N2 · N3	N1 · N2 · N3	N1 · N2 · N3	The highest	Yes · No		Yes · No	
(illustrative example) PRV-2026-003	N2	N2	N1	N2	N2	No	Provider of a general-purpose AI model · deployer	Yes	Entities



3.3 Contract and assessment

Code	Contract reference	Start · renewal · end	Notice period	Status of the 16 clauses (P56 §3)	Due diligence (P55 · P14): date and result	Certifications and reports and validity	Security assessment	Condition imposed
				Present · partial · absent (numbers)				
<i>(illustrative example)</i> PRV-2026-003	Contract 2026/044 (fictitious)	01-11-2026 · 01-11-2027 · —	90 days	14 present; partial: 8; absent: 11	10-10-2026 · Conformant with observations	ISO/IEC 27001 until 03-2028	Document-based, conformant	Configurati screenshot before G5

3.4 Risk, monitoring, dependency and status

Code	Linked risks (T06)	Main residual level	Service indicators	Attributable incidents	Model changes notified	Last · next review	Estimated substitutability	Identified alternative
	RT-TER-NN · IA-AAAA-NNN · Rnn	Low · Medium · High · Critical		INC-AAAA-NNN				
<i>(illustrative example)</i> PRV-2026-003	RT-TER-01, RT-TER-03	Medium	Availability 99.8 %	None	1 (evaluated before taking effect)	15-01-2027 · 15-07-2027	6 months	Supplier Beta (fictitious)

3.5 Sub-processors (Enterprise)

PRV code	Sub-processor	Location	Function	Does it subcontract a critical function?	Common to other N2 or N3 suppliers?
				Yes · No	Yes · No

3.6 History

Date	PRV code	Event	Author	Reason
Registration · Level change · Review · Trigger · Incident · Status change · Exit				

04

Portfolio concentration and dependency

Indicators from 36 §7.2, measured at portfolio level (33 §10). When a limit is exceeded, the AI Committee decides between diversifying, strengthening the exit or accepting the risk (33 §7).

Indicator	Value per supplier	Approved limit (C2)	Situation	AI Committee decision
Systems in production per model provider and platform provider			Within · Exceeded	
Dependent value (proportion of validated value)				
Dependent critical or important functions				
N3 suppliers without a tested exit (number and age)				
Sub-processors common to several N2 or N3 suppliers				

Quarterly report to the board or its board committee (36 §10): concentration, N3 suppliers without a tested exit, S1 and S2 incidents attributable to third parties and acceptances of High-level third-party risks.

Periodic supplier review minutes

One per review and per relationship (36 §5, stage 5). Frequency according to the level (section 1).

Field	Content	Guidance		
PRV code and supplier				
Date and type of review	Periodic · Triggered · Prior to renewal.			
Attendees	Relationship manager, AI Operations Owner and, at N3, supplier representatives (relationship governance meeting).			
Service indicators for the period	Against the levels in clause 9.			
Attributable incidents	INC-AAAA-NNN and severity.			
Model changes, versions and deprecations	Were they notified and evaluated before taking effect?			
Changes of sub-processors or location				
Contract compliance	Clauses breached or partially met.			
New AI features (embedded AI)	Review of updates and configuration (36 §8.1, step 6).			
Reassessment triggers	Change of model or major version · change of sub-processors or location · S1 or S2 incident · change of ownership · change of use or autonomy · new regulatory obligation · deterioration in indicators · notice of a model's deprecation (36 §5).			
Level reassessment	Maintained · Changes to <i>Nn</i> (update P14 and, where appropriate, P55).			
Conclusion	Proceed · Proceed with conditions · Activate the exit plan.			
#	Agreement or action	Owner	Deadline	Status
				Open · Met · Expired

#	Agreement or action	Owner	Deadline	Status
<i>(illustrative example)1</i>	Evaluate the announced new version with the in-house evaluation set before it takes effect	AI Technical Owner	30-06-2027	Open

06

Exit plan

One per N2 or N3 relationship (36 §4.2). It is documented during integration and reviewed at each periodic review.

6.1 Approach

Field	Content	Guidance
PRV code and service		
Activation causes	Termination, serious breach, regulatory change, unresolved trigger, decision to retire at G7 (P30).	
Identified alternative	Supplier, model or in-house solution. Mandatory at N3.	
Target replacement time	Consistent with the substitutability for the level (36 §4.1).	
Estimated exit cost	Categories in document 42; included in the total cost in P10.	
Continuity during the transition	Contractual transition period (clause 15) and service measures.	

6.2 What is recovered

Item	Export format	Owner	Checked (date)
Company data			
Configurations			
Prompts and workflows			
Logs			

Item	Export format	Owner	Checked (date)
Indexes, memories and knowledge bases			
In-house evaluation set and results			
Integrator documentation and knowledge (Enterprise)			

6.3 Exit steps

#	Step	Owner	Deadline	Evidence
1	Notice to the supplier and activation of the transition	Legal		
2	Export and integrity check	AI Technical Owner		
3	Start-up of the alternative and validation	AI Technical Owner		P22 if there is a relevant change
4	Revocation of access, identities and credentials	AI Technical Owner		
5	Deletion by the supplier and its sub-processors; certificate	Legal		Section 8
6	Closure of the relationship and lessons	Relationship manager		Section 9

07

Portability test

Mandatory for N3 services at least once a year or before renewal (36 §7.1); at N2, it **should** be carried out before renewal.

Field	Content	Guidance
PRV code		
Test date		
In-house evaluation set used	Version and size.	

Field	Content	Guidance
Alternative tested		Model or supplier.
Difference in results		Quality metrics compared with the current supplier.
Difference in cost		Cost per use or total annual cost.
Migration effort		People, time frame and changes needed.
Conclusion		Exit feasible · Feasible with conditions · Not feasible (reported to the AI Committee).
Next test		

<i>(illustrative example)</i>	Content
Result	Quality of the alternative model 3 points lower on the evaluation set; cost 10 % lower; migration estimated at six weeks. Exit feasible with conditions: adjust prompts.

08

Deletion certificate (model)

Starting text signed by the supplier on termination (clause 15 of P56). It must be reviewed by legal advisers.

[The Supplier], represented by **[name and position]**, certifies that on **[date]** it irreversibly deleted the Company Data relating to contract **[reference]**, including Inputs, Outputs, logs, indexes, memories and backups, in its systems and in those of its Sub-processors **[list]**, by means of **[method]**, except for data it must retain by legal obligation, which are detailed in **[appendix]** with their basis and retention period. All of the Company's access has been revoked.

Verification by the company	Content
Certificate received (date)	
Covers sub-processors and backups	Yes · No
Data retained by legal obligation justified	Yes · No · Not applicable
Revocation of access checked	Yes · No

Verified by (data protection)

09

Relationship closure record

Field	Content	Guidance
PRV code and closure date		
Reason for the exit		
Transition completed		Yes · No; issues.
Deletion certificate		Reference (section 8).
Access revoked		Date.
Actual exit cost compared with the estimate		
Lessons learned		Also in P30 if the exit accompanies a retirement.
Final status in T09		Terminated.

10

Quality criteria

#	Check	Status
1	Each supplier in use has one record per service with a level justified by the four factors (G3.20).	Met · Not met · Not applicable · Pending
2	Every supplier of a system in production is in the register with a signed contract (G5.20).	
3	No periodic review is overdue; the supplier's changes have been reviewed (R6.12).	
4	N2 suppliers have a documented exit plan and N3 suppliers an alternative and a documented test.	

#	Check	Status
5	Concentration indicators are compared with the C2 limits and any excess has an AI Committee decision.	
6	Each retirement records certified deletion and revocation of access (G7.12).	
7	If DORA applies, the register of information is up to date.	
8	Suppliers are assessed with the N1–N3 levels (D6.08 of document 11).	

11

Approval and verification

Function	Role in SEVEN-G	Name and position	Date	Signature or reference
Maintains the register	Procurement			
Reviews the relationship	Relationship manager · AI Operations Owner			
Prepares the exit plan and the portability test	AI Technical Owner			
Verifies	AI Office · AI Auditor (G3, G5 and G7)			
Decides on concentration and High risks	AI Committee			

Segregation of duties: whoever manages the relationship with the supplier does not verify its reviews or the portability test; deletion is certified by the supplier and verified by data protection.

Version control

Completed document

Version	Date	Author	Changes
---------	------	--------	---------

Template

Version	Date	Changes
0.1	19-09-2026	First version. Register fields from 36 §9, concentration from 36 §7.2, periodic review minutes (36 §5), exit plan, portability test (36 §7.1), deletion certificate and closure record. Working format of T09.

External sources cited

Links to the official or primary source, checked before publication. Always verify the version in force on the date of use.

Regulation (EU) 2022/2554 of the European Parliament and of the Council of 14 December 2022 on digital operational resilience for the financial sector (DORA) · <https://eur-lex.europa.eu/eli/reg/2022/2554/oj/eng> · Parlamento Europeo y Consejo de la UE · 14-12-2022

ISO/IEC 27001:2022 Information security, cybersecurity and privacy protection — Information security management systems — Requirements · <https://www.iso.org/standard/27001> · ISO/IEC (JTC 1/SC 27) · 25-10-2022