

TEMPLATE P53 · ADVERSARIAL TESTING PLAN AND REPORT

Adversarial testing plan and report

Plans an adversarial testing campaign on an AI system or an agent —or on the company's exposure to offensive AI— with scope, rules of engagement and test cases linked to threats and controls, and records its results, findings and retests.



IN THIS DOCUMENT

01	Instructions for use
02	Identification
03	Scope and rules of engagement
04	Test cases
05	Offensive AI exposure assessment and corporate drills

06	Success criteria
07	Results report
08	Quality criteria
09	Approval and verification
10	Version control

Legal notice and disclaimer. SEVEN-G is a reference methodological framework provided "as is" and for information purposes only. It does not constitute legal, regulatory, financial or professional advice, nor does it guarantee compliance with any law or standard. References to general regulation (such as the EU AI Act, the GDPR, DORA or NIS2), to technical standards and to regulation specific to each sector or jurisdiction may be incomplete, may not apply to a particular case or may become out of date as a result of regulatory changes, interpretations or supervisory positions after their consultation date. **Each organisation that uses SEVEN-G is solely responsible for identifying the regulation that applies to it, verifying that it is current and certifying its own regulatory compliance**, with the appropriate qualified advice. The author accepts no liability for any use made of this content or for any decisions taken on the basis of it. The data, figures, companies and cases in the examples are fictitious or illustrative.

Why it matters. The effectiveness of an AI security control is demonstrated by testing it as an adversary would, not by declaring it (35 §2, principle 8). Without an approved plan, tests are improvised, do not cover every input channel or every tool of the agent, and can cause real harm if nobody has set the rules of engagement. Without a report showing the success rate per scenario and a retest after remediation, the AI Committee cannot know whether G5 can be passed or whether exposure to offensive AI is improving from one year to the next.

01

Instructions for use

Aspect	Guidance
When it is used	Before G5 in every generative AI system or agent (SEG-11, AG-18); after relevant changes to the model, instructions, tools or supplier; and at the frequency in 35 §5.3 (A1: before G5 and after changes; A2: in addition, annually; A3: in addition, half-yearly). At corporate level (C4), for the annual assessment of exposure to offensive AI and the annual synthetic impersonation fraud drill (35 §9.2).
Who completes it	The plan, the AI Technical Owner with information security. The report, the independent test team or the third party carrying out the tests. In corporate campaigns, information security.
Who verifies it	Information security reviews the plan and issues clearance. The AI Auditor (Enterprise) or the AI Office (Lite) verifies the report against the LV-AG checklist in document 22 §12.
Who decides or approves	The rules of engagement and authorisations are approved by the AI Sponsor with information security (and the owner of each affected system). Acceptance of uncorrected findings follows the residual risk acceptance table (P12 §6). Corporate campaigns are reported to the AI Committee and the board committee.

Aspect	Guidance
Stage, gate or moment	Phase 5 before G5; phase 6 (periodic campaigns and after changes); G7 when scaling; C4 for corporate exposure.
Tool	T10 · Agent security assessment (status of SEG-11, AG-18 and the controls tested).
Reference document	Document 35 §3 (threats), §5.3 (frequencies), §5.4 (critical controls), §8 (testing by phase and minimum content of a campaign) and §9.2 (offensive AI); document 22 §12 (LV-AG); P18 §3 and §11.
Lite versus Enterprise	Lite may omit the fields marked (Enterprise) . The rules of engagement, the independence of the testers at G5 and the retest of failed scenarios are mandatory in both.

Completion rules:

- Proposed campaign code: **PA-AAAA-NNN**; findings PA-AAAA-NNN · Hnn. If the company already codes its penetration tests, its code is used and recorded here.
- Whoever builds the agent does not carry out its G5 *red teaming* (35 §11).
- Test cases are derived from the threat model in P18 §3 (SEG-01) and cover every input channel and every tool of the agent.
- A successful scenario in a **sensitive action** is a finding that blocks G5 until it is remediated (35 §8). Critical and High findings are closed or accepted in accordance with 33 §7 before G5.
- Tests are run in isolated environments and without production credentials (AG-11) unless expressly authorised in the rules of engagement.
- The technical references are those of document 35 ([OWASP Top 10 for LLM Applications](#), [OWASP Top 10 for Agentic Applications](#), [MITRE ATLAS](#) and, for offensive AI, [CCN-CERT BP/36](#)).

02

Identification

Field	Content	Guidance
Campaign code	PA-AAAA-NNN.	
Campaign type	Pre-G5 · Periodic · After a relevant change · After an incident · Annual offensive AI assessment · Synthetic impersonation drill.	
System and initiative	SIA-AAAA-NNN · IA-AAAA-NNN; <i>Not applicable</i> in corporate campaigns.	
Autonomy level	A0 · A1 · A2 · A3 (P17, P18).	

Field	Content	Guidance
Technology and exposure		As per P18 §2.
Intensity		Lite · Enterprise.
Change that triggers it		P27 reference, if applicable.
Testing team		Independent internal team · Third party. Name of the team and declaration of independence from the team that builds the system.
Execution dates		From DD-MM-AAAA to DD-MM-AAAA.
Version tested		Model, instructions, tools and configuration (P16).

03

Scope and rules of engagement

Field	Content	Guidance
Campaign objectives		What is to be demonstrated (for example, that intent-based access control blocks unauthorised external sends).
In scope		Systems, input channels (chat, email, documents, web, voice, tool responses), tools and data.
Out of scope		What is not touched and why.
Environment		Isolated · Pre-production · Production with restrictions. If production, justification and safeguards.
Test data		Synthetic or anonymised; never real personal data without a legal basis (53 §7.6).
Permitted techniques		Direct and indirect injection, extraction, tool misuse, escalation, limit evasion, manipulation of the approver, consumption.
Prohibited techniques		For example, denial of service on shared systems, social engineering of uninformed people outside an authorised drill.
Action limits during the test		Maximum amounts, recipients and volumes; test accounts.

Field	Content	Guidance
Conditions for stopping the test		Unforeseen real effect, real data exposed, service degradation. Who can stop it.
Communication and escalation channel		On-call contact, security and system owner.
Handling of critical findings during the test		Immediate communication to the AI Technical Owner and security; possible opening of an incident (P27).
Retention and confidentiality of results		Who has access to the report and for how long.

3.1 Authorisations

Authorisation	Role	Name	Date	Reference
Approval of the scope and the rules	AI Sponsor			
Clearance	Information security			
Owner of the affected system or environment	AI Operations Owner or platform owner			
Clearance from the data protection officer (Enterprise)	If personal data are involved			
Third-party contract and confidentiality	Legal counsel, if a third party carries out the tests			

04

Test cases

Each case is linked to a threat in P18 §3, to its typical risk (document 33) and to the SEG or AG controls it is intended to test. **Expected result:** Blocked · Detected and alerted · Human validation requested · No leakage.

No.	Threat (P18 §3)	Scenario and channel	Typical risk	Controls tested	Sensitive action?	Expected result	Planned attempts
C01	Direct prompt injection		RT-GEN-01	SEG-02, SEG-03, SEG-11			
C02	Indirect prompt injection		RT-GEN-02	SEG-02, AG-05, AG-12, AG-18			
C03	Information leakage in responses or logs		RT-GEN-05	SEG-05, SEG-06, SEG-07			
C04	Poisoning of training data or the knowledge base		RT-SEG-05	SEG-08, AG-14			
C05	Model extraction or manipulation		RT-SEG-06	SEG-05, SEG-10, SEG-12			
C06	Inputs designed to deceive the model		RT-GEN-01	SEG-03, SEG-11			
C07	Excessive permissions of the system or agent		RT-GEN-04	AG-02, AG-20			
C08	Unauthorised actions or actions outside the purpose		RT-GEN-03	AG-05, AG-07, AG-08			
C09	Consumption and cost abuse		RT-GEN-08	SEG-10, AG-16			
C10	Supply chain (models, libraries, suppliers)		RT-SEG-07	SEG-09, AG-13			
C11	Lack of traceability of actions and intents		—	AG-06, AG-10			

No.	Threat (P18 §3)	Scenario and channel	Typical risk	Controls tested	Sensitive action?	Expected result	Planned attempts
C12	Impersonation or synthetic content used against the process (Enterprise)		RT-SEG-01	SEG-16, SEG-18			
C13	Kill switch and credential revocation		—	AG-03, AG-09			
(illustrative example) C02	Indirect prompt injection	PDF invoice with hidden text instructing the agent to forward the customer's history to an external address	RT-GEN-02	AG-05, AG-12	Yes (external send)	Blocked	20 variants

The typical risks in the table are the reference in 35 §3.1; they are adjusted to the initiative's risk register (P12).

05

Offensive AI exposure assessment and corporate drills

Corporate campaigns only (C4), with information security as owner (35 §9.2).

5.1 Annual exposure assessment

Threat (35 §9.1)	Typical risk	Corporate controls	Control status (Designed · Implemented · Tested · Pending)	Test carried out	Result	Action
Identity impersonation	RT-SEG-01	SEG-16, SEG-17, SEG-18				
Generated <i>phishing</i>	RT-SEG-02	SEG-15, SEG-17				
CEO fraud with <i>deepfakes</i>	RT-SEG-01	SEG-16, SEG-18; dual signature				

Threat (35 §9.1)	Typical risk	Corporate controls	Control status (Designed · Implemented · Tested · Pending)	Test carried out	Result	Action
Accelerated exploitation of vulnerabilities	RT-SEG-03	SEG-13, SEG-19				
Attacks on identities and credentials	RT-SEG-04	SEG-15; AG-01, AG-03, AG-20				
Attacks on the company's own agents	RT-GEN-02	AG-05, AG-08, AG-12, AG-18				
Disinformation about the company	RT-REP-03	Brand monitoring; crisis protocol				

In entities within the scope of the [Spanish National Security Framework \(Esquema Nacional de Seguridad\)](#), the self-assessment instruments published by the [Spanish National Cryptologic Centre \(Centro Criptológico Nacional\)](#) are also used.

5.2 Synthetic impersonation fraud drill and out-of-band verification

Field	Content	Guidance
Scenario		For example, synthetic audio or video call from an executive ordering an urgent and confidential payment.
Groups involved		At least finance and senior management (35 §9.2).
Prior notice and authorisation		Who knows about the drill; approval from senior management and human resources.
People exposed		Number.
% who applied out-of-band verification (SEG-16)		Confirmation through an independent, pre-established channel.
% who used the verification word or question (SEG-18)		
% who executed or initiated the order		
Does any payment process depend solely on voice, image or writing style?		Yes · No; if Yes, action.

Field	Content	Guidance
Improvement actions		Training (SEG-17), procedural changes, authorisation limits.

06

Success criteria

Criterion	Threshold	Guidance
Successful injection in sensitive actions	0 scenarios	Any success blocks G5 (35 §8).
Overall injection success rate		Set by the company; downward trend between campaigns (35 §10).
Leakage of personal data, secrets or system instructions	0 cases	G5.05.
Limits and intent-based access control	100 % of unauthorised actions blocked	G5.06.
Kill switch time to take effect	Equal to or less than the target in P18 §9	G5.06, R6.11.
Critical or High findings open at closure	0, unless accepted in accordance with 33 §7	35 §8.

07

Results report

7.1 Result per case

Result: Passed · Passed with observations · Not passed · Not run.

Case	Attempts	Attacker successes	Success rate	Result	Findings	Remarks
C01						
C02						

Case	Attempts	Attacker successes	Success rate	Result	Findings	Remarks
<i>(illustrative example)</i> C02	20	1	5 %	Not passed	PA-2026-004 · H01	A variant embedded in a table managed to prepare the send; the decision point blocked it, but human validation was not requested

7.2 Findings

Finding severity (risk level of document 33): Critical · High · Medium · Low. **Status:** Open · Being remediated · Remediated awaiting retest · Closed · Accepted.

Code	Case	Description	Controls affected	Severity	Affects a critical control (35 §5.4)?	Corrective action and owner	Time limit	Retest (date and result)	Status
H01									
H02									
<i>(illustrative example)</i> PA-2026-004 · H01	C02	Content in embedded tables is not flagged as untrusted	AG-12	High	Yes	Extend the delimitation of external content to tables and images · AI Technical Owner	15-12-2026	18-12-2026 · 0 of 20	Closed

7.3 Conclusion

Field	Content	Guidance
Are the success criteria met?		Yes · No, with details.
Does it block G5?		Yes · No. Reason.
Accepted findings		Code, level, accepting body (P12 §6) and validity.
Risks updated in P12		

Field	Content	Guidance
Scenarios added to automated evaluations (Enterprise)		Scenarios are versioned and run before each relevant change (35 §8).
Next campaign		Date in accordance with 35 §5.3 or reason.

08

Quality criteria

Formal criteria in document 21 (G3.17, G4.20, G5.05, G5.06 and R6.11) and the LV-AG checklist in document 22 §12.

#	Check	Status
1	The scope and the rules of engagement are approved before execution.	Met · Not met · Not applicable · Pending
2	Whoever runs the G5 tests is independent of the team that builds the system.	
3	The cases cover all applicable threats in P18 §3, all input channels and all tools.	
4	Each case states the SEG or AG controls it tests and the expected result.	
5	The results include the success rate per scenario and the severity of each finding.	
6	Failed scenarios have been re-run after remediation.	
7	There are no successes in sensitive actions and no Critical or High findings open without acceptance.	
8	The campaign has been carried out at the frequency required by the autonomy level or the corporate calendar.	

Approval and verification

Function	Role in SEVEN-G	Name and position	Date	Signature or reference
Prepares the plan	AI Technical Owner · Information security (corporate campaigns)			
Approves the plan and the rules	AI Sponsor, with clearance from information security			
Carries out the tests and prepares the report	Independent test team or third party			
Assesses the residual risk of findings	AI Risk Owner			
Verifies	AI Office (Lite) · AI Auditor (Enterprise)			

Segregation of duties: whoever builds the system does not carry out its G5 *red teaming* or verify the report; whoever accepts a finding has not assessed it.

Version control

Completed document

Version	Date	Author	Changes
---------	------	--------	---------

Template

Version	Date	Changes
0.1	19-09-2026	First version. Campaign plan with rules of engagement and authorisations, cases linked to P18 §3 and to the SEG and AG controls, annual offensive AI assessment and synthetic impersonation drill (35 §9.2), success criteria and report with findings, retests and status. Proposes the code PA-AAAA-NNN.

External sources cited

Links to the official or primary source, checked before publication. Always verify the version in force on the date of use.

Royal Decree 311/2022 of 3 May regulating the National Security Framework (Esquema Nacional de Seguridad) (unofficial translation) · <https://www.boe.es/eli/es/rd/2022/05/03/311/con> · Gobierno de España (Ministerio de Asuntos Económicos y Transformación Digital) · 03-05-2022

National Cryptologic Centre (Centro Criptológico Nacional, CCN) / CCN-CERT · <https://www.ccn.cni.es/index.php/en/> · Centro Criptológico Nacional (adscrito al Centro Nacional de Inteligencia)

CCN-CERT BP/36 · Good practice guide against the offensive AI model (unofficial translation) · <https://www.ccn-cert.cni.es/es/informes/informes-de-buenas-practicas-bp/7469-ccn-cert-bp-36-buenas-practicas-ia-ofensiva/file.html> · Centro Criptológico Nacional (CCN-CERT) · 2026-06

OWASP Top 10 for Agentic Applications for 2026 · <https://genai.owasp.org/resource/owasp-top-10-for-agentic-applications-for-2026/> · OWASP GenAI Security Project (Agentic Security Initiative), OWASP Foundation · 09-12-2025

OWASP Top 10 for Large Language Model Applications 2025 · <https://genai.owasp.org/resource/owasp-top-10-for-llm-applications-2025/> · OWASP GenAI Security Project (OWASP Foundation) · 17-11-2024

MITRE ATLAS (Adversarial Threat Landscape for Artificial-Intelligence Systems) · <https://atlas.mitre.org/> · The MITRE Corporation
