

TEMPLATE P72 · AI SECURITY PROFILE (CSF 2.0 / CYBER AI PROFILE)

AI security profile (CSF 2.0 / Cyber AI Profile)

Describes, for the NIST CSF 2.0 subcategories relevant to AI, the current level with its evidence, the target level, the gap and the action that closes it, with a summary by CSF function and by Cyber AI Profile area.

IN THIS DOCUMENT

01 Instructions for use

02 Identification

03 GV · govern

04 ID · identify

05 PR · protect

06 DE · detect

07 RS · respond and RC · recover

08 Summary by CSF function

09 Summary by Cyber AI Profile area

10 Action plan

11 Quality criteria

12 Approval and verification

13 Version control

Legal notice and disclaimer. SEVEN-G is a reference methodological framework provided "as is" and for information purposes only. It does not constitute legal, regulatory, financial or professional advice, nor does it guarantee compliance with any law or standard. References to general regulation (such as the EU AI Act, the GDPR, DORA or NIS2), to technical standards and to regulation specific to each sector or jurisdiction may be incomplete, may not apply to a particular case or may become out of date as a result of regulatory changes, interpretations or supervisory positions after their consultation date. **Each organisation that uses SEVEN-G is solely responsible for identifying the regulation that applies to it, verifying that it is current and certifying its own regulatory compliance,** with the appropriate qualified advice. This methodology is a generic, free aid shared with the community so that nobody has to start from scratch; each person or organisation can and should adapt it to its own use. It must not be inferred that its legally sensitive parts have been reviewed by legal counsel: those reviews, for each company or sector, are the ultimate responsibility of the company, consultant or organisation that uses it. Although every effort is made to keep it up to date, some regulation may have changed without being reflected here. To the fullest extent permitted by law, the author accepts no responsibility whatsoever for the effects of its application in any organisation or for its full applicability. The methodology does not grant certification of any kind. The author accepts no liability for any use made of this content or for any decisions taken on the basis of it. The data, figures, companies and cases in the examples are fictitious or illustrative.

Why it matters. Many companies govern their cybersecurity with the NIST CSF, and their risk committee already reads results in its six functions. This profile expresses AI security in that same language, with the SEVEN-G maturity scale and without a second assessment: the level of each subcategory comes from the verified questionnaire of document 11, the SEG and AG controls of document 35 provide the evidence and the gap becomes an action plan that fits into the company's cybersecurity plan.

Instructions for use

Aspect	Guidance
When it is used	After each verified maturity assessment in C1 and C5 (P34), when the company manages its cybersecurity with the NIST CSF or wants to report on AI security with its functions. The target level is set in C2 .
Who completes it	The AI Office with information security, on the basis of the P34 answer sheet and the status of the SEG and AG controls (P18, T10).
Who verifies it	The independent verifier of the maturity assessment (11 §4.2), supported by information security for the "Own" subcategories.
Who decides or approves	The AI Committee approves the profile; the target levels are approved by the board or its board committee in C2, together with the risk appetite.
Stage of the corporate cycle	C1 and C5 (current profile), C2 (target profile), C4 (monitoring of actions and of exposure to offensive AI).
Tool	T15 · Maturity assessment provides the answers; T10 provides the status of the SEG and AG controls. In version 0.x, the profile is completed in this template or in its Word version.
Reference document	Document 34 §5.3 (CSF 2.0 and Cyber AI Profile, the latter in draft) and §5.5 (subcategories, priorities, coverage and questions); document 35 (SEG and AG controls with their CSF function); document 11 §2.2 and §7.5.
Lite versus Enterprise	In Lite scope the company may limit the profile to the subcategories with priority 1 in Secure and Thwart, and leave the others out with a reason.

Completion rules:

- **Current level:** the one that results from 11 §7.5 with the questions in 34 §5.5. For "Own" subcategories, the level evidenced, without exceeding the level of its reference dimension.
- **Without verified evidence, no level is evidenced:** a subcategory assessed without evidence stays at 0; one that was not assessed is left blank ("no data").
- **Evidence:** P34 questions and their answer, or SEG and AG controls with their status in T10 (met, not met, not applicable, pending).
- **Priority S · D · T:** the one proposed by the Cyber AI Profile for Secure, Defend and Thwart (1 high, 2 moderate, 3 foundational). It is indicative while the profile remains a draft and **does not underpin gate criteria** (34 §5.3).
- **Gap** = target level – current level. **Equivalent tier:** a view calculated with the table in 11 §2.2 (0–1 → 1; 2 → 2; 3 → 3; 4–5 → 4). CSF *tiers* describe the rigour of the whole organisation: the one in each

row is only a reading of the level, not the company's *tier*.

- The company may add other CSF 2.0 subcategories if its context calls for them, with the same treatment.

02

Identification

Field	Content	Guidance
Company and perimeter		AI systems included: all of them, those of a unit or those of an autonomy level.
Profile identifier		Proposed format PS-YYYY-MM.
Source maturity assessment		Identifier (EM-YYYY-MM), assessment type and cut-off date of P34.
Reference versions		NIST CSF 2.0 (CSWP 29) ; Cyber AI Profile (NIST IR 8596) in the version consulted, with its status (draft or final).
CSF <i>tier</i> the company declares for its cybersecurity, if it does		Recorded only; this profile does not calculate it.
Date of approval of the target profile		C2 minutes.

03

GV · govern

Subcategory	Priority S · D · T	Level from document 11	Current level (0–5)	Evidence	Target level	Gap	Equiv. tier	Action
GV.OC-03	3 · 1 · 3	D6 · D6.05, D6.12						
GV.OC-04	1 · 1 · 3	Own (D4)						
GV.OC-05	1 · 2 · 3	Own (D4)						
GV.RM-02	2 · 2 · 1	D1 · D1.05						
GV.RM-07	3 · 1 · 3	D2 · D2.07						

Subcategory	Priority S · D · T	Level from document 11	Current level (0–5)	Evidence	Target level	Gap	Equiv. tier	Action
GV.RR-01	3 · 1 · 2	D1 · D1.01, D1.09						
GV.RR-02	3 · 1 · 2	D1 · D1.07, D1.08						
GV.RR-03	2 · 2 · 1	Own (D1)						
GV.RR-04	1 · 3 · 1	Own (D5)						
GV.PO-01	3 · 1 · 3	D1 · D1.04						
GV.PO-02	1 · 1 · 2	D6 · D6.12						
GV.SC-03	1 · 2 · 3	D6 · D6.08						
GV.SC-07	1 · 1 · 3	D6 · D6.08						

04

ID · identify

Subcategory	Priority S · D · T	Level from document 11	Current level (0–5)	Evidence	Target level	Gap	Equiv. tier	Action
ID.AM-03	1 · 2 · 2	D3 · D3.07						
ID.AM-07	1 · 1 · 3	D3 · D3.03, D3.05						
ID.AM-08	1 · 3 · 2	D6 · D6.05						
ID.RA-01	1 · 1 · 1	D6 · D6.10						
ID.RA-03	1 · 1 · 1	D6 · D6.08						
ID.RA-04	1 · 1 · 1	D6 · D6.06						

Subcategory	Priority S · D · T	Level from document 11	Current level (0–5)	Evidence	Target level	Gap	Equiv. tier	Action
ID.RA-06	3 · 2 · 1	D6 · D6.06						
ID.RA-07	2 · 1 · 1	D4 · D4.04						
ID.RA-08	3 · 3 · 1	Own (D6)						
(illustrative example) ID.RA-01	1 · 1 · 1	D6 · D6.10	3	D6 at 3; D6.10 (level 4) at "No": no periodic AI-specific security testing campaigns.	4	1	3	AM-2026-05

05

PR · protect

Subcategory	Priority S · D · T	Level from document 11	Current level (0–5)	Evidence	Target level	Gap	Equiv. tier	Action
PR.AA-01	1 · 2 · 1	D6 · D6.08						
PR.AA-05	1 · 2 · 1	D6 · D6.08						
PR.AT-01	1 · 1 · 1	D5 · D5.05						
PR.AT-02	2 · 1 · 1	D5 · D5.06						
PR.DS-01	1 · 1 · 2	D3 · D3.05						
PR.DS-10	1 · 1 · 3	Own (D6)						
PR.PS-01	1 · 1 · 3	D4 · D4.04						
PR.PS-02	3 · 3 · 1	Own (D4)						
PR.PS-03	3 · 2 · 1	Own (D4)						
PR.PS-04	1 · 1 · 1	D4 · D4.08						
PR.PS-05	2 · 2 · 1	D6 · D6.09						

Subcategory	Priority S · D · T	Level from document 11	Current level (0–5)	Evidence	Target level	Gap	Equiv. tier	Action
PR.IR-01	2 · 2 · 1	D4 · D4.03						
PR.IR-03	2 · 1 · 2	D4 · D4.06, D4.12						

06

DE · detect

Subcategory	Priority S · D · T	Level from document 11	Current level (0–5)	Evidence	Target level	Gap	Equiv. tier	Action
DE.CM-01	2 · 1 · 1	Own (D4)						
DE.CM-06	1 · 2 · 2	D6 · D6.08						
DE.CM-09	1 · 1 · 2	D4 · D4.05						
DE.AE-03	3 · 1 · 2	Own (D4)						
DE.AE-04	3 · 1 · 2	D6 · D6.07						
DE.AE-06	3 · 2 · 1	D4 · D4.05						
DE.AE-07	3 · 2 · 1	Own (D6)						

07

RS · respond and RC · recover

Subcategory	Priority S · D · T	Level from document 11	Current level (0–5)	Evidence	Target level	Gap	Equiv. tier	Action
RS.MA-02	2 · 1 · 2	D6 · D6.07						
RS.MA-03	2 · 1 · 1	D6 · D6.07						
RS.AN-03	1 · 1 · 1	D6 · D6.07						
RS.AN-06	3 · 3 · 1	D6 · D6.07						

Subcategory	Priority S · D · T	Level from document 11	Current level (0–5)	Evidence	Target level	Gap	Equiv. tier	Action
RS.AN-07	1 · 2 · 2	D4 · D4.08						
RC.RP-02	3 · 1 · 3	D4 · D4.06						

Subcategories added or excluded

Subcategory	Added or excluded	Reason	Who decides it

08

Summary by CSF function

Function	Subcategories in the profile	With level · no data	Minimum current level	Most frequent current level	Subcategories with a gap
GV · govern	13				
ID · identify	9				
PR · protect	13				
DE · detect	7				
RS · respond	5				
RC · recover	1				
Total	48				

Summary by Cyber AI Profile area

Each area is summarised with the subcategories to which the profile gives priority 1 in it.

Area	What it covers	Subcategories with priority 1	Minimum current level	Subcategories with a gap	Coverage in SEVEN-G
Secure	Protecting the components of AI systems.	23			35 §3–§8; SEG-01 to SEG-14; AG-01 to AG-20
Defend	Using AI in the company's cyber defence.	28			No specific coverage in version 0.x (34 §5.3): assessed as a use case with the autonomy levels of 35 §5.
Thwart	Thwarting attacks that use AI.	24			35 §9; SEG-13, SEG-15 to SEG-19

Action plan

Actions are added to the improvement plan of the maturity report (P34 §6.6) with the same code and, if the company has a cybersecurity plan, they are also reflected in it.

Code	Subcategories	SEG or AG controls	Action	Owner	Deadline	Closure criterion
AM-YYYY-NN						
(illustrative example) AM-2026-05	ID.RA-01, ID.RA-03	SEG-11, AG-18	Six-monthly adversarial testing campaign on exposed generative systems and A2 agents.	Information security	31-03-2027	Two campaigns with a P53 report and high findings closed.

11

Quality criteria

#	Check	Status
1	The profile is derived from a verified maturity assessment, identified in section 2.	Met · Not met · Not applicable · Pending
2	Each derived level applies the rule in 11 §7.5 with the questions in 34 §5.5; no level has been set without evidence.	
3	Subcategories that were not assessed appear as "no data", not as 0.	
4	The <u>Cyber AI Profile</u> priorities are presented as indicative and the status of the source (draft or final) is recorded.	
5	No equivalent <i>tier</i> of a row is presented as the company's CSF <i>tier</i> .	
6	The target levels are approved in C2 and are consistent with the risk appetite and with the minimums by autonomy level (35 §5.3).	
7	Each gap has an action with an owner, deadline and closure criterion in P34 §6.6.	

12

Approval and verification

Function	SEVEN-G role	Name and position	Date	Signature or reference
Prepares the profile	AI Office with information security			
Verifies	Independent verifier of the maturity assessment			
Approves the profile and proposes the targets	AI Committee			
Approves the target levels	Board or its board committee (C2)			

Segregation of duties: whoever designs or implements a control does not assess the subcategories that the control evidences; the verifier has not taken part in the assessment.

Version control

Completed document

Version	Date	Author	Changes
---------	------	--------	---------

Template

Version	Date	Changes
0.1	25-09-2026	First version. Current and target profile of the 48 NIST CSF 2.0 subcategories with high priority in some area of the Cyber AI Profile (initial preliminary draft of December 2025), on the 0–5 scale of document 11, with the level derived from the questionnaire (11 §7.5), the gap, the equivalent <i>tier</i> as a view and the summaries by CSF function and by Secure, Defend and Thwart area.

External sources cited

Links to the official or primary source, checked before publication. Always verify the version in force on the date of use.

Cybersecurity Framework Profile for Artificial Intelligence (Cyber AI Profile): NIST Community Profile, NIST IR 8596 (Initial Preliminary Draft) · <https://csrc.nist.gov/pubs/ir/8596/iprd> · National Institute of Standards and Technology (NIST), NCCoE · 16-12-2025

The NIST Cybersecurity Framework (CSF) 2.0, NIST CSWP 29 · <https://csrc.nist.gov/pubs/cswp/29/the-nist-cybersecurity-framework-csf-20/final> · National Institute of Standards and Technology (NIST), Departamento de Comercio de EE. UU. · 26-02-2024