

NUP CPG for Recurrent Dry Eyes (**Contact Lens User**)

MANAGEMENT

RULE OUT

1. Associated Sjogren syndrome (dry mouth) and other signs of autoimmune diseases e.g., Rheumatoid arthritis, SLE
2. Vitamin A deficiency (Poor diet, previous Whipple's surgery)
3. Medications with anti-cholinergic effects (e.g., Tricyclic antidepressants)
4. Allergic component (Signs of atopy i.e., Allergic rhinitis, eczema, asthma)

PATIENT ADVICE

Avoid sleeping under fan, aircon draft

Warm towel compress to eyelids Twice Daily

CONTACT LENS ADVICE

1. Reduce contact lens use to 6-8 hours per day or stop temporarily for a few weeks
2. Switch to daily disposables if possible
3. If insists on using bi-weekly or monthly contact lens → Suggest to switch contact lens solution to Hydrogen Peroxide based cleaning solution (*See options / advice on next page*)

PRESCRIBE

Preservative-Free Lubricating eyedrops 1 drops in the affected eye as needed (Options below)

1. Tears Naturale Free (\$15.54 per box of 32 single use vials of 0.8mL)
2. Refresh (*Not available in NUP*)

Eyelid scrubs (Options below)

1. I-Defence Daily Eyelid Wipes (\$5.14 per box of 20 wipes)
2. Blephagel (*Discontinued in NUP*)

DOCUMENT (Copy and paste into clinical notes after performing these steps)	1. No signs of Sjogren syndrome and other autoimmune diseases 2. Instructed to avoid sleeping under fan, aircon draft 3. Instructed for warm towel compress to eyelids Twice Daily 4. Instructed for eyelid scrubs Twice Daily 5. Preservative-Free Lubricants as prescribed 6. Contact lens advice given • Daily disposables if possible • Explore alternative Hydrogen Peroxide based cleaning solutions • Reduce duration of use to 6-8 hours per day
---	--

Example
Clear Care® and Clear Care Plus® (Hydrogen Peroxide Based Contact Lens Solution)
Reference: www.alcon.com – Accessed Sept 2023

Instructions	• Always wash and rinse your hands before handling the lenses. • Never put solution on the lenses and insert directly into the eye. • Always soak lenses in the provided lens case for at least six hours prior to inserting into the eye. No final rinse is necessary. • Never rinse your lenses with solution prior to insertion. If desire, lenses can be rinsed with sterile saline before inserting. • Always discard the old lens case to avoid contamination and ensure proper neutralization
--------------	--

