

Report 'default'

Table Of Contents

Report for Default Value	1
Default Value(s) of Model "RawEuropeanCarManufacturer"	3
Index	

Default Value(s) of Model "RawEuropeanCarManufacturer"							
Default Value Physical_Name	Comments	Extended Notes Order	Generate SQL 92 Format	Generate Using Bind	Is Detach	Is Supplied	Note List
CURRENT_TIMESTAMP							
CURRENT_USER							
ClassTime_Value_915							
DF_Template_Flag0	This will set the flag to 0.						
DF_Template_Flag1	This will set the flag to 1.						
Default_Value_377							
Default_Value_382							
Default_Value_389							
NULL							
ProjectName							
SESSION_USER							
SYSTEM_USER							
SysDateTime							
USER							

Physical Only	Schema	System Generated	Value
true			CURRENT_TIMESTAMP
true			CURRENT_USER
			9:15
			0
			1
true			NULL
			CSCI381 Midterm Project
true			SESSION_USER
true			SYSTEM_USER
			sysdatetime()
true			USER

Index

C

ClassTime_Value_915 [3](#)
CURRENT_TIMESTAMP [3](#)
CURRENT_USER [3](#)

D

Default_Value_377 [3](#)
Default_Value_382 [3](#)
Default_Value_389 [3](#)
DF_Template_Flag0 [3](#)
DF_Template_Flag1 [3](#)

N

NULL [3](#)

P

ProjectName [3](#)

R

RawEuropeanCarManufacturer [3](#)

S

SESSION_USER [3](#)
SysDateTime [3](#)
SYSTEM_USER [3](#)

U

USER [3](#)