Report 'Default'

Table Of Contents

Domain(s) of Model "RawEuropeanCarManufacturer"

Domain Physical_Name	Column Name	Comments	Null Option	Physical Data Type	Schema
default	%AttName		Null	char(18)	
String	%AttName		Null	varchar(20)	
Number	%AttName		Null	integer	
Datetime	%AttName		Null	datetime	
Blob	%AttName		Null	varbinary	
dFinalGroupProject	%AttName	This is the root level domain for the project	Null	char(18)	dFinalGroupProject
dDate	%AttName	This is the domain for the Date data type	Null	date	dFinalGroupProject
dNumber	%AttName	This is the domain for number data types	Null	int	dFinalGroupProject
dString	%AttName	This is the domain for string data types	Null	nvarchar(100)	sdStockCode
sdName	%AttName	This is the subdomain for storing Names of objects	Null	nvarchar(100)	dString
dBlob	%AttName		Null	varbinary(max)	dFinalGroupProject
sdSystemTime	%AttName	This is the subdomain for storing datetime for the purpose. Could be used for the likes of Trigger tables and such. Uses DateTime2 DataType	Null	Datetime2(7)	dDate
SysTime	%AttName	Used to represent the system end and start time	Null	Datetime2(7)	sdSystemTime
sdDate	%AttName	This is the subdomain for dates and has a generic date datatype	Null	date	dDate
DateT	%AttName	Used to represent date of a sales transaction.	Null	date	sdDate
sdId	%AttName	This is the subdomain for Id numbers of orders, employees, etc.	Null	int	dNumber
sdMoney	%AttName	This is the subdomain for numeric values of money.	Null	numeric(18,2)	dNumber
sdFlag	%AttName	This is the subdomain for a T/F flag	Null	bit	dNumber
sdInt	%AttName	This is the subdomain for storing generic integer types	Null	int	dNumber
FlagBit	%AttName	Used for as a true or false value for various attributes.	Null	bit	sdFlag
Id	%AttName	Is a integer used for identification purposes .	Null	int	sdId
WholeNumber	%AttName	Is a non-identifying integer.	Null	int	sdInt
Price	%AttName	Used for costs and charges of vehicle transactions.	Null	numeric(18,2)	sdMoney
sdNote	%AttName	This is the subdomain for additional notes made/to be made	Null	nvarchar(4000)	dString
sdCountryCode	%AttName	This is the subdomain for country code	Null	char(3)	dString
sdAddress	%AttName	This is the subdomain for address as a string	Null	nvarchar(50)	dString
sdClassTime	%AttName	This is the subdomain for class time as a string	Null	nvarchar(5)	dString
sdStockCode	%AttName	This is the subdomain for stock code for inventories/etc.	Null	nvarchar(100)	dString
sdVehicleColor	%AttName	This is the subdomain for storing color of vehicles as a string	Null	nvarchar(100)	dString
sdMarketingType	%AttName	This is the subdomain for listing the marketing type	Null	nvarchar(200)	dString
sdInvoiceNumber	%AttName	This is the subdomain for invoice number	Null	nchar(8)	dString
PostalCode	%AttName	Used for Customers zip code	Null	nvarchar(10)	sdAddress
Region	%AttName	Used for specific region of a country.	Null	nvarchar(20)	sdAddress
AddressLine	%AttName	Used for Customers street address	Null	nvarchar(50)	sdAddress

Town	%AttName	Used for town where Customer resides	Null	nvarchar(50)	sdAddress
ClassTime	%AttName	What class time the members of the group are in	Null	nvarchar(5)	sdClassTime
ISO3	%AttName	Used for 3 letter abbreviation of country.	Null	char(3)	sdCountryCode
ISO2	%AttName	Used for 2 letter abbreviation of Country.	Null	char(2)	sdCountryCode
InvoiceNumber	%AttName	Used for the invoice number of a Customer order	Null	nchar(8)	sdInvoiceNumber
MarketingType	%AttName	Used to describe the type of marketing.	Null	nvarchar(200)	sdMarketingType
FullName	%AttName	Used for the full name of Customers and Staff	Null	nvarchar(100)	sdName
Name	%AttName	Used to represent names of different attributes of length 30.	Null	nvarchar(30)	sdName
GroupName	%AttName	Used for the groups name	Null	nvarchar(20)	sdName
CountryName	%AttName	Used for the country where vehicle is manufactured	Null	nvarchar(100)	sdName
Make_ModelName	%AttName	Used for the MakeName and ModelName of a Vehicle	Null	nvarchar(100)	sdName
Description	%AttName		Null	nvarchar(4000)	sdNote
Note	%AttName		Null	nvarchar(200)	sdNote
StockCode	%AttName		Null	nvarchar(50)	sdStockCode
VehicleColor	%AttName		Null	nvarchar(50)	sdVehicleColor

Index