


Github URL Github URL for Vercel Vercel URL Gitbub Next URL Vercel Next URL alt text

W11-P1: Implement route /api/shop\_45/:category in server

=> create tables category2\_45 and shop2\_45 using SQL and set foreign key of cat\_id referencing to cid in category2\_45



The screenshot shows the PostgreSQL Object Explorer on the left, with the 'public' schema selected. Under 'Tables (2)', 'category2\_45' and 'shop2\_45' are listed. The 'shop2\_45' table is expanded, showing its columns: pid, pname, cat\_id, price, img\_url, and remote\_img\_url. The 'cat\_id' column is highlighted. In the center, a query window displays the SQL command: `SELECT * FROM public.shop2_45 ORDER BY pid ASC`. On the right, the 'Create - Foreign key' dialog is open, showing the 'Columns' tab. The 'Local' column is 'cat\_id' and the 'Referenced' column is 'cid' in the 'public.category2\_45' table. The 'Data Output' pane at the bottom shows the data for the 'shop2\_45' table, with columns: pid, pname, cat\_id, price, img\_url, and remote\_img\_url. The data includes 35 rows of clothing items.

| pid | pname                    | cat_id | price | img_url                                        | remote_img_url                                   |
|-----|--------------------------|--------|-------|------------------------------------------------|--------------------------------------------------|
| 14  | Tan Trench               | 2      | 185   | /images/m                                      |                                                  |
| 15  | Adidas NMD               | 3      | 220   | /images/m                                      |                                                  |
| 16  | Adidas Yeezy             | 3      | 280   | /images/m                                      |                                                  |
| 17  | Black Converse           | 3      | 110   | /images/m                                      |                                                  |
| 18  | Nike White AirForce      | 3      | 160   | /images/m                                      |                                                  |
| 19  | Nike Red High Tops       | 3      | 160   | /images/m                                      |                                                  |
| 20  | Nike Brown High Tops     | 3      | 160   | /images/m                                      |                                                  |
| 21  | Air Jordan Limited       | 3      | 190   | /images/m                                      |                                                  |
| 22  | Timberlands              | 3      | 200   | /images/m                                      |                                                  |
| 23  | Blue Tanktop             | 4      | 25    | /images/m                                      |                                                  |
| 24  | Floral Blouse            | 4      | 20    | /images/m                                      |                                                  |
| 25  | Floral Dress             | 4      | 80    | /images/m                                      |                                                  |
| 26  | Red Dots Dress           | 4      | 80    | /images/midterm/womens/red-polka-dot-dress.png | https://i.ibb.co/N3BN1bh/red-polka-dot-dress.png |
| 27  | Striped Sweater          | 4      | 45    | /images/midterm/womens/striped-sweater.png     | https://i.ibb.co/KmSkMbH/striped-sweater.png     |
| 28  | Yellow Track Suit        | 4      | 135   | /images/midterm/womens/yellow-track-suit.png   | https://i.ibb.co/v1cwnNf/yellow-track-suit.png   |
| 29  | White Blouse             | 4      | 20    | /images/midterm/womens/white-vest.png          | https://i.ibb.co/qBcrsJg/white-vest.png          |
| 30  | Camo Down Vest           | 5      | 325   | /images/midterm/mens/camo-vest.png             | https://i.ibb.co/xJS0T3Y/camo-vest.png           |
| 31  | Floral T-shirt           | 5      | 20    | /images/midterm/mens/floral-shirt.png          | https://i.ibb.co/qMQ75QZ/floral-shirt.png        |
| 32  | Black & White Longsleeve | 5      | 25    | /images/midterm/mens/long-sleeve.png           | https://i.ibb.co/55z32tw/long-sleeve.png         |
| 33  | Pink T-shirt             | 5      | 25    | /images/midterm/mens/pink-shirt.png            | https://i.ibb.co/RwwnBL8/pink-shirt.png          |
| 34  | Jean Long Sleeve         | 5      | 40    | /images/midterm/mens/roll-up-jean-shirt.png    | https://i.ibb.co/VpW4x5U/roll-up-jean-shirt.png  |
| 35  | Burgundy T-shirt         | 5      | 25    | /images/midterm/mens/polka-dot-shirt.png       | https://i.ibb.co/mh3VM1f/polka-dot-shirt.png     |

=> update and delete constraints of the foreign key

The screenshot shows a PostgreSQL database interface. On the left, the 'Object Explorer' pane shows the database structure, including a table named 'shop2\_45' with 6 columns: 'pid', 'pname', 'cat\_id', 'price', 'img\_url', and 'remote\_img\_url'. The 'shop2\_45' table is selected, and its columns are listed in the 'Columns (6)' section. A 'Create - Foreign key' dialog box is open, showing the 'On update' action set to 'CASCADE' and the 'On delete' action set to 'SET NULL'. The main query window displays a query: 'SELECT \* FROM public.shop2\_45 ORDER BY pid ASC'. Below the query, a table of 35 rows is shown, with columns: 'pid', 'pname', 'cat\_id', 'price', 'img\_url', and 'remote\_img\_url'. The table contains various items like 'Tan Trench', 'Adidas NMD', 'Adidas Yeezy', 'Black Converse', 'Nike White AirForce', 'Nike Red High Tops', 'Nike Brown High Tops', 'Air Jordan Limited', 'Timberlands', 'Blue Tanktop', 'Floral Blouse', 'Floral Dress', 'Red Dots Dress', 'Striped Sweater', 'Yellow Track Suit', 'White Blouse', 'Camo Down Vest', 'Floral T-shirt', 'Black & White Longsleeve', 'Pink T-shirt', 'Jean Long Sleeve', and 'Burgundy T-shirt'. The status bar at the bottom indicates 'Total rows: 35' and 'Query complete 00:00:07.515'.

=> Chrome, show /api/shop\_45/womens with code (you need to use last two digits of your id)


The screenshot shows a Chrome browser window with a REST client interface. The URL bar shows 'localhost:5001/api/shop\_45/womens'. The response is a JSON array of 12 items, each representing a product. The first item is highlighted, showing details for a 'Blue Tanktop' with 'cat\_id' 4 and 'pid' 23. The response structure is as follows:

```

[
  {
    "cid": 4,
    "cname": "womens",
    "size": "large",
    "image_url": "https://i.ibb.co/GCCdy8t/womens.png",
    "remote_image_url": "/images/ midterm/homepage/womens.png",
    "link_url": "/demo/shop_45/node/womens",
    "pid": 23,
    "pname": "Blue Tanktop",
    "cat_id": 4,
    "price": 25,
    "img_url": "/images/ midterm/womens/blue-tank.png",
    "remote_img_url": "https://i.ibb.co/7C0VJNm/blue-tank.png"
  },
  { 12 items },
  { 12 items },
  { 12 items },
  { 12 items },
  { 12 items },
  { 12 items }
]

```


=> Chrome, show /api/shop\_45/mens with code (you need to use last two digits of your id)




f81541 seallco Sun Nov 30 12:39:27 2025 +0800 W11-P1: Implement route `/api/shop_45/:category` in server

W11-P2: Implement `/demo/shop_45/node` and `/demo/shop/node/:category` in client

=> show how to get category from params



=> show how to fetch category from the category main page



=> Chrome, show FetchShopByCategory\_45.jsx by click Mens





W11-P2: Implement `/demo/shop_45/node` and `/demo/shop/node/:category` in client