


Github URL
Github URL for Vercel
Vercel URL
Github Next URL
Vercel Next URL
 alt text

W15-P1: Create tables category2_45, shop2_45, user2_45, cart2_45, and put 5 products into a cart for the user of your id

=> pgAdmin4, show SQL command to get the needed info



The screenshot shows the pgAdmin4 interface. On the left, the Object Explorer shows the database structure, with the 'Tables' folder under the 'public' schema expanded. The main pane displays a SQL query in the Query Editor. The query is as follows:

```
INSERT INTO cart2_45 (cid, user_id, product_id, quantity, total, added_at)
VALUES
(1, 213410045, 1, 2, 0, '2023-04-05 10:30:00'),
(2, 213410045, 10, 1, 0, '2023-04-05 11:45:00'),
(3, 213410045, 15, 3, 0, '2023-04-05 12:15:00'),
(4, 213410045, 23, 1, 0, '2023-04-05 13:00:00'),
(5, 213410045, 30, 2, 0, '2023-04-05 14:20:00'),
(6, 1, 1, 1, 0, '2023-04-06 09:10:00'),
(7, 2, 10, 2, 0, '2023-04-06 10:25:00'),
(8, 3, 15, 1, 0, '2023-04-06 11:40:00'),
(9, 4, 23, 3, 0, '2023-04-06 12:55:00'),
(10, 4, 30, 1, 0, '2023-04-06 14:05:00');


SELECT * FROM shop2_45;

select C.user_id, U.uname as user_name, C.product_id, S.pname as product_name, C.quantity, S.price, S.img_url
from cart2_45 as C, user2_45 as U, shop2_45 as S
where U.uid = '213410045' and C.user_id = U.uid and C.product_id = S.pid;
```

The Data Output pane shows the results of the SELECT query, displaying 5 rows of data from the shop2_45 table. The columns are user_id, user_name, product_id, product_name, quantity, price, and img_url.


	user_id	user_name	product_id	product_name	quantity	price	img_url
1	213410045	周淵凱	1	Brown Brim	2	25	/images/midterm/hats/brown-brim.png
2	213410045	周淵凱	10	Black Jean Shearling	1	125	/images/midterm/jackets/black-shearling.png
3	213410045	周淵凱	15	Adidas NMD	3	220	/images/midterm/sneakers/adidas-nmd.png
4	213410045	周淵凱	23	Blue Tanktop	1	25	/images/midterm/womens/blue-tank.png
5	213410045	周淵凱	30	Camo Down Vest	2	325	/images/midterm/mens/camo-vest.png

=> sql code



e5d5b14 seallco Sun Dec 28 13:33:11 2025 +0800 W15-P1: Create tables category2_45, shop2_45, user2_45, cart2_45, and put 5 products into a cart for the user of your id


W15-P2: Implement route /api/shop_45/cart/:uid to get the info as the SQL in W15-P1




d9df20f seallco Sun Dec 28 16:44:18 2025 +0800 W15-P2: Implement route /api/shop_45/cart/:uid to get the info as the SQL in W15-P1

W15-P3: Use localStorage

=> Implement setLocalStorage



=> Implement getLocalStorage



6e119d3 seallco Sun Dec 28 18:52:59 2025 +0800 W15-P3: Use localStorage