

Final Guide

TempData, Toastr Notifications, Admin Booking Panel, Date Validation

This version now fully includes:

- Product Details View HTML
- Admin Display Bookings View HTML
- TempData with Toastr
- Role protection
- Anti-forgery token
- Preventing past dates

Follow step by step.

Part 1. Install and Configure Toastr

Step 1. Add Toastr CSS

Open **_Layout.cshtml**

Inside `<head>` add:

```
<link href="https://cdnjs.cloudflare.com/ajax/libs/toastr.js/latest/toastr.min.css" rel="stylesheet" />
```

Step 2. Add jQuery and Toastr JS

Before `</body>` in **_Layout.cshtml** add:

```
<script src="~/lib/jquery/dist/jquery.min.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/toastr.js/latest/toastr.min.js"></script>
```

jQuery must load before toastr.

Step 3. Ensure Static Files Work

Open **Program.cs**

Make sure this exists:

```
app.UseStaticFiles();
```

Part 2. Use TempData for Notifications

Step 1. Set TempData in Controller

Inside any successful action:

```
TempData["success"] = "Booking Created Successful, Please wait for confirmation";
return RedirectToAction("Index");
```

Change the message depending on situation:

- Registration successful
 - Login successful
 - Booking confirmed
 - Booking cancelled
-

Step 2. Show Notification in Layout

In `_Layout.cshtml`, before `</body>`:

```
@if (TempData["success"] != null)
{
    <script>
        toastr.options.positionClass = "toast-top-right";
        toastr.success('@TempData["success"]');
    </script>
}
```

Now every time TempData is set, a top-right notification appears.

Part 3. Prevent Past Dates in Booking Form

Inside your booking view:

```
<input id="myDate"
    asp-for="Date"
    type="date"
    min="@DateTime.Today.ToString("yyyy-MM-dd")"
    class="form-control" />
```

This ensures users cannot select dates before today.

Part 4. Admin Booking Controller

Step 1. Secure the Controller

```
using Microsoft.AspNetCore.Authorization;

namespace T_Level_app.Controllers
{
    [Authorize(Roles = "Admin")]
    public class AdminBookingController : Controller
```

Only users in Admin role can access it.

Step 2. Display Bookings to Admin

Controller:

```

public IActionResult DisplayBookingsToAdmin(string search)
{
    IQueryable<Booking> query = context.Bookings
        .Include(booking => booking.User);

    if (!string.IsNullOrEmpty(search))
    {
        string pattern = $"%{search}%";

        query = query.Where(booking =>
            EF.Functions.Like(booking.status, pattern) ||
            EF.Functions.Like(booking.User.LastName, pattern) ||
            EF.Functions.Like(booking.User.FirstName, pattern) ||
            EF.Functions.Like(booking.User.Email, pattern)
        );
    }

    var displayBookings = query
        .OrderByDescending(booking => booking.Id)
        .ToList();

    return View(displayBookings);
}

```

Step 3. Update Booking Status

```

[HttpPost]
[ValidateAntiForgeryToken]
public async Task<IActionResult> UpdateBookingStatus(int bookingId, string status)
{
    var booking = await context.Bookings.FindAsync(bookingId);

    booking.status = status;
    await context.SaveChangesAsync();

    TempData["success"] = "Booking status updated successfully";

    return RedirectToAction("DisplayBookingsToAdmin");
}

```

Part 5. Admin Display Bookings View (Full HTML)

DisplayBookingsToAdmin.cshtml

```

@model List<Booking>

<div class="container mt-4">

    <div class="card shadow-sm">
        <div class="card-header bg-success text-white d-flex justify-content-between align-items-center">
            <h4 class="mb-0">User Bookings</h4>

            <div class="input-group w-25">
                <form class="d-flex py-3" role="search">
                    <input class="form-control me-2"
                        name="search"
                        type="search"
                        placeholder="Search by name"
                        value="@Context.Request.Query["search"]">
                </form>
            </div>
        </div>
    </div>

```

```

        aria-label="Search" />
        <button class="btn btn-outline-success" type="submit">
            Search
        </button>
    </form>
</div>
</div>

<div class="card-body p-0">
    <div class="table-responsive">
        <table class="table table-hover table-striped align-middle mb-0">
            <thead class="table-success sticky-top">
                <tr>
                    <th>ID</th>
                    <th>Name</th>
                    <th>Email</th>
                    <th>Phone</th>
                    <th>Date and Time</th>
                    <th>Status</th>
                </tr>
            </thead>

            <tbody>
                @foreach (var booking in Model)
                {
                    <tr>
                        <td>@booking.Id</td>
                        <td class="fw-semibold">
                            @booking.User.FirstName @booking.User.LastName
                        </td>
                        <td>@booking.User.Email</td>
                        <td>@booking.User.PhoneNumber</td>
                        <td class="text-center">
                            @booking.BookingDateTime
                        </td>
                        <td>
                            <form asp-controller="AdminBooking"
                                asp-action="UpdateBookingStatus"
                                method="post">
                                @Html.AntiForgeryToken()
                                <input type="hidden"
                                    name="bookingId"
                                    value="@booking.Id" />

                                <select name="status"
                                    onchange="this.form.submit()"
                                    class="form-select">
                                    <option selected>
                                        @booking.status
                                    </option>
                                    <option>Confirmed</option>
                                    <option>Cancelled</option>
                                </select>
                            </form>
                        </td>
                    </tr>
                }
            </tbody>

        </table>
    </div>
</div>
</div>
</div>

```

Part 6. Add Admin Panel Link in Navbar

Inside layout navigation:

```
@if (User.IsInRole("Admin"))
{
    <li class="nav-item">
        <a class="nav-link"
            asp-controller="AdminBooking"
            asp-action="DisplayBookingsToAdmin">
            Admin Panel
        </a>
    </li>
}
```

Part 7. Product Details Page

Home Controller

```
public IActionResult Details(int Id)
{
    var product = context.Products.Find(Id);
    return View(product);
}
```

Details.cshtml (Full HTML)

```

@model Product

<div class="row">

    <div class="col-md-4">
        
    </div>

    <div class="col-md-8">

        <div class="card-body">
            <h5 class="card-title">@Model.Name</h5>
            <h5 class="card-title">@Model.Price £</h5>

            <hr />

            <div>Brand</div>
            <div>@Model.Brand</div>

            <div>Category</div>
            <div>@Model.Category</div>

            <div>Description</div>
            <div>@Model.Description</div>
        </div>

    </div>
</div>

```

Final Flow

1. User registers or logs in
2. TempData sets message
3. Toastr displays notification
4. User creates booking
5. Past dates blocked
6. Admin logs in
7. Admin opens Admin Panel
8. Admin searches bookings
9. Admin confirms or cancels
10. Toastr confirms update

You now have:

- Notification system
- Secure admin booking management
- Search functionality
- Booking status updates
- Date restriction
- Full product details page