
APPARELWERKS

Pattern DXF file inspection and ANSI/AAMA-292 compliance evaluation

TBD9-Denim Pants.dxf

Analyzed 06 October 2026

Detected format	ANSI/AAMA-292 (high confidence)
Checked against	ANSI/AAMA-292 (AAMA-292 form: no D6673 declaration, and AAMA-292 defines no version identifier)
Producer	BOKE TECHNOLOGY
Style name	TBD9款
Sample size	34*32



All pieces.

The file's owner can view all information for TBD9-Denim Pants.dxf at https://aw.fyi/dxf. This report includes 80 of the 254 available analysis images.

Overview

Units	METRIC — read as millimeters
Encoding	ANSI_936 (inferred)
Extents	5579.28 × 2948.76
Unit check	declared METRIC; largest piece 373.5 x 1151.0 — geometry consistent with millimeters

ANSI/AAMA-292 (1993) pattern interchange: the fourteen-layer, block-per-piece model that ASTM D6673 adopted in 2001. It predates the ASTM additions (the system-text grammar and version identifier, notch-type layers 80-83, validation curves 84-87, the grade-rule table file). Checked against ANSI/AAMA-292; D6673 requirements added later are reported as not applicable.

Layers

24 block definitions; modelspace holds 24 placements and 8 direct entities.

Layer	Meaning	Msp ent	Msp ins	Blocks	Blk ent	Types
1	Boundary / cut line	8	24	24	172	POLYLINE, TEXT
2	Turn points	—	—	24	417	POINT
3	Curve points	—	—	7	22	POINT
4	Notches	—	—	6	6	POINT
5	Grade reference	—	—	24	24	LINE
7	Grain line	—	—	24	24	LINE
8	Internal lines (draw/ink/sew)	—	—	16	56	LINE, POLYLINE
14	Sew lines	—	—	22	22	POLYLINE


Vendor-defined text (not required by ANSI/AAMA-292)

- `VERSION: 2012`
- `TOLERANCE: .006`
- `Fabric: 面`


These layer renderings present all data from each layer. In a graded file, non-sample-size pieces will not have data in all layers.




Layer 1 - Boundary / cut line




Layer 2 - Turn points




Layer 3 - Curve points




Layer 4 - Notches



Layer 5 - Grade reference



Layer 7 - Grain line



Layer 8 - Internal lines (draw/ink/sew)



Layer 14 - Sew lines

ANSI/AAMA-292 Compliance

8 departures, 1 extension, 1 advisory

Rules evaluated	39
Not applicable	72
Advisories	1

Findings

departure

File is not ASCII text

The file contains raw non-ASCII bytes in 76 text strings (53 system-text values and 23 piece names; declared code page: none). The standard defines the interchange file as a specially formatted ASCII text file, so this content is the producer's own character encoding leaking into the file rather than a form the standard provides for.

AAMA-292 §4 (ASTM D6673 §4.1)

departure

Grade Rule Table identifier missing

Required 'Grade Rule Table' identifier is absent.

AAMA-292 §4.2.1.2 (ASTM D6673 §4.3.1.1)

departure

Notch encoding (ANSI/AAMA-292 form)

Block 右前片-34*32: 6 of 6 notch POINTs on layer 4 are missing depth. 5 other pieces also carry malformed notch POINTs.

AAMA-292 §4.2.4 (revised in ASTM D6673 §4.3.4)

Also implicated:


左前片-34*32	1 malformed notch POINT	左后片-34*32-11	1 malformed notch POINT
右前里-34*32	1 malformed notch POINT	左前里-34*32	1 malformed notch POINT
后片里-34*32	1 malformed notch POINT		

departure


Corners missing from layer 2

Block 左后片-34*32-11: layer 2 is missing 1 of 6 boundary corners (a notable point not declared a turn point on layer 2) — ANSI/AAMA-292 §4.2.2 incompleteness. 4 other pieces are also missing corners.

AAMA-292 §4.2.2 (revised in ASTM D6673 §4.3)




Evidence — 左后片-34*32-11




左后片-34*32-14

1 of 12 corners missing




左侧贴袋-34*32

1 of 8 corners missing



裆底布里-34*32

1 of 2 corners missing



后片里-34*32


1 of 6 corners missing

departure


Curved boundary segments without curve points

Block 前代步-34*32: 2 of 8 curved boundary segments have no curve point on layer 3 — the curve is in the geometry, its curve points are missing (ANSI/AAMA-292 §4.2.3). 4 other pieces are also missing curve points.

AAMA-292 §4.2.3 (revised in ASTM D6673 §4.3)




Evidence — 右前片-34*32




后约克-34*32

2 of 2 curve regions missing




左后片-34*32-14

2 of 4 curve regions missing



右前片-34*32

1 of 5 curve regions missing



门禁-34*32


1 of 1 curve region missing

departure


Declared points miscategorized

Block 腰面-34*32: 8 of 12 declared boundary points are miscategorized (ANSI/AAMA-292 §4.2.2-4.2.3) — 8 points on a straight segment. 13 other pieces also have miscategorized points.

AAMA-292 §4.2.2 (revised in ASTM D6673 §4.3.2 / 4.3.3)




Evidence — 腰面-34*32




左侧贴袋-34*32

3 points miscategorized




右前片-34*32

2 points miscategorized




左前片-34*32

2 points miscategorized




后代里-34*32

2 points miscategorized




左后片-34*32-14

2 points miscategorized




右前里-34*32

2 points miscategorized




左前里-34*32

2 points miscategorized




裆底布-34*32

1 point miscategorized




里禁-34*32

1 point miscategorized




前代步-34*32

1 point miscategorized




左后片-34*32-11

1 point miscategorized



裆底布里-34*32

1 point miscategorized



后片里-34*32


1 point miscategorized

departure


Declared points not on the boundary

Block 腰面-34*32: 32 declared layer-2/3 points do not lie on the boundary line — ANSI/AAMA-292 defines layer 2/3 points as the Boundary Line Layer's points. These points lie on the internal line (layer 8) or the sew line (layer 14). 21 other pieces have similar points.

AAMA-292 §4.2.2 (revised in ASTM D6673 §4.3.2 / 4.3.3)




Evidence — 腰面-34*32




左后片-34*32-14

29 points that should not be on L2/L3




左后片-34*32-11

23 points that should not be on L2/L3




右前片-34*32

17 points that should not be on L2/L3




左前片-34*32

14 points that should not be on L2/L3




后片里-34*32

14 points that should not be on L2/L3




后代-34*32

13 points that should not be on L2/L3




后代里-34*32

13 points that should not be on L2/L3




左前里-34*32

12 points that should not be on L2/L3




前代垫-34*32

11 points that should not be on L2/L3




前代步-34*32

11 points that should not be on L2/L3




裆底布-34*32

10 points that should not be on L2/L3




后约克-34*32

10 points that should not be on L2/L3




裆底布里-34*32

10 points that should not be on L2/L3




里禁-34*32

8 points that should not be on L2/L3




左侧拼块-34*32

8 points that should not be on L2/L3




右前里-34*32

8 points that should not be on L2/L3




左侧贴袋-34*32

6 points that should not be on L2/L3



右前拼块-34*32-1


5 points that should not be on L2/L3



右前拼块-34*32-2

5 points that should not be on L2/L3

… and 1 more implicated piece (not shown)



门禁-34*32


4 points that should not be on L2/L3

departure


Notch points declared on turn/curve layers

Block 左后片-34*32-11: 1 declared layer-2/3 point is there only as a notch base — no turn or curve justifies the declared type. 1 other piece has similar points.

AAMA-292 §4.2.2 (revised in ASTM D6673 §4.3.2 / 4.3.3)



Evidence — 左后片-34*32-11



后片里-34*32

1 point there only as notch base

extension

Text identifiers outside the ANSI/AAMA-292 vocabulary

3 text identifiers not listed by ANSI/AAMA-292: 'VERSION', 'TOLERANCE', 'Fabric' — permitted as 'other optional text' (§4.2.1.2, §4.2.1.3).


AAMA-292 §4.2.1.2 (revised in ASTM D6673 §4.3.1.1)

advisory


Possible point miscategorization

Block 门禁-34*32: 2 declared boundary points may be miscategorized. 1 other piece may also have miscategorized points.

AAMA-292 §4.2.2 (revised in ASTM D6673 §4.3.2 / 4.3.3)



Evidence — 门禁-34*32



前代步-34*32

2 points may be miscategorized


Pattern Pieces

Block	Piece	Category	Annotation	Material	Quantity	Sizes	Bounding box	Area
右前片	右前片	1	Mat-A(L:1-R:0)		1	**34*32**	309.49 × 1065.11	245325.6
右前拼块_1	右前拼块-1	2	Mat-A(L:1-R:0)		1	**34*32**	95.21 × 106.69	8403.4
右前拼块_2	右前拼块-2	3	Mat-P(L:1-R:0)		1	**34*32**	95.21 × 106.69	8403.4
左前片	左前片	4	Mat-A(L:1-R:0)		1	**34*32**	309.35 × 1065.11	250588.1
裆底布	裆底布	5	Mat-O(L:1-R:1)		1,1	**34*32**	90.38 × 370.79	18753.3
门禁	门禁	6	Mat-A(L:1-R:0)		1	**34*32**	58.42 × 163.04	8956.3
里禁	里禁	7	Mat-A(L:1-R:0)		1	**34*32**	115.57 × 171.78	19183.9
前代垫	前代垫	8	Mat-A(L:1-R:1)		1,1	**34*32**	210.25 × 164.91	26053.7
右表代	右表代	9	Mat-A(L:1-R:0)		1	**34*32**	136.14 × 148.11	15087.2
前代步	前代步	10	Mat-P(L:1-R:1)		1,1	**34*32**	414.45 × 329.5	108460.8
后约克	后约克	11	Mat-A(L:1-R:1)		1,1	**34*32**	278.49 × 88.84	15887.3
左后片_11	左后片-11	12	Mat-A(L:1-R:0)		1	**34*32**	373.48 × 1111.36	309857.4
后代	后代	13	Mat-A(L:1-R:1)		1,1	**34*32**	185.42 × 153.67	28104.9
后代里	后代里	14	Mat-P(L:1-R:1)		1,1	**34*32**	185.42 × 204.47	37523.2
左后片_14	左后片-14	15	Mat-A(L:1-R:0)		1	**34*32**	373.28 × 1111.37	283774.6
左侧拼块	左侧拼块	16	Mat-A(L:1-R:0)		1	**34*32**	183.81 × 271.29	37792.1
左侧贴袋	左侧贴袋	17	Mat-P(L:1-R:0)		1	**34*32**	212.39 × 304.78	39851.4
腰面	腰面	18	Mat-A(L:1-R:0)		1	**34*32**	1090.29 × 58.42	63694.1
马王畔	马王畔	19	Mat-A(L:1-R:0)		1	**34*32**	39.05 × 533.4	20322.5
裆底布里	裆底布里	20	Mat-P(L:1-R:1)		1,1	**34*32**	90.38 × 370.8	18753.4
右前里	右前里	21	Mat-P(L:1-R:0)		1	**34*32**	309.34 × 1082.0	257849.1
左前里	左前里	22	Mat-P(L:1-R:0)		1	**34*32**	309.34 × 1082.01	250946.0
后片里	后片里	23	Mat-P(L:1-R:1)		1,1	**34*32**	373.48 × 1150.97	318253.6


Block	Piece	Category	Annotation	Material	Quantity	Sizes	Bounding box	Area
50	50	24	Mat-N(L:1-R:0)		1	**34*32**	500.0 × 500.0	250000.0

Piece outlines


These images are composites of all available layer data for each pattern piece. The file owner can see a flipbook with separate per-piece images of each layer at https://aw.fyi/dxf.




右前片 · 34*32




右前拼块-1 · 34*32




右前拼块-2 · 34*32




左前片 · 34*32




裆底布 · 34*32




门禁 · 34*32




里禁 · 34*32




前代垫 · 34*32




右表代 · 34*32




前代步 · 34*32




后约克 · 34*32




左后片-11 · 34*32




后代 · 34*32




后代里 · 34*32



左后片-14 · 34*32




左侧拼块 · 34*32




左侧贴袋 · 34*32




腰面 · 34*32




马王畔 · 34*32




裆底布里 · 34*32




右前里 · 34*32



左前里 · 34*32



后片里 · 34*32



50 · 34*32

About this report

The electronic version of this file is stored securely for up to 30 days and used only to improve this service and understand failures. We do not share this file with anyone other than the requestor. The application that created this document does not expose source .dxf files to any LLM or other AI agent; all processing is purely computational, using a private, proprietary codebase.

This document is provided by ApparelWerks LLC, for instructional and research purposes. While it contains section references to published versions of withdrawn standards ANSI/AAMA-292 and ASTM D6673, it does not reproduce the text of the standards. We've written all the observations about the standards and their contents, and paraphrased where necessary. This service is not affiliated with, sponsored by, or endorsed by ANSI or ASTM International. And finally, you shouldn't make any decisions based on the information you read here, without actually consulting the standards yourself.

Want to know more? Have suggestions to improve this? Email rick@apparelwerks.com.

Want to try this service on your own .dxf files? Go to https://aw.fyi/dxf