
APPARELWERKS

Pattern DXF file inspection and ASTM D6673 compliance evaluation

jacket2_40-146_marker_allsizes_R13_202610121149.dxf

Analyzed 12 October 2026

Detected format	ASTM D6673 (high confidence)
Checked against	D6673-10 (declared by the file)
Producer	Seamly · Seamly2D · 26.10.1115
Style name	jacket2_40-146



All pieces, rearranged to fit on the page.

The file's owner can view all information for jacket2_40-146_marker_allsizes_R13_202610121149.dxf at https://aw.fyi/dxf. This report includes 12 of the 195 available analysis images.

Overview

DXF version	AC1012
Units	METRIC — read as millimeters
Curve tolerance	0.25
Encoding	ANSI_1252
Extents	1204.95 × 9543.88
Unit check	declared METRIC; largest piece 142.6 x 664.2 — geometry consistent with millimeters

Layers


25 block definitions; modelspace holds 25 placements and 9 direct entities.

Layer	Meaning	Msp ent	Msp ins	Blocks	Blk ent	Types
1	Boundary / cut line	9	25	25	125	POLYLINE, TEXT
2	Turn points	—	—	25	200	POINT
3	Curve points	—	—	12	279	POINT
14	Sew lines	—	—	25	25	POLYLINE
84	Boundary validation (ASTM)	—	—	25	25	POLYLINE
87	Sew line validation (ASTM)	—	—	25	25	POLYLINE


Header variables

$ACADVER	AC1012	$DWGCODEPAGE	ANSI_1252	$HANDSEED	AA9


These layer renderings present all data from each layer. In a graded file, non-sample-size pieces will not have data in all layers.



Layer 1 - Boundary / cut line




Layer 2 - Turn points



Layer 3 - Curve points



Layer 14 - Sew lines



Layer 84 - Boundary validation (ASTM)



Layer 87 - Sew line validation (ASTM)

ASTM D6673 Compliance

3 departures, 0 extensions, 3 advisories

Rules evaluated	56
Not applicable	54
Advisories	3

Findings

departure

Sample size points incomplete

Graded size 220 of piece Detail does not repeat the sample-size points consistently (15 layer-1 boundary points vs 17 in sample 500).

ASTM D6673 §4.3.1.5

departure

Excluded layers present in graded sizes

Graded size 220 carries layer 2, a sample-only layer that must not repeat in graded sizes.


ASTM D6673 §4.3.1.5

departure

Corners missing from layer 2

Block piece_Detail_s240-12_M: layer 2 is missing 1 of 11 boundary corners (a notable point not declared a turn point on layer 2) — §4.3(2) incompleteness.

ASTM D6673 §4.3 (revised from AAMA-292 §4.2.2)



Evidence — piece_Detail_s240-12_M

advisory

L84 densification profile (advisory)

Validation layers 84 and 87 add intermediate points on 24 of 50 boundary polylines. 13 pieces carry no added points anywhere — either they contain no curves, or their intended shapes may need attention: sparse point sequences fittable as either arcs or facets cannot be distinguished from the data, and declared point types are taken as given — piece-146_s580_M and 12 other pieces.

Advisory — no conformance weight.

ASTM D6673 §4.3.3.1

Also implicated (no image available):

piece-154_s600_M
piece_Detail_s220-5_M
piece_Detail_s300-37_M
piece_Detail_s320-45_M
piece_Detail_s340-53_M
piece_Detail_s360-61_M
piece_Detail_s380-69_M
piece_Detail_s400-77_M
piece_Detail_s420-85_M
piece_Detail_s440-93_M
piece_Detail_s460-101_M
piece_Detail_s720-205_M

advisory

Validation polylines all span a curve segment

Every quality-validation polyline spans at least one curve segment.

ASTM D6673 §4.3.3.1

advisory

Validation curves can honor the declared Curve Tolerance

Every smooth validation-curve chord's implied mid-chord sagitta is within 2x Curve Tolerance (1004 chords measured; worst 0.0472").


ASTM D6673 §4.3.1.1 / 4.3.3.1

Pattern Pieces

Block	Piece	Category	Annotation	Material	Quantity	Sizes	Bounding bo	Area
	piece-201_s720_M			Fabric	1,0	720	142.65 × 664.16	53716.9
	piece-146_s580_M			Fabric	1,0	580	494.19 × 74.0	36570.1
	piece-154_s600_M			Fabric	1,0	600	503.14 × 74.01	37237.4
piece_s_M, piece_s-4_M, piece_s-12_M, piece_s-68_M, piece_s-132_M, piece_s-164_M, piece_s-196_M, piece_s-204_M, piece_s-5_M, piece_s-37_M, piece_s-45_M, piece_s-53_M, piece_s-61_M, piece_s-69_M, piece_s-77_M, piece_s-85_M, piece_s-93_M, piece_s-101_M, piece_s-205_M, piece_s-118_M, piece_s-119_M, piece_s-120_M	Detail			Fabric	1,0	220, 240, 300, 320, 340, 360, 380, 400, 420, 440, 460, 500, 540, 620, 700, 720	312.26 × 638.57	176772.7

Piece outlines

These images are composites of all available layer data for each sample-size pattern piece. The file owner can see a flipbook with separate per-piece images of each layer for all pieces at https://aw.fyi/dxf.




piece-201_s720_M · 720



piece-146_s580_M · 580



piece-154_s600_M · 600



Detail · 500

About this report

The electronic version of this file is stored securely for up to 30 days and used only to improve this service and understand failures. We do not share this file with anyone other than the requestor. The application that created this document does not expose source .dxf files to any LLM or other AI agent; all processing is purely computational, using a private, proprietary codebase.

This document is provided by ApparelWerks LLC, for instructional and research purposes. While it contains section references to published versions of withdrawn standards ANSI/AAMA-292 and ASTM D6673, it does not reproduce the text of the standards. We've written all the observations about the standards and their contents, and paraphrased where necessary. This service is not affiliated with, sponsored by, or endorsed by ANSI or ASTM International. And finally, you shouldn't make any decisions based on the information you read here, without actually consulting the standards yourself.

Want to know more? Have suggestions to improve this? Email rick@apparelwerks.com.

Want to try this service on your own .dxf files? Go to https://aw.fyi/dxf