
APPARELWERKS

Pattern DXF file inspection and ASTM D6673 compliance evaluation

jacket2_40-146_nested_allsizes_R13_202610121136.dxf

Analyzed 12 October 2026

Detected format	ASTM D6673 (high confidence)
Checked against	D6673-10 (declared by the file)
Producer	Seamly · Seamly2D · 26.10.1115
Style name	jacket2_40-146
Sample size	500



All pieces, rearranged to fit on the page.

The file's owner can view all information for jacket2_40-146_nested_allsizes_R13_202610121136.dxf at https://aw.fyi/dxf. This report includes 63 of the 674 available analysis images.

Overview

DXF version	AC1012
Units	METRIC — read as millimeters
Curve tolerance	0.25
Encoding	ANSI_1252
Extents	1434.61 × 1310.05
Unit check	declared METRIC; largest piece 332.1 x 664.2 — geometry consistent with millimeters

Layers

108 block definitions; modelspace holds 108 placements and 9 direct entities.

Layer	Meaning	Msp ent	Msp ins	Blocks	Blk ent	Types
1	Boundary / cut line	9	108	108	500	POLYLINE, TEXT
2	Turn points	—	—	8	72	POINT
3	Curve points	—	—	6	176	POINT
5	Grade reference	—	—	104	104	LINE
14	Sew lines	—	—	108	153	POLYLINE, TEXT
84	Boundary validation (ASTM)	—	—	108	108	POLYLINE
87	Sew line validation (ASTM)	—	—	108	108	POLYLINE


Header variables

```
$ACADVER        AC1012              $DWGCODEPAGE    ANSI_1252           $HANDSEED       3A31
```


Degenerate geometry (reported, not altered)

- `duplicate consecutive vertices: 504 vertices in 79 polylines, on layers 84 (54), 87 (450)`


These layer renderings present all data from each layer. In a graded file, non-sample-size pieces will not have data in all layers.




Layer 1 - Boundary / cut line



Layer 2 - Turn points



Layer 3 - Curve points



Layer 5 - Grade reference



Layer 14 - Sew lines



Layer 84 - Boundary validation (ASTM)



Layer 87 - Sew line validation (ASTM)

ASTM D6673 Compliance

2 departures, 0 extensions, 4 advisories

Rules evaluated	60
Not applicable	49
Advisories	4

Findings

departure

Sample size points incomplete

Graded size 500 of piece Detail does not repeat the sample-size points consistently (17 layer-1 boundary points vs 31 in sample piece_Detail_s500-116_M).

ASTM D6673 §4.3.1.5

departure

Excluded layers present in graded sizes

Graded size 500 carries layer 2, a sample-only layer that must not repeat in graded sizes.

ASTM D6673 §4.3.1.5

advisory

L84 densification profile (advisory)

Validation layers 84 and 87 add intermediate points on 112 of 216 boundary polylines. 2 pieces carry no added points anywhere — either they contain no curves, or their intended shapes may need attention: sparse point sequences fittable as either arcs or facets cannot be distinguished from the data, and declared point types are taken as given — piece-114_s500_M and 1 other piece.

Advisory — no conformance weight.

ASTM D6673 §4.3.3.1

Also implicated (no image available):
piece_Detail_s500-117_M

advisory

Validation polylines all span a curve segment

Every quality-validation polyline spans at least one curve segment.

ASTM D6673 §4.3.3.1

advisory

Validation curves can honor the declared Curve Tolerance

Every smooth validation-curve chord's implied mid-chord sagitta is within 2x Curve Tolerance (7807 chords measured; worst 0.1380").


ASTM D6673 §4.3.1.1 / 4.3.3.1

advisory


More curve points than the curves need

Block piece-113_s500_M: layer 14 carries 16 curve points on a boundary that fits 3 arc/spline primitives. 1 other piece has a similar issue.

ASTM D6673 §4.3 (revised from AAMA-292 §4.2.2 / 4.2.3)



Evidence — piece-113_s500_M



piece_Detail_s500-116_M

layer 1, 13 curve points / 3 primitives

Pattern Pieces


Block	Piece	Category	Annotation	Material	Quantity	Sizes	Bounding bo	Area
	piece-1_s220_M				1,0	220	363.79 × 650.32	44368.6
	piece-9_s240_M				1,0	240	346.65 × 650.8	44788.4
	piece-17_s260_M				1,0	260	329.5 × 651.28	45206.0
	piece-25_s280_M				1,0	280	312.34 × 651.78	45616.4
	piece-33_s300_M				1,0	300	295.17 × 652.3	46016.0
	piece-41_s320_M				1,0	320	277.99 × 652.81	46412.4
	piece-49_s340_M				1,0	340	260.8 × 653.34	46807.9
	piece-57_s360_M				1,0	360	243.61 × 653.88	47196.4
	piece-65_s380_M				1,0	380	226.41 × 654.42	47577.6
	piece-73_s400_M				1,0	400	209.21 × 654.96	47958.3
	piece-81_s420_M				1,0	420	192.01 × 655.52	48333.5
	piece-89_s440_M				1,0	440	174.79 × 656.08	48699.6
	piece-97_s460_M				1,0	460	157.59 × 656.64	49069.5
	piece-105_s480_M				1,0	480	140.37 × 657.2	49432.4
	piece-113_s500_M			Fabric	1,0	**500**	123.15 × 657.77	49790.4
	piece-121_s520_M				1,0	520	142.15 × 658.34	50149.5
	piece-129_s540_M				1,0	540	161.15 × 658.91	50501.5
	piece-137_s560_M				1,0	560	180.15 × 659.49	50853.4
	piece-145_s580_M				1,0	580	199.16 × 660.06	51200.4
	piece-153_s600_M				1,0	600	218.15 × 660.64	51539.6
	piece-161_s620_M				1,0	620	237.15 × 661.22	51879.7
	piece-169_s640_M				1,0	640	256.16 × 661.81	52215.4

Block	Piece	Category	Annotation	Material	Quantity	Sizes	Bounding bo	Area
	piece-177_s660_M				1,0	660	275.15 × 662.39	52545.7
	piece-185_s680_M				1,0	680	294.15 × 662.98	52870.7
	piece-193_s700_M				1,0	700	313.15 × 663.56	53197.5
	piece-201_s720_M				1,0	720	332.15 × 664.16	53518.8
	piece-2_s220_M				1,0	220	458.4 × 74.0	24652.4
	piece-10_s240_M				1,0	240	458.41 × 74.0	25314.7
	piece-18_s260_M				1,0	260	458.4 × 74.0	25977.0
	piece-26_s280_M				1,0	280	458.41 × 74.0	26639.3
	piece-34_s300_M				1,0	300	458.4 × 74.0	27301.6
	piece-42_s320_M				1,0	320	458.4 × 74.0	27963.1
	piece-50_s340_M				1,0	340	458.41 × 74.0	28625.4
	piece-58_s360_M				1,0	360	458.4 × 74.0	29287.7
	piece-66_s380_M				1,0	380	458.4 × 74.0	29949.3
	piece-74_s400_M				1,0	400	458.41 × 74.0	30611.6
	piece-82_s420_M				1,0	420	458.4 × 74.0	31273.9
	piece-90_s440_M				1,0	440	458.4 × 74.0	31935.4
	piece-98_s460_M				1,0	460	458.41 × 74.0	32597.7
	piece-106_s480_M				1,0	480	458.4 × 74.0	33260.0
	piece-114_s500_M			Fabric	1,0	**500**	458.4 × 74.0	33921.6
	piece-122_s520_M				1,0	520	467.35 × 74.0	34583.9
	piece-130_s540_M				1,0	540	476.3 × 74.0	35246.2
	piece-138_s560_M				1,0	560	485.24 × 74.0	35907.8
	piece-146_s580_M				1,0	580	494.19 × 74.0	36570.1


Block	Piece	Category	Annotation	Material	Quantity	Sizes	Bounding bo	Area
	piece-154_s600_M				1,0	600	503.14 × 74.0	3723 2.4
	piece-162_s620_M				1,0	620	512.08 × 74.0	3789 3.9
	piece-170_s640_M				1,0	640	521.04 × 74.0	3855 7.0
	piece-178_s660_M				1,0	660	529.98 × 74.0	3921 8.5
	piece-186_s680_M				1,0	680	538.93 × 74.0	3988 0.8
	piece-194_s700_M				1,0	700	547.88 × 74.0	4054 3.1
	piece-202_s720_M				1,0	720	556.82 × 74.0	4120 4.7
piece_s_M, piece_s-4_M, piece_s-12_M, piece_s-20_M, piece_s-28_M, piece_s-36_M, piece_s-44_M, piece_s-52_M, piece_s-60_M, piece_s-68_M, piece_s-76_M, piece_s-84_M, piece_s-92_M, piece_s-100_M, piece_s-108_M, piece_s-116_M, piece_s-124_M, piece_s-132_M, piece_s-140_M, piece_s-148_M, piece_s-156_M, piece_s-164_M, piece_s-172_M, piece_s-180_M, piece_s-188_M, piece_s-196_M, piece_s-204_M, piece_s-5_M, piece_s-13_M, piece_s-21_M, piece_s-29_M, piece_s-37_M, piece_s-45_M, piece_s-53_M, piece_s-61_M, piece_s-69_M, piece_s-77_M, piece_s-85_M, piece_s-93_M, piece_s-101_M, piece_s-109_M, piece_s-117_M, piece_s-125_M, piece_s-133_M, piece_s-141_M, piece_s-149_M, piece_s-157_M, piece_s-165_M, piece_s-173_M, piece_s-181_M, piece_s-189_M, piece_s-197_M, piece_s-205_M, piece_s-118_M, piece_s-119_M, piece_s-120_M	Detail			Fabric	1,0	220, 240, 260, 280, 300, 320, 340, 360, 380, 400, 420, 440, 460, 480, **500**, 520, 540, 560, 580, 600, 620, 640, 660, 680, 700, 720	312.26 × 638.57	1767 72.4

Piece outlines


These images are composites of all available layer data for each sample-size (500) pattern piece. The file owner can see a flipbook with separate per-piece images of each layer for all pieces at https://aw.fyi/dxf.




piece-1_s220_M · 220




piece-9_s240_M · 240




piece-17_s260_M · 260




piece-25_s280_M · 280




piece-33_s300_M · 300




piece-41_s320_M · 320




piece-49_s340_M · 340




piece-57_s360_M · 360




piece-65_s380_M · 380




piece-73_s400_M · 400




piece-81_s420_M · 420




piece-89_s440_M · 440




piece-97_s460_M · 460




piece-105_s480_M · 480




piece-113_s500_M · 500




piece-121_s520_M · 520




piece-129_s540_M · 540




piece-137_s560_M · 560




piece-145_s580_M · 580




piece-153_s600_M · 600




piece-161_s620_M · 620




piece-169_s640_M · 640




piece-177_s660_M · 660



piece-185_s680_M · 680



piece-193_s700_M · 700



piece-201_s720_M · 720



piece-2_s220_M · 220



piece-10_s240_M · 240



piece-18_s260_M · 260



piece-26_s280_M · 280



piece-34_s300_M · 300



piece-42_s320_M · 320



piece-50_s340_M · 340



piece-58_s360_M · 360



piece-66_s380_M · 380



piece-74_s400_M · 400



piece-82_s420_M · 420



piece-90_s440_M · 440



piece-98_s460_M · 460



piece-106_s480_M · 480



piece-114_s500_M · 500



piece-122_s520_M · 520



piece-130_s540_M · 540



piece-138_s560_M · 560



piece-146_s580_M · 580



piece-154_s600_M · 600



piece-162_s620_M · 620



piece-170_s640_M · 640




piece-178_s660_M · 660




piece-186_s680_M · 680



piece-194_s700_M · 700



piece-202_s720_M · 720



Detail · 500

About this report

The electronic version of this file is stored securely for up to 30 days and used only to improve this service and understand failures. We do not share this file with anyone other than the requestor. The application that created this document does not expose source .dxf files to any LLM or other AI agent; all processing is purely computational, using a private, proprietary codebase.

This document is provided by ApparelWerks LLC, for instructional and research purposes. While it contains section references to published versions of withdrawn standards ANSI/AAMA-292 and ASTM D6673, it does not reproduce the text of the standards. We've written all the observations about the standards and their contents, and paraphrased where necessary. This service is not affiliated with, sponsored by, or endorsed by ANSI or ASTM International. And finally, you shouldn't make any decisions based on the information you read here, without actually consulting the standards yourself.

Want to know more? Have suggestions to improve this? Email rick@apparelwerks.com.

Want to try this service on your own .dxf files? Go to https://aw.fyi/dxf