

# WSVHA Revisions (With Approved Masks, VRI, and Corrected Hawks, Meldrum, and Bells Extents)

Cabin-GIS

12/07/2022 (v3)

## Contents

Action: . . . . .	1
1. All-Species Areas: Includes Fd and non-Fd stands . . . . .	2
1.1. All-Species Areas: Import DEM and CHM . . . . .	2
1.2. All-Species Areas: Derive Terrain Rasters . . . . .	9
1.3. All-Species Areas: Derive Species Raster . . . . .	9
1.4. All-Species Areas: Derive Mask From Approved Layers & Extents . . . . .	11
1.5. All-Species Areas: Apply Masking . . . . .	12
1.6. All-Species Areas: Stack and Tidy Covariates . . . . .	13
1.7. All Species Areas: Bootstrapping and training/test splits . . . . .	14
1.8. All-Species Areas: Modeling WSVHA Estimates with Random Forest Regression . . . . .	15
2. Quesnel Lake: Includes areas for all species (Fd and non-Fd stands), and developed cutblocks for validation purposes . . . . .	16
2.1. Quesnel Lake: Import DEM & CHM . . . . .	16
2.2. Quesnel Lake: Derive Terrain Rasters . . . . .	17
2.3. Quesnel Lake: Derive Species Raster . . . . .	18
2.4. Quesnel Lake: Derive Mask to Include Estimates of “RESULTS, TCC_Blocks” Areas . . . . .	19
2.5. Quesnel Lake: Apply Masking . . . . .	20
2.6. Quesnel Lake: Stack and Tidy Covariates . . . . .	21
2.7. Quesnel Lake: Modeling WSVHA Estimates with Random Forest Regression . . . . .	22

## Action:

The following report documents code used and revisions made to WSVHA raster estimates for ‘All-Species Areas’ (nonFd-stands included; </>50%) across all 16 BCTS Operating Areas within the Williams Lake TSA. New WSVHA rasters were derived with approved masks and VRI layers using corrected LiDAR mosaics shared by LQ. Quesnel validation blocks were moved to section 2 at towards end of report.

# 1. All-Species Areas: Includes Fd and non-Fd stands

## 1.1. All-Species Areas: Import DEM and CHM

```
# Merge chunks
filez_be_ahbau = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/ahbau/BareEarth", full.names = TRUE)
elev_raster_list_ahbau <- lapply(filez_be_ahbau, raster)
elev_raster_ahbau = do.call(merge, c(elev_raster_list_ahbau, tolerance = 1))
elev_rast_ahbau = terra::rast(elev_raster_ahbau)
terra::crs(elev_rast_ahbau) = "epsg:3005"
elev_rast_ahbau = terra::aggregate(elev_rast_ahbau, fact = 100, fun = mean)
writeRaster(elev_rast_ahbau, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/ahbau/elev_raster_100m.tif")
elev_raster_ahbau = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/ahbau/elev_raster_100m.tif")

filez_be_bells = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/bells/BareEarth", full.names = TRUE)
elev_raster_list_bells <- lapply(filez_be_bells, raster)
elev_raster_bells = do.call(merge, c(elev_raster_list_bells, tolerance = 1))
elev_rast_bells = terra::rast(elev_raster_bells)
terra::crs(elev_rast_bells) = "epsg:3005"
elev_rast_bells = terra::aggregate(elev_rast_bells, fact = 100, fun = mean)
writeRaster(elev_rast_bells, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/bells/elev_raster_100m.tif")
elev_raster_bells = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/bells/elev_raster_100m.tif")

filez_be_big_valley = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/big_valley/BareEarth", full.names = TRUE)
elev_raster_list_big_valley <- lapply(filez_be_big_valley, raster)
elev_raster_big_valley = do.call(merge, c(elev_raster_list_big_valley, tolerance = 1))
elev_rast_big_valley = terra::rast(elev_raster_big_valley)
terra::crs(elev_rast_big_valley) = "epsg:3005"
elev_rast_big_valley = terra::aggregate(elev_rast_big_valley, fact = 100, fun = mean)
writeRaster(elev_rast_big_valley, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/big_valley/elev_raster_100m.tif")
elev_raster_big_valley = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/big_valley/elev_raster_100m.tif")

filez_be_cariboo_lake = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/cariboo_lake/BareEarth", full.names = TRUE)
elev_raster_list_cariboo_lake <- lapply(filez_be_cariboo_lake, raster)
elev_raster_cariboo_lake = do.call(merge, c(elev_raster_list_cariboo_lake, tolerance = 1))
elev_rast_cariboo_lake = terra::rast(elev_raster_cariboo_lake)
terra::crs(elev_rast_cariboo_lake) = "epsg:3005"
elev_rast_cariboo_lake = terra::aggregate(elev_rast_cariboo_lake, fact = 100, fun = mean)
writeRaster(elev_rast_cariboo_lake, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/cariboo_lake/elev_raster_100m.tif")
elev_raster_cariboo_lake = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/cariboo_lake/elev_raster_100m.tif")

filez_be_charleson_marvin_creek = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/charleson_marvin_creek/BareEarth", full.names = TRUE)
elev_raster_list_charleson_marvin_creek <- lapply(filez_be_charleson_marvin_creek, raster)
elev_raster_charleson_marvin_creek = do.call(merge, c(elev_raster_list_charleson_marvin_creek, tolerance = 1))
elev_rast_charleson_marvin_creek = terra::rast(elev_raster_charleson_marvin_creek)
terra::crs(elev_rast_charleson_marvin_creek) = "epsg:3005"
elev_rast_charleson_marvin_creek = terra::aggregate(elev_rast_charleson_marvin_creek, fact = 100, fun = mean)
writeRaster(elev_rast_charleson_marvin_creek, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/charleson_marvin_creek/elev_raster_100m.tif")
elev_raster_charleson_marvin_creek = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/charleson_marvin_creek/elev_raster_100m.tif")

filez_be_dash = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/dash/BareEarth", full.names = TRUE)
elev_raster_list_dash <- lapply(filez_be_dash, raster)
elev_raster_dash = do.call(merge, c(elev_raster_list_dash, tolerance = 1))
```

```

elev_rast_dash = terra::rast(elev_raster_dash)
terra::crs(elev_rast_dash) = "epsg:3005"
elev_rast_dash = terra::aggregate(elev_rast_dash, fact = 100, fun = mean)
writeRaster(elev_rast_dash, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/dash/elev_raster_100m_dash.tif", overwrite = TRUE)
elev_raster_dash = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/dash/elev_raster_100m_dash.tif")

filez_be_gaspard = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/gaspard/BareEarth", full.names = TRUE)
elev_raster_list_gaspard <- lapply(filez_be_gaspard, raster)
elev_raster_gaspard = do.call(merge, c(elev_raster_list_gaspard, tolerance = 1))
elev_rast_gaspard = terra::rast(elev_raster_gaspard)
terra::crs(elev_rast_gaspard) = "epsg:3005"
elev_rast_gaspard = terra::aggregate(elev_rast_gaspard, fact = 100, fun = mean)
writeRaster(elev_rast_gaspard, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/gaspard/elev_raster_100m_gaspard.tif", overwrite = TRUE)
elev_raster_gaspard = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/gaspard/elev_raster_100m_gaspard.tif")

filez_be_hawks_creek = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/hawks_creek/BareEarth", full.names = TRUE)
elev_raster_list_hawks_creek <- lapply(filez_be_hawks_creek, raster)
elev_raster_hawks_creek = do.call(merge, c(elev_raster_list_hawks_creek, tolerance = 1))
elev_rast_hawks_creek = terra::rast(elev_raster_hawks_creek)
terra::crs(elev_rast_hawks_creek) = "epsg:3005"
elev_rast_hawks_creek = terra::aggregate(elev_rast_hawks_creek, fact = 100, fun = mean)
writeRaster(elev_rast_hawks_creek, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/hawks_creek/elev_raster_100m_hawks_creek.tif", overwrite = TRUE)
elev_raster_hawks_creek = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/hawks_creek/elev_raster_100m_hawks_creek.tif")
terra::plot(elev_rast_hawks_creek)

filez_be_hawks_creek2 = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/hawks_creek/Hawks2/32bit", full.names = TRUE)
elev_raster_list_hawks_creek2 <- lapply(filez_be_hawks_creek2, raster)
elev_raster_hawks_creek2 = do.call(merge, c(elev_raster_list_hawks_creek2, tolerance = 1))
elev_rast_hawks_creek2 = terra::rast(elev_raster_hawks_creek2)
terra::crs(elev_rast_hawks_creek2) = "epsg:3005"
elev_rast_hawks_creek2 = terra::aggregate(elev_rast_hawks_creek2, fact = 100, fun = mean)
writeRaster(elev_rast_hawks_creek2, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/hawks_creek/elev_raster_100m_hawks_creek2.tif", overwrite = TRUE)
elev_raster_hawks_creek2 = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/hawks_creek/elev_raster_100m_hawks_creek2.tif")
terra::plot(elev_rast_hawks_creek2)

filez_be_little_river = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/little_river/BareEarth", full.names = TRUE)
elev_raster_list_little_river <- lapply(filez_be_little_river, raster)
elev_raster_little_river = do.call(merge, c(elev_raster_list_little_river, tolerance = 1))
elev_rast_little_river = terra::rast(elev_raster_little_river)
terra::crs(elev_rast_little_river) = "epsg:3005"
elev_rast_little_river = terra::aggregate(elev_rast_little_river, fact = 100, fun = mean)
writeRaster(elev_rast_little_river, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/little_river/elev_raster_100m_little_river.tif", overwrite = TRUE)
elev_raster_little_river = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/little_river/elev_raster_100m_little_river.tif")

filez_be_little_swift = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/little_swift/BareEarth", full.names = TRUE)
elev_raster_list_little_swift <- lapply(filez_be_little_swift, raster)
elev_raster_little_swift = do.call(merge, c(elev_raster_list_little_swift, tolerance = 1))
elev_rast_little_swift = terra::rast(elev_raster_little_swift)
terra::crs(elev_rast_little_swift) = "epsg:3005"
elev_rast_little_swift = terra::aggregate(elev_rast_little_swift, fact = 100, fun = mean)
writeRaster(elev_rast_little_swift, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/little_swift/elev_raster_100m_little_swift.tif", overwrite = TRUE)
elev_raster_little_swift = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/little_swift/elev_raster_100m_little_swift.tif")

```

```

filez_be_mcintosh = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/mcintosh/BareEarth", full.names = TRUE)
elev_raster_list_mcintosh <- lapply(filez_be_mcintosh, raster)
elev_raster_mcintosh = do.call(merge, c(elev_raster_list_mcintosh, tolerance = 1))
elev_rast_mcintosh = terra::rast(elev_raster_mcintosh)
terra::crs(elev_rast_mcintosh) = "epsg:3005"
elev_rast_mcintosh = terra::aggregate(elev_rast_mcintosh, fact = 100, fun = mean)
writeRaster(elev_rast_mcintosh, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/mcintosh/elev_rast_mcintosh.tif")
elev_raster_mcintosh = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/mcintosh/elev_rast_mcintosh.tif")

#filez_be_meldrum = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/meldrum/BareEarth", full.names = TRUE)
#elev_raster_list_meldrum = lapply(filez_be_meldrum, raster)
#elev_raster_meldrum = do.call(merge, c(elev_raster_list_meldrum, tolerance = 1))
#elev_rast_meldrum = terra::rast(elev_raster_meldrum)
#terra::crs(elev_rast_meldrum) = "epsg:3005"
#elev_rast_meldrum = terra::aggregate(elev_rast_meldrum, fact = 100, fun = mean)
#writeRaster(elev_rast_meldrum, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/meldrum/elev_rast_meldrum.tif")
elev_raster_meldrum = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/meldrum/Meldrum DTM.tif")
elev_rast_meldrum = terra::rast(elev_raster_meldrum)
terra::crs(elev_rast_meldrum) = "epsg:3005"
elev_rast_meldrum = terra::aggregate(elev_rast_meldrum, fact = 100, fun = mean)
writeRaster(elev_rast_meldrum, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/meldrum/elev_rast_meldrum.tif")
elev_raster_meldrum = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/meldrum/elev_rast_meldrum.tif")
terra::plot(elev_rast_meldrum)

filez_be_phillips_anahim_lake = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/phillips_anahim_lake/BareEarth", full.names = TRUE)
elev_raster_list_phillips_anahim_lake <- lapply(filez_be_phillips_anahim_lake, raster)
elev_raster_phillips_anahim_lake = do.call(merge, c(elev_raster_list_phillips_anahim_lake, tolerance = 1))
elev_rast_phillips_anahim_lake = terra::rast(elev_raster_phillips_anahim_lake)
terra::crs(elev_rast_phillips_anahim_lake) = "epsg:3005"
elev_rast_phillips_anahim_lake = terra::aggregate(elev_rast_phillips_anahim_lake, fact = 100, fun = mean)
writeRaster(elev_rast_phillips_anahim_lake, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/phillips_anahim_lake/elev_rast_phillips_anahim_lake.tif")
elev_raster_phillips_anahim_lake = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/phillips_anahim_lake/elev_rast_phillips_anahim_lake.tif")

filez_be_piltz = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/piltz/BareEarth", full.names = TRUE)
elev_raster_list_piltz = lapply(filez_be_piltz, raster)
elev_raster_piltz = do.call(merge, c(elev_raster_list_piltz, tolerance = 1))
elev_rast_piltz = terra::rast(elev_raster_piltz)
terra::crs(elev_rast_piltz) = "epsg:3005"
elev_rast_piltz = terra::aggregate(elev_rast_piltz, fact = 100, fun = mean)
writeRaster(elev_rast_piltz, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/piltz/elev_rast_piltz.tif")
elev_raster_piltz = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/piltz/elev_rast_piltz.tif")

filez_be_punky_clisbako = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/punky_clisbako/BareEarth", full.names = TRUE)
elev_raster_list_punky_clisbako = do.call(merge, c(elev_raster_list_punky_clisbako, tolerance = 1))
elev_rast_punky_clisbako = terra::rast(elev_raster_punky_clisbako)
terra::crs(elev_rast_punky_clisbako) = "epsg:3005"
elev_rast_punky_clisbako = terra::aggregate(elev_rast_punky_clisbako, fact = 100, fun = mean)
writeRaster(elev_rast_punky_clisbako, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/punky_clisbako/elev_rast_punky_clisbako.tif")
elev_raster_punky_clisbako = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/punky_clisbako/elev_rast_punky_clisbako.tif")

filez_be_quesnel = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/quesnel/BareEarth", full.names = TRUE)
elev_raster_list_quesnel <- lapply(filez_be_quesnel, raster)
elev_raster_quesnel = do.call(merge, c(elev_raster_list_quesnel, tolerance = 1))

```

```

elev_rast_quesnel = terra::rast(elev_raster_quesnel)
terra::crs(elev_rast_quesnel) = "epsg:3005"
elev_rast_quesnel = terra::aggregate(elev_rast_quesnel, fact = 100, fun = mean)
writeRaster(elev_rast_quesnel, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/quesnel/elev_rast_quesnel.tif", overwrite = TRUE)
elev_raster_quesnel = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/quesnel/elev_raster_quesnel.tif")
elev_rast_quesnel = terra::rast(elev_raster_quesnel)

filez_vh_ahbau = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/ahbau/VegHt", full.names = TRUE)
lead_htop_raster_list_ahbau <- lapply(filez_vh_ahbau, raster)
lead_htop_raster_ahbau = do.call(merge, c(lead_htop_raster_list_ahbau, tolerance = 1))
lead_htop_rast_ahbau = terra::rast(lead_htop_raster_ahbau)
terra::crs(lead_htop_rast_ahbau) = "epsg:3005"
lead_htop_rast_ahbau = terra::aggregate(lead_htop_rast_ahbau, fact = 100, fun = mean)
writeRaster(lead_htop_rast_ahbau, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/ahbau/lead_htop_rast_ahbau.tif", overwrite = TRUE)
lead_htop_raster_ahbau = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/ahbau/lead_htop_raster_ahbau.tif")

filez_vh_bells = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/bells/VegHt", full.names = TRUE)
lead_htop_raster_list_bells <- lapply(filez_vh_bells, raster)
lead_htop_raster_bells = do.call(merge, c(lead_htop_raster_list_bells, tolerance = 1))
lead_htop_rast_bells = terra::rast(lead_htop_raster_bells)
terra::crs(lead_htop_rast_bells) = "epsg:3005"
lead_htop_rast_bells = terra::aggregate(lead_htop_rast_bells, fact = 100, fun = mean)
writeRaster(lead_htop_rast_bells, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/bells/lead_htop_rast_bells.tif", overwrite = TRUE)
lead_htop_raster_bells = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/bells/lead_htop_raster_bells.tif")

filez_vh_big_valley = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/big_valley/VegHt", full.names = TRUE)
lead_htop_raster_list_big_valley <- lapply(filez_vh_big_valley, raster)
lead_htop_raster_big_valley = do.call(merge, c(lead_htop_raster_list_big_valley, tolerance = 1))
lead_htop_rast_big_valley = terra::rast(lead_htop_raster_big_valley)
terra::crs(lead_htop_rast_big_valley) = "epsg:3005"
lead_htop_rast_big_valley = terra::aggregate(lead_htop_rast_big_valley, fact = 100, fun = mean)
writeRaster(lead_htop_rast_big_valley, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/big_valley/lead_htop_rast_big_valley.tif", overwrite = TRUE)
lead_htop_raster_big_valley = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/big_valley/lead_htop_raster_big_valley.tif")

filez_vh_cariboo_lake = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/cariboo_lake/VegHt", full.names = TRUE)
lead_htop_raster_list_cariboo_lake <- lapply(filez_vh_cariboo_lake, raster)
lead_htop_raster_cariboo_lake = do.call(merge, c(lead_htop_raster_list_cariboo_lake, tolerance = 1))
lead_htop_rast_cariboo_lake = terra::rast(lead_htop_raster_cariboo_lake)
terra::crs(lead_htop_rast_cariboo_lake) = "epsg:3005"
lead_htop_rast_cariboo_lake = terra::aggregate(lead_htop_rast_cariboo_lake, fact = 100, fun = mean)
writeRaster(lead_htop_rast_cariboo_lake, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/cariboo_lake/lead_htop_rast_cariboo_lake.tif", overwrite = TRUE)
lead_htop_raster_cariboo_lake = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/cariboo_lake/lead_htop_raster_cariboo_lake.tif")

filez_vh_charleson_marvin_creek = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/charleson_marvin_creek/VegHt", full.names = TRUE)
lead_htop_raster_list_charleson_marvin_creek <- lapply(filez_vh_charleson_marvin_creek, raster)
lead_htop_raster_charleson_marvin_creek = do.call(merge, c(lead_htop_raster_list_charleson_marvin_creek, tolerance = 1))
lead_htop_rast_charleson_marvin_creek = terra::rast(lead_htop_raster_charleson_marvin_creek)
terra::crs(lead_htop_rast_charleson_marvin_creek) = "epsg:3005"
lead_htop_rast_charleson_marvin_creek = terra::aggregate(lead_htop_rast_charleson_marvin_creek, fact = 100, fun = mean)
writeRaster(lead_htop_rast_charleson_marvin_creek, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/charleson_marvin_creek/lead_htop_rast_charleson_marvin_creek.tif", overwrite = TRUE)
lead_htop_raster_charleson_marvin_creek = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/charleson_marvin_creek/lead_htop_raster_charleson_marvin_creek.tif")

filez_vh_dash = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/dash/VegHt", full.names = TRUE)

```



```

lead_htop_raster_list_dash <- lapply(filez_vh_dash, raster)
lead_htop_raster_dash = do.call(merge, c(lead_htop_raster_list_dash, tolerance = 1))
lead_htop_rast_dash = terra::rast(lead_htop_raster_dash)
terra::crs(lead_htop_rast_dash) = "epsg:3005"
lead_htop_rast_dash = terra::aggregate(lead_htop_rast_dash, fact = 100, fun = mean)
writeRaster(lead_htop_rast_dash, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/dash/lead_htop_rast_dash.tif")
lead_htop_raster_dash = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/dash/lead_htop_rast_dash.tif")

filez_vh_gaspard = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/gaspard/VegHt", full.names = TRUE)
lead_htop_raster_list_gaspard <- lapply(filez_vh_gaspard, raster)
lead_htop_raster_gaspard = do.call(merge, c(lead_htop_raster_list_gaspard, tolerance = 1))
lead_htop_rast_gaspard = terra::rast(lead_htop_raster_gaspard)
terra::crs(lead_htop_rast_gaspard) = "epsg:3005"
lead_htop_rast_gaspard = terra::aggregate(lead_htop_rast_gaspard, fact = 100, fun = mean)
writeRaster(lead_htop_rast_gaspard, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/gaspard/lead_htop_rast_gaspard.tif")
lead_htop_raster_gaspard = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/gaspard/lead_htop_rast_gaspard.tif")
terra::plot(lead_htop_rast_gaspard)

filez_vh_hawks_creek = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/hawks_creek/VegHt", full.names = TRUE)
lead_htop_raster_list_hawks_creek <- lapply(filez_vh_hawks_creek, raster)
lead_htop_raster_hawks_creek = do.call(merge, c(lead_htop_raster_list_hawks_creek, tolerance = 1))
lead_htop_rast_hawks_creek = terra::rast(lead_htop_raster_hawks_creek)
terra::crs(lead_htop_rast_hawks_creek) = "epsg:3005"
lead_htop_rast_hawks_creek = terra::aggregate(lead_htop_rast_hawks_creek, fact = 100, fun = mean)
writeRaster(lead_htop_rast_hawks_creek, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/hawks_creek/lead_htop_rast_hawks_creek.tif")
lead_htop_raster_hawks_creek = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/hawks_creek/lead_htop_rast_hawks_creek.tif")
terra::plot(lead_htop_rast_hawks_creek)

filez_vh_hawks_creek2 = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/hawks_creek/Hawks2/32b", full.names = TRUE)
lead_htop_raster_list_hawks_creek2 <- lapply(filez_vh_hawks_creek2, raster)
lead_htop_raster_hawks_creek2 = do.call(merge, c(lead_htop_raster_list_hawks_creek2, tolerance = 1))
lead_htop_rast_hawks_creek2 = terra::rast(lead_htop_raster_hawks_creek2)
terra::crs(lead_htop_rast_hawks_creek2) = "epsg:3005"
lead_htop_rast_hawks_creek2 = terra::aggregate(lead_htop_rast_hawks_creek2, fact = 100, fun = mean)
writeRaster(lead_htop_rast_hawks_creek2, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/hawks_creek/Hawks2/32b/lead_htop_rast_hawks_creek2.tif")
lead_htop_raster_hawks_creek2 = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/hawks_creek/Hawks2/32b/lead_htop_rast_hawks_creek2.tif")
terra::plot(lead_htop_rast_hawks_creek2)

filez_vh_little_river = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/little_river/VegHt", full.names = TRUE)
lead_htop_raster_list_little_river <- lapply(filez_vh_little_river, raster)
lead_htop_raster_little_river = do.call(merge, c(lead_htop_raster_list_little_river, tolerance = 1))
lead_htop_rast_little_river = terra::rast(lead_htop_raster_little_river)
terra::crs(lead_htop_rast_little_river) = "epsg:3005"
lead_htop_rast_little_river = terra::aggregate(lead_htop_rast_little_river, fact = 100, fun = mean)
writeRaster(lead_htop_rast_little_river, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/little_river/lead_htop_rast_little_river.tif")
lead_htop_raster_little_river = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/little_river/lead_htop_rast_little_river.tif")

filez_vh_little_swift = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/little_swift/VegHt", full.names = TRUE)
lead_htop_raster_list_little_swift <- lapply(filez_vh_little_swift, raster)
lead_htop_raster_little_swift = do.call(merge, c(lead_htop_raster_list_little_swift, tolerance = 1))
lead_htop_rast_little_swift = terra::rast(lead_htop_raster_little_swift)
terra::crs(lead_htop_rast_little_swift) = "epsg:3005"
lead_htop_rast_little_swift = terra::aggregate(lead_htop_rast_little_swift, fact = 100, fun = mean)

```

```

writeRaster(lead_htop_rast_little_swift, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/little_swift",
lead_htop_raster_little_swift = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/little_swift")

filez_vh_mcintosh = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/mcintosh/VegHt", full.names = TRUE)
lead_htop_raster_list_mcintosh <- lapply(filez_vh_mcintosh, raster)
lead_htop_raster_mcintosh = do.call(merge, c(lead_htop_raster_list_mcintosh, tolerance = 1))
lead_htop_rast_mcintosh = terra::rast(lead_htop_raster_mcintosh)
terra::crs(lead_htop_rast_mcintosh) = "epsg:3005"
lead_htop_rast_mcintosh = terra::aggregate(lead_htop_rast_mcintosh, fact = 100, fun = mean)
writeRaster(lead_htop_rast_mcintosh, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/mcintosh/lead_htop_rast_mcintosh.tif",
lead_htop_raster_mcintosh = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/mcintosh/lead_htop_rast_mcintosh.tif")

#filez_vh_meldrum = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/meldrum/VegHt", full.names = TRUE)
#lead_htop_raster_list_meldrum = list(filez_vh_meldrum, raster)
#lead_htop_raster_meldrum = do.call(merge, c(lead_htop_raster_list_meldrum, tolerance = 1))
#lead_htop_rast_meldrum = terra::rast(lead_htop_raster_meldrum)
#terra::crs(lead_htop_rast_meldrum) = "epsg:3005"
#lead_htop_rast_meldrum = terra::aggregate(lead_htop_rast_meldrum, fact = 100, fun = mean)
#writeRaster(lead_htop_rast_meldrum, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/meldrum/lead_htop_rast_meldrum.tif",
lead_htop_raster_meldrum = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/meldrum/lead_htop_rast_meldrum.tif")
lead_htop_rast_meldrum = terra::rast(lead_htop_raster_meldrum)
terra::crs(lead_htop_rast_meldrum) = "epsg:3005"
lead_htop_rast_meldrum = terra::aggregate(lead_htop_rast_meldrum, fact = 100, fun = mean)
writeRaster(lead_htop_rast_meldrum, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/meldrum/lead_htop_rast_meldrum.tif",
lead_htop_raster_meldrum = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/meldrum/lead_htop_rast_meldrum.tif")
terra::plot(lead_htop_rast_meldrum)

filez_vh_phillips_anahim_lake = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/phillips_anahim_lake/VegHt", full.names = TRUE)
lead_htop_raster_list_phillips_anahim_lake <- lapply(filez_vh_phillips_anahim_lake, raster)
lead_htop_raster_phillips_anahim_lake = do.call(merge, c(lead_htop_raster_list_phillips_anahim_lake, tolerance = 1))
lead_htop_rast_phillips_anahim_lake = terra::rast(lead_htop_raster_phillips_anahim_lake)
terra::crs(lead_htop_rast_phillips_anahim_lake) = "epsg:3005"
lead_htop_rast_phillips_anahim_lake = terra::aggregate(lead_htop_rast_phillips_anahim_lake, fact = 100, fun = mean)
writeRaster(lead_htop_rast_phillips_anahim_lake, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/phillips_anahim_lake/lead_htop_rast_phillips_anahim_lake.tif",
lead_htop_raster_phillips_anahim_lake = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/phillips_anahim_lake/lead_htop_rast_phillips_anahim_lake.tif")

filez_vh_piltz = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/piltz/VegHt", full.names = TRUE)
lead_htop_raster_list_piltz <- lapply(filez_vh_piltz, raster)
lead_htop_raster_piltz = do.call(merge, c(lead_htop_raster_list_piltz, tolerance = 1))
lead_htop_rast_piltz = terra::rast(lead_htop_raster_piltz)
terra::crs(lead_htop_rast_piltz) = "epsg:3005"
lead_htop_rast_piltz = terra::aggregate(lead_htop_rast_piltz, fact = 100, fun = mean)
writeRaster(lead_htop_rast_piltz, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/piltz/lead_htop_rast_piltz.tif",
lead_htop_raster_piltz = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/piltz/lead_htop_rast_piltz.tif")

filez_vh_punky_clisbako = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/punky_clisbako/VegHt", full.names = TRUE)
lead_htop_raster_list_punky_clisbako <- lapply(filez_vh_punky_clisbako, raster)
lead_htop_raster_punky_clisbako = do.call(merge, c(lead_htop_raster_list_punky_clisbako, tolerance = 1))
lead_htop_rast_punky_clisbako = terra::rast(lead_htop_raster_punky_clisbako)
terra::crs(lead_htop_rast_punky_clisbako) = "epsg:3005"
lead_htop_rast_punky_clisbako = terra::aggregate(lead_htop_rast_punky_clisbako, fact = 100, fun = mean)
writeRaster(lead_htop_rast_punky_clisbako, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/punky_clisbako/lead_htop_rast_punky_clisbako.tif",
lead_htop_raster_punky_clisbako = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/punky_clisbako/lead_htop_rast_punky_clisbako.tif")

```

```

filez_vh_quesnel = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/quesnel/VegHt", full.names = TRUE)
lead_htop_raster_list_quesnel <- lapply(filez_vh_quesnel, raster)
lead_htop_raster_quesnel = do.call(merge, c(lead_htop_raster_list_quesnel, tolerance = 1))
lead_htop_rast_quesnel = terra::rast(lead_htop_raster_quesnel)
terra::crs(lead_htop_rast_quesnel) = "epsg:3005"
lead_htop_rast_quesnel = terra::aggregate(lead_htop_rast_quesnel, fact = 100, fun = mean)
lead_htop_rast_quesnel = terra::resample(lead_htop_rast_quesnel, elev_rast_quesnel)
writeRaster(lead_htop_rast_quesnel, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/quesnel/lead_htop_rast_quesnel.tif")
lead_htop_raster_quesnel = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/quesnel/lead_htop_rast_quesnel.tif")
lead_htop_rast_quesnel = terra::rast(lead_htop_raster_quesnel)

# Merge mosaics
elev_raster_allSpeciesAreas_list = list(
  elev_raster_ahbau, elev_raster_bells,
  elev_raster_big_valley, elev_raster_cariboo_lake,
  elev_raster_charleson_marvincreek, elev_raster_dash,
  elev_raster_gaspard, elev_raster_hawks_creek,
  elev_raster_hawks_creek2, elev_raster_little_river,
  elev_raster_little_swift, elev_raster_mcintosh,
  elev_raster_meldrum, elev_raster_phillips_anahim_lake,
  elev_raster_piltz, elev_raster_punky_clisbako,
  elev_raster_quesnel)


elev_raster_allSpeciesAreas = do.call(merge, c(elev_raster_allSpeciesAreas_list, tolerance = 1))
writeRaster(elev_raster_allSpeciesAreas, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/elev_raster_allSpeciesAreas.tif")
elev_raster_allSpeciesAreas = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/elev_raster_allSpeciesAreas.tif")
elev_rast_allSpeciesAreas = terra::rast(elev_raster_allSpeciesAreas)

lead_htop_raster_allSpeciesAreas_list = list(
  lead_htop_raster_ahbau, lead_htop_raster_bells,
  lead_htop_raster_big_valley, lead_htop_raster_cariboo_lake,
  lead_htop_raster_charleson_marvincreek, lead_htop_raster_dash,
  lead_htop_raster_gaspard, lead_htop_raster_hawks_creek,
  lead_htop_raster_hawks_creek2, lead_htop_raster_little_river,
  lead_htop_raster_little_swift, lead_htop_raster_mcintosh,
  lead_htop_raster_meldrum, lead_htop_raster_phillips_anahim_lake,
  lead_htop_raster_piltz, lead_htop_raster_punky_clisbako,
  lead_htop_raster_quesnel)

lead_htop_raster_allSpeciesAreas = do.call(merge, c(lead_htop_raster_allSpeciesAreas_list, tolerance = 1))
writeRaster(lead_htop_raster_allSpeciesAreas, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/lead_htop_raster_allSpeciesAreas.tif")
lead_htop_raster_allSpeciesAreas = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/lead_htop_raster_allSpeciesAreas.tif")
lead_htop_rast_allSpeciesAreas = terra::rast(lead_htop_raster_allSpeciesAreas)


```





## 1.2. All-Species Areas: Derive Terrain Rasters

```
slope_rast_allSpeciesAreas = terra::terrain(elev_rast_allSpeciesAreas, v="slope", unit="degrees", neigh
aspect_rast_allSpeciesAreas = terra::terrain(elev_rast_allSpeciesAreas, v="aspect", unit="degrees", neigh
asp_cos_rast_allSpeciesAreas = cos((aspect_rast_allSpeciesAreas*pi)/180)
asp_sin_rast_allSpeciesAreas = sin((aspect_rast_allSpeciesAreas*pi)/180)
lead_htop_rast_allSpeciesAreas = terra::resample(lead_htop_rast_allSpeciesAreas, elev_rast_allSpeciesAr
writeRaster(elev_rast_allSpeciesAreas, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/inputs/unma
writeRaster(slope_rast_allSpeciesAreas, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/inputs/unma
writeRaster(asp_cos_rast_allSpeciesAreas, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/inputs/v
writeRaster(asp_sin_rast_allSpeciesAreas, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/inputs/v
writeRaster(lead_htop_rast_allSpeciesAreas, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/inputs/
```




## 1.3. All-Species Areas: Derive Species Raster

```

lead_htop_sv_allSpeciesAreas = as.polygons(lead_htop_rast_allSpeciesAreas)
lead_htop_sf_allSpeciesAreas = sf::st_as_sf(lead_htop_sv_allSpeciesAreas)
#vri_sf_allSpeciesAreas = read_sf("/media/seamus/128GB_WORKD/data/vector/vri/vri_bc_2020_rank1.shp")
vri_sf_allSpeciesAreas = read_sf("/media/seamus/128GB_WORKD/data/vector/vri/vri_tcc_lquan_20220627.shp")
vri_species_allSpeciesAreas = vri_sf_allSpeciesAreas[c("SPECIES_CD", "SPECIES_PC")]
vri_species_aoi_allSpeciesAreas = dplyr::filter(vri_species_allSpeciesAreas,
  SPECIES_CD=='PL' | SPECIES_CD=='PLI' | SPECIES_CD=='FD' | SPECIES_CD=='FDI' |
  SPECIES_CD=='SB' | SPECIES_CD=='SE' | SPECIES_CD=='SW' | SPECIES_CD=='SX' |
  SPECIES_CD=='CW' | SPECIES_CD=='HW' | SPECIES_CD=='BL' | SPECIES_CD=='LW')
vri_species_allSpeciesAreas = vri_species_aoi_allSpeciesAreas
vri_species_allSpeciesAreas$SPECIES_CD = dplyr::recode(vri_species_allSpeciesAreas$SPECIES_CD,
  PL = 0, PLI = 0, SB = 1, SE = 1, SW = 1, SX = 1, FD = 2, FDI = 2, CW = 3, HW = 4, BL = 5, LW = 6)
vri_species_allSpeciesAreas = dplyr::rename(vri_species_allSpeciesAreas, species_class = SPECIES_CD)
vri_species_allSpeciesAreas = vri_species_allSpeciesAreas["species_class"]
vri_species_allSpeciesAreas_sf = sf::st_as_sf(vri_species_allSpeciesAreas)
plot(st_geometry(vri_species_aoi_allSpeciesAreas))
vri_species_aoi_allSpeciesAreas = st_intersection(vri_species_allSpeciesAreas_sf, st_make_valid(lead_htop_rast_allSpeciesAreas_sf))
species_class_rast_allSpeciesAreas = terra::rasterize(vect(vri_species_aoi_allSpeciesAreas), lead_htop_rast_allSpeciesAreas)
species_class_rast_allSpeciesAreas = terra::resample(species_class_rast_allSpeciesAreas, lead_htop_rast_allSpeciesAreas)
species_class_raster_allSpeciesAreas = raster::raster(species_class_rast_allSpeciesAreas)
raster::writeRaster(species_class_raster_allSpeciesAreas, filename = "/media/seamus/128GB_WORKD/data/raster/species_class_raster_allSpeciesAreas.tif")

```




## 1.4. All-Species Areas: Derive Mask From Approved Layers & Extents

```
#mask_burn2017 = sf::read_sf("/media/seamus/128GB_WORKD/data/vector/tcc_mask_layers/TCC_Burn_Severity T
#mask_burn2018 = sf::read_sf("/media/seamus/128GB_WORKD/data/vector/tcc_mask_layers/TCC_Burn_Severity T
#mask_burn2021 = sf::read_sf("/media/seamus/128GB_WORKD/data/vector/tcc_mask_layers/TCC_Burn_Severity T
#mask_burn2017 = mask_burn2017["BurnSev"]
#mask_burn2018 = mask_burn2018["BurnSev"]
#mask_burn2021 = mask_burn2021["BurnSev"]
#mask_burn2017 = dplyr::filter(mask_burn2017, BurnSev == 'High')
#mask_burn2018 = dplyr::filter(mask_burn2018, BurnSev == 'High')
#mask_burn2021 = dplyr::filter(mask_burn2021, BurnSev == 'High')
#mask_roads = sf::read_sf("/media/seamus/128GB_WORKD/data/vector/tcc_mask_layers/TCC_Roads.shp")
#mask_roads = sf::st_zm(mask_roads)
#mask_roads = sf::st_buffer(mask_roads, dist = 15, nQuadSegs = 5, endCapStyle = "ROUND", joinStyle = "R
#mask_roads_ften = sf::read_sf("/media/seamus/128GB_WORKD/data/vector/tcc_mask_layers/FTEN_Roads_All.shp
#mask_roads_ften = sf::st_zm(mask_roads_ften)
#mask_roads_ften = sf::st_buffer(mask_roads_ften, dist = 15, nQuadSegs = 5, endCapStyle = "ROUND", join
#mask_clearcut = sf::read_sf("/media/seamus/128GB_WORKD/data/vector/tcc_mask_layers/RSLT_CCRES_CLEAR.shp
#mask_blocks = sf::read_sf("/media/seamus/128GB_WORKD/data/vector/tcc_mask_layers/TCC_Blocks_Join.shp")

#extent_sf = read_sf("/media/seamus/128GB_WORKD/data/vector/tcc_mask_layers/Lidar_Extent_Cleaned.shp")
#extent_sfz = st_zm(extent_sf) # drop z dimensions for plotting purposes
#extent_sfz_3005 = sf::st_transform(extent_sfz, 3005)
#ggplot(extent_sfz) + geom_sf(aes(fill = 'red'), show.legend = FALSE)

#mask_burn2017_fullMask_allAreas = sf::st_intersection(sf::st_make_valid(mask_burn2017), extent_sfz_3005)
#mask_burn2018_fullMask_allAreas = sf::st_intersection(sf::st_make_valid(mask_burn2018), extent_sfz_3005)
#mask_burn2021_fullMask_allAreas = sf::st_intersection(sf::st_make_valid(mask_burn2021), extent_sfz_3005)
#masks_df_fullMask_allAreas = full_join(as_tibble(mask_burn2017_fullMask_allAreas), as_tibble(mask_burn
#masks_sf_fullMask_allAreas = st_as_sf(masks_df_fullMask_allAreas)
#mask_clearcut_fullMask_allAreas = sf::st_intersection(mask_clearcut, st_make_valid(extent_sfz_3005))
#masks_df_fullMask_allAreas = full_join(as_tibble(masks_sf_fullMask_allAreas), as_tibble(mask_clearcut_
#masks_sf_fullMask_allAreas = st_as_sf(masks_df_fullMask_allAreas)
#mask_blocks_fullMask_allAreas = sf::st_intersection(mask_blocks, st_make_valid(extent_sfz_3005))
#masks_df_fullMask_allAreas = full_join(as_tibble(masks_sf_fullMask_allAreas), as_tibble(mask_blocks_fu
#masks_sf_fullMask_allAreas = st_as_sf(masks_df_fullMask_allAreas)
#mask_roads_fullMask_allAreas = sf::st_intersection(mask_roads, st_make_valid(extent_sfz_3005))
#mask_roads_ften_fullMask_allAreas = sf::st_intersection(mask_roads_ften, st_make_valid(extent_sfz_3005)
#masks_df_fullMask_allAreas = full_join(as_tibble(masks_sf_fullMask_allAreas), as_tibble(mask_roads_ful
#masks_sf_fullMask_allAreas = st_as_sf(masks_df_fullMask_allAreas)
masks_lquan_20220627 = sf::read_sf("/media/seamus/128GB_WORKD/data/vector/tcc_mask_layers/tcc_masks_lquan
#masks_sf_fullMask_allAreas = sf::st_intersection(masks_lquan_20220627, st_make_valid(lead_htop_sf_allS
masks_rast_fullMask_allAreas = rasterize(vect(masks_lquan_20220627), lead_htop_rast_allSpeciesAreas, to
masks_raster_fullMask_allAreas = raster::raster(masks_rast_fullMask_allAreas)
writeRaster(masks_raster_fullMask_allAreas, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/input
#ggplot(masks_sf_fullMask_allAreas) + geom_sf(aes(fill = 'red'), show.legend = FALSE)
```



### 1.5. All-Species Areas: Apply Masking

```
# align
lead_htop_rast_allSpeciesAreas = terra::resample(lead_htop_rast_allSpeciesAreas, elev_rast_allSpeciesAreas)
masks_rast_fullMask_allAreas = terra::resample(masks_rast_fullMask_allAreas, elev_rast_allSpeciesAreas)
species_class_rast_allSpeciesAreas = terra::resample(species_class_rast_allSpeciesAreas, elev_rast_allSpeciesAreas)

# mask by mask
lead_htop_rast_allSpeciesAreas_masked = mask(lead_htop_rast_allSpeciesAreas, masks_rast_fullMask_allAreas)
elev_rast_allSpeciesAreas_masked = mask(elev_rast_allSpeciesAreas, masks_rast_fullMask_allAreas, inverse = TRUE)
slope_rast_allSpeciesAreas_masked = mask(slope_rast_allSpeciesAreas, masks_rast_fullMask_allAreas, inverse = TRUE)
asp_cos_rast_allSpeciesAreas_masked = mask(asp_cos_rast_allSpeciesAreas, masks_rast_fullMask_allAreas, inverse = TRUE)
asp_sin_rast_allSpeciesAreas_masked = mask(asp_sin_rast_allSpeciesAreas, masks_rast_fullMask_allAreas, inverse = TRUE)
species_class_rast_allSpeciesAreas_masked = mask(species_class_rast_allSpeciesAreas, masks_rast_fullMask_allAreas)

# mask by species
lead_htop_rast_allSpeciesAreas_masked = mask(lead_htop_rast_allSpeciesAreas_masked, species_class_rast_allSpeciesAreas_masked)
elev_rast_allSpeciesAreas_masked = mask(elev_rast_allSpeciesAreas_masked, species_class_rast_allSpeciesAreas_masked)
slope_rast_allSpeciesAreas_masked = mask(slope_rast_allSpeciesAreas_masked, species_class_rast_allSpeciesAreas_masked)
asp_cos_rast_allSpeciesAreas_masked = mask(asp_cos_rast_allSpeciesAreas_masked, species_class_rast_allSpeciesAreas_masked)
asp_sin_rast_allSpeciesAreas_masked = mask(asp_sin_rast_allSpeciesAreas_masked, species_class_rast_allSpeciesAreas_masked)
species_class_raster_allSpeciesAreas_masked = raster::raster(species_class_rast_allSpeciesAreas_masked)
writeRaster(lead_htop_rast_allSpeciesAreas_masked, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/lead_htop_rast_allSpeciesAreas_masked.tif")
writeRaster(elev_rast_allSpeciesAreas_masked, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/elev_rast_allSpeciesAreas_masked.tif")
writeRaster(slope_rast_allSpeciesAreas_masked, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/slope_rast_allSpeciesAreas_masked.tif")
writeRaster(asp_cos_rast_allSpeciesAreas_masked, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/asp_cos_rast_allSpeciesAreas_masked.tif")
writeRaster(asp_sin_rast_allSpeciesAreas_masked, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/asp_sin_rast_allSpeciesAreas_masked.tif")
writeRaster(species_class_raster_allSpeciesAreas_masked, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/species_class_raster_allSpeciesAreas_masked.tif")
```

```
writeRaster(asp_sin_rast_allSpeciesAreas_masked, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/asp_sin_rast_allSpeciesAreas_masked.tif")
writeRaster(species_class_raster_allSpeciesAreas_masked, filename = "/media/seamus/128GB_WORKD/data/raster/species_class_raster_allSpeciesAreas_masked.tif")
```

## 1.6. All-Species Areas: Stack and Tidy Covariates


```
# Rename rasters
names(lead_htop_rast_allSpeciesAreas_masked) = "lead_htop"
names(elev_rast_allSpeciesAreas_masked) = "elev"
names(slope_rast_allSpeciesAreas_masked) = "slope"
names(asp_cos_rast_allSpeciesAreas_masked) = "asp_cos"
names(asp_sin_rast_allSpeciesAreas_masked) = "asp_sin"
names(species_class_rast_allSpeciesAreas_masked) = "species_class"

# transform spatRaster to raster
lead_htop_raster_allSpeciesAreas_masked = raster::raster(lead_htop_rast_allSpeciesAreas_masked)
elev_raster_allSpeciesAreas_masked = raster::raster(elev_rast_allSpeciesAreas_masked)
slope_raster_allSpeciesAreas_masked = raster::raster(slope_rast_allSpeciesAreas_masked)
asp_cos_raster_allSpeciesAreas_masked = raster::raster(asp_cos_rast_allSpeciesAreas_masked)
asp_sin_raster_allSpeciesAreas_masked = raster::raster(asp_sin_rast_allSpeciesAreas_masked)
species_class_raster_allSpeciesAreas_masked = raster::raster(species_class_rast_allSpeciesAreas_masked)

# stack rasters
covs_m1_allSpeciesAreas = raster::stack(
  lead_htop_raster_allSpeciesAreas_masked,
  elev_raster_allSpeciesAreas_masked,
  slope_raster_allSpeciesAreas_masked,
  asp_cos_raster_allSpeciesAreas_masked,
  asp_sin_raster_allSpeciesAreas_masked,
  species_class_raster_allSpeciesAreas_masked)

# visualize
rasterVis::levelplot(covs_m1_allSpeciesAreas)
```





### 1.7. All Species Areas: Bootstrapping and training/test splits

```
# Data cleaning
faib_psp <- read.csv("/media/seamus/128GB_WORKD/EFI-TCC/0_Caret_Predict_to_writeRasterOutput/Data/FAIB_12.5")
faib_psp = subset(faib_psp, util == '12.5')
faib_psp$spc_live1 = as.factor(faib_psp$spc_live1)
faib_psp = subset(
  faib_psp, spc_live1=='PL' | spc_live1=='PLI' | spc_live1=='FD' | spc_live1=='FDI' |
  spc_live1=='SB' | spc_live1=='SE' | spc_live1=='SW' | spc_live1=='SX' |
  spc_live1=='CW' | spc_live1=='HW' | spc_live1=='BL' | spc_live1=='LW')
faib_psp$species_class = dplyr::recode(
  faib_psp$spc_live1, PL = 1, PLI = 1, SB = 2, SE = 2, SX = 2,
  FD = 3, FDI = 3, CW = 3, HW = 4, BL = 5, LW = 6)
faib_psp$asp_cos = cos((faib_psp$aspect * pi) / 180)
faib_psp$asp_sin = sin((faib_psp$aspect * pi) / 180)
faib_psp$elev[faib_psp$elev <= 0] = NA
faib_psp$slope[faib_psp$slope <= 0] = NA
faib_psp$lead_htop[faib_psp$lead_htop < 2] = NA
faib_psp$stemsha_L[faib_psp$stemsha_L <= 0] = NA
faib_psp$swsvha_L[faib_psp$swsvha_L <= 0] = NA
faib_psp = subset(faib_psp, stemsha_L < 864)
faib_psp$elev = as.numeric(faib_psp$elev)
faib_psp$slope = as.numeric(faib_psp$slope)
faib_psp$asp_cos = as.numeric(faib_psp$asp_cos)
```

```

faib_psp$asp_sin = as.numeric(faib_psp$asp_sin)
faib_psp$lead_htop = as.numeric(faib_psp$lead_htop)
faib_psp$species_class = as.numeric(faib_psp$species_class)
faib_psp$wsvha_L = as.numeric(faib_psp$wsvha_L)
faib_vri_true_m1_df = faib_psp[c("elev", "slope", "asp_cos", "asp_sin", "lead_htop", "species_class", "wsvha_L")]
faib_vri_true_m1_df = na.omit(faib_vri_true_m1_df)
# Bootstrapping: Weighting done by full 16-area raster payload
lead_htop_raster_all_masked = raster::raster("/media/seamus/128GB_WORKD/data/raster/tcc/inputs/masked-lead-htop.tif")
lead_htop_df_all = as.data.frame(rasterToPoints(lead_htop_raster_all_masked))
dens.fun = approxfun(density(lead_htop_df_all$lead_htop_rast_fullMask_allAreas_masked, adjust=0.8))
B = 1000
n = 4
faib_vri_true_m1_df_boot = dplyr::sample_n(faib_vri_true_m1_df, B * n, weight_by = dens.fun(faib_vri_true_m1_df$lead_htop_rast_fullMask_allAreas_masked))
faib_vri_true_m1_df_boot = na.omit(faib_vri_true_m1_df_boot)
truehist(faib_vri_true_m1_df$lead_htop, main="CHM (un-Bootstrapped FAIB)")
truehist(faib_vri_true_m1_df_boot$lead_htop, main="CHM (Bootstrapped FAIB)")

faib_vri_true_m1_df_boot_split = createDataPartition(faib_vri_true_m1_df_boot$wsvha_L, p=0.80, list=F)
faib_vri_true_m1_df_split = createDataPartition(faib_vri_true_m1_df$wsvha_L, p=0.80, list=F)

train_m1_boot = faib_vri_true_m1_df_boot[faib_vri_true_m1_df_boot_split, ]
test_m1_boot = faib_vri_true_m1_df_boot[-faib_vri_true_m1_df_boot_split, ]
train_m1 = faib_vri_true_m1_df[faib_vri_true_m1_df_split, ]
test_m1 = faib_vri_true_m1_df[-faib_vri_true_m1_df_split, ]

X_train_m1_boot = train_m1_boot[, -7]
y_train_m1_boot = train_m1_boot[, 7]
X_test_m1_boot = test_m1_boot[, -7]
y_test_m1_boot = test_m1_boot[, 7]
X_m1_boot = faib_vri_true_m1_df_boot[, -7]
y_m1_boot = faib_vri_true_m1_df_boot[, 7]

X_train_m1 = train_m1[, -7]
y_train_m1 = train_m1[, 7]
X_test_m1 = test_m1[, -7]
y_test_m1 = test_m1[, 7]
X_m1 = faib_vri_true_m1_df[, -7]
y_m1 = faib_vri_true_m1_df[, 7]

```

## 1.8. All-Species Areas: Modeling WSVHA Estimates with Random Forest Regression

```

tuneResult_rf_m1_full <- tune.randomForest(
  X_m1_boot, y_m1_boot,
  mtry = c(2:10), ntree = 50,
  tunecontrol = tune.control(sampling = "cross", cross = 10),
  preProcess = c('YeoJohnson', 'scale', 'center', 'corr'))

tuneResult_rf_m1_train <- tune.randomForest(
  X_train_m1_boot, y_train_m1_boot,
  mtry = c(2:10), ntree = 50,
  tunecontrol = tune.control(sampling = "cross", cross = 10),



```

```

preProcess = c('YeoJohnson', 'scale', 'center', 'corr'))
tunedModel_rf_m1_full <- tuneResult_rf_m1_full$best.model
tunedModel_rf_m1_train <- tuneResult_rf_m1_train$best.model
tunedModel_rf_m1 = predict(tunedModel_rf_m1_full, newdata=faib_vri_true_m1_df, type = "response")
tunedModel_rf_m1_test = predict(tunedModel_rf_m1_train, newdata=test_m1, type = "response")
save(tunedModel_rf_m1_full, file = "/media/seamus/128GB_WORKD/data/models/tcc-wsvha/wsvha_model1_randomF
tuneResult_rf_m1_full
R2(tunedModel_rf_m1, faib_vri_true_m1_df$wsvha_L)
MAE(tunedModel_rf_m1, faib_vri_true_m1_df$wsvha_L)
RMSE(tunedModel_rf_m1, faib_vri_true_m1_df$wsvha_L)
MAE(tunedModel_rf_m1_test, test_m1$wsvha_L)
RMSE(tunedModel_rf_m1_test, test_m1$wsvha_L)

wsvha_model1_randomForest_bootstrapped_demBased_100m_allSpeciesAreas <- raster::predict(covs_m1_allSpec
wsvha_model1_randomForest_bootstrapped_demBased_100m_allSpeciesAreas$layer[wsvha_model1_randomForest_bo
writeRaster(wsvha_model1_randomForest_bootstrapped_demBased_100m_allSpeciesAreas, overwrite=TRUE,
  filename = "/media/seamus/128GB_WORKD/data/raster/tcc/outputs/wsvha/bootstrapped/wsvha_model1_randomF
plot(wsvha_model1_randomForest_bootstrapped_demBased_100m_allSpeciesAreas, main="WSVHA for all-Species
hist(wsvha_model1_randomForest_bootstrapped_demBased_100m_allSpeciesAreas, main="WSVHA for all-Species

```



2. Quesnel Lake: Includes areas for all species (Fd and non-Fd stands), and developed cutblocks for validation purposes

### 2.1. Quesnel Lake: Import DEM & CHM

```

filez_be_quesnel = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/quesnel/BareEarth", full.names = TRUE)
elev_raster_list_quesnel <- lapply(filez_be_quesnel, raster)
elev_raster_quesnel = do.call(merge, c(elev_raster_list_quesnel, tolerance = 1))
elev_rast_quesnel = terra::rast(elev_raster_quesnel)
terra::crs(elev_rast_quesnel) = "epsg:3005"
elev_rast_quesnel = terra::aggregate(elev_rast_quesnel, fact = 100, fun = mean)
writeRaster(elev_rast_quesnel, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/quesnel/elev_raster_quesnel.tif")
elev_raster_quesnel = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/quesnel/elev_raster_quesnel.tif")
elev_rast_quesnel = terra::rast(elev_raster_quesnel)


filez_vh_quesnel = list.files("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/quesnel/VegHt", full.names = TRUE)

```

```

lead_htop_raster_list_quesnel <- lapply(filez_vh_quesnel, raster)
lead_htop_raster_quesnel = do.call(merge, c(lead_htop_raster_list_quesnel, tolerance = 1))
lead_htop_rast_quesnel = terra::rast(lead_htop_raster_quesnel)
terra::crs(lead_htop_rast_quesnel) = "epsg:3005"
lead_htop_rast_quesnel = terra::aggregate(lead_htop_rast_quesnel, fact = 100, fun = mean)
lead_htop_rast_quesnel = terra::resample(lead_htop_rast_quesnel, elev_rast_quesnel)
writeRaster(lead_htop_rast_quesnel, filename = "/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/quenesnel/lead_htop_rast_quesnel.tif")
lead_htop_raster_quesnel = raster::raster("/media/seamus/Ubuntu 22_04 LTS amd64/mosaics/quenesnel/lead_htop_rast_quesnel.tif")
lead_htop_rast_quesnel = terra::rast(lead_htop_raster_quesnel)

```





## 2.2. Quesnel Lake: Derive Terrain Rasters

```

slope_rast_quesnel = terra::terrain(elev_rast_quesnel, v="slope", unit="degrees", neighbors=8)
aspect_rast_quesnel = terra::terrain(elev_rast_quesnel, v="aspect", unit="degrees", neighbors=8)
asp_cos_rast_quesnel = cos((aspect_rast_quesnel*pi)/180)
asp_sin_rast_quesnel = sin((aspect_rast_quesnel*pi)/180)
writeRaster(elev_rast_quesnel, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/inputs/unmasked-co")
writeRaster(slope_rast_quesnel, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/inputs/unmasked-co")
writeRaster(asp_cos_rast_quesnel, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/inputs/unmasked-co")
writeRaster(asp_sin_rast_quesnel, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/inputs/unmasked-co")
writeRaster(lead_htop_rast_quesnel, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/inputs/unmasked-co")

```






## 2.3. Quesnel Lake: Derive Species Raster

```

lead_htop_sv_quesnel = as.polygons(lead_htop_rast_quesnel)
lead_htop_sf_quesnel = sf::st_as_sf(lead_htop_sv_quesnel)
vri_sf = read_sf("/media/seamus/128GB_WORKD/data/vector/vri/vri_tcc_lquan_20220627.shp")
#vri_species = vri_sf[c("SPECIES_CD", "SPECIES_PC")]
vri_species = dplyr::filter(vri_sf,
  SPECIES_CD=="PL" | SPECIES_CD=="PLI" | SPECIES_CD=="FD" | SPECIES_CD=="FDI" |
  SPECIES_CD=="SB" | SPECIES_CD=="SE" | SPECIES_CD=="SW" | SPECIES_CD=="SX" |
  SPECIES_CD=="CW" | SPECIES_CD=="HW" | SPECIES_CD=="BL" | SPECIES_CD=="LW")
vri_species_allspecies = vri_species
vri_species_allspecies$SPECIES_CD = dplyr::recode(vri_species$SPECIES_CD,
  PL = 0, PLI = 0, SB = 1, SE = 1, SW = 1, SX = 1, FD = 2, FDI = 2, CW = 3, HW = 4, BL = 5, LW = 6)
vri_species_allspecies = dplyr::rename(vri_species_allspecies, species_class = SPECIES_CD)
vri_species_allspecies = vri_species_allspecies["species_class"]
vri_species_allspecies_sf = sf::st_as_sf(vri_species_allspecies)
vri_species_aoi_quesnel = st_intersection(vri_species_allspecies_sf, st_make_valid(lead_htop_sf_quesnel))
species_class_rast_quesnel = terra::rasterize(vect(vri_species_aoi_quesnel), lead_htop_rast_quesnel, fi
species_class_rast_quesnel = terra::resample(species_class_rast_quesnel, lead_htop_rast_quesnel)
species_class_raster_quesnel = raster::raster(species_class_rast_quesnel)
raster::writeRaster(species_class_raster_quesnel, filename = "/media/seamus/128GB_WORKD/data/raster/tcc,

```





## 2.4. Quesnel Lake: Derive Mask to Include Estimates of “RESULTS, TCC\_Blocks” Areas


```
#mask_burn2017 = sf::read_sf("/media/seamus/128GB_WORKD/data/vector/tcc_mask_layers/TCC_Burn_Severity T
#mask_burn2018 = sf::read_sf("/media/seamus/128GB_WORKD/data/vector/tcc_mask_layers/TCC_Burn_Severity T
#mask_burn2021 = sf::read_sf("/media/seamus/128GB_WORKD/data/vector/tcc_mask_layers/TCC_Burn_Severity T
#mask_burn2017 = mask_burn2017["BurnSev"]
#mask_burn2018 = mask_burn2018["BurnSev"]
#mask_burn2021 = mask_burn2021["BurnSev"]
#mask_burn2017 = dplyr::filter(mask_burn2017, BurnSev == 'High')
#mask_burn2018 = dplyr::filter(mask_burn2018, BurnSev == 'High')
#mask_burn2021 = dplyr::filter(mask_burn2021, BurnSev == 'High')
#mask_roads = sf::read_sf("/media/seamus/128GB_WORKD/data/vector/tcc_mask_layers/TCC_Roads.shp")
#mask_roads = sf::st_zm(mask_roads)
#mask_roads = sf::st_buffer(mask_roads, dist = 15, nQuadSegs = 5, endCapStyle = "ROUND", joinStyle = "R
#mask_roads_ften = sf::read_sf("/media/seamus/128GB_WORKD/data/vector/tcc_mask_layers/FTEN_Roads_All.sh
#mask_roads_ften = sf::st_zm(mask_roads_ften)
#mask_roads_ften = sf::st_buffer(mask_roads_ften, dist = 15, nQuadSegs = 5, endCapStyle = "ROUND", join
#mask_clearcut = sf::read_sf("/media/seamus/128GB_WORKD/data/vector/tcc_mask_layers/RSLT_CCRES_CLEAR.sh
#mask_blocks = sf::read_sf("/media/seamus/128GB_WORKD/data/vector/tcc_mask_layers/TCC_Blocks_Join.shp")

#mask_burn2017_devBlocks_quesnel = sf::st_intersection(sf::st_make_valid(mask_burn2017), lead_hstop_sf_q
#mask_burn2018_devBlocks_quesnel = sf::st_intersection(sf::st_make_valid(mask_burn2018), lead_hstop_sf_q
#mask_burn2021_devBlocks_quesnel = sf::st_intersection(sf::st_make_valid(mask_burn2021), lead_hstop_sf_q
#masks_df_devBlocks_quesnel = full_join(as_tibble(mask_burn2017_devBlocks_quesnel), as_tibble(mask_burn
```

```

#masks_sf_devBlocks_quesnel = st_as_sf(masks_df_devBlocks_quesnel)
#mask_roads_devBlocks_quesnel = sf::st_intersection(mask_roads, st_make_valid(lead_htop_sf_quesnel))
#mask_roads_ften_devBlocks_quesnel = sf::st_intersection(mask_roads_ften, st_make_valid(lead_htop_sf_quesnel))
#masks_df_devBlocks_quesnel = full_join(as_tibble(masks_sf_devBlocks_quesnel), as_tibble(mask_roads_devBlocks_quesnel))
#masks_sf_devBlocks_quesnel = st_as_sf(masks_df_devBlocks_quesnel)
#masks_lquan_20220627 = sf::read_sf("/media/seamus/128GB_WORKD/data/vector/tcc_mask_layers/tcc_masks_lquan_20220627")
masks_lquan_20220627 = sf::read_sf("/media/seamus/128GB_WORKD/data/vector/tcc_mask_layers/tcc_masks_lquan_20220627")
st_crs(masks_lquan_20220627) = 3005
#masks_sf_devBlocks_quesnel = sf::st_intersection(masks_lquan_20220627, st_make_valid(lead_htop_sf_quesnel))
masks_rast_devBlocks_quesnel = rasterize(vect(masks_lquan_20220627), lead_htop_rast_quesnel, touches = TRUE)
masks_raster_devBlocks_quesnel = raster::raster(masks_rast_devBlocks_quesnel)
writeRaster(masks_raster_devBlocks_quesnel, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/input_masks_raster_devBlocks_quesnel.tif", overwrite = TRUE)
ggplot(masks_sf_devBlocks_quesnel) + geom_sf(aes(fill = 'red'), show.legend = FALSE)

```



## 2.5. Quesnel Lake: Apply Masking

```


# mask by mask
lead_htop_rast_quesnel = terra::resample(lead_htop_rast_quesnel, elev_rast_quesnel)
masks_rast_devBlocks_quesnel = terra::resample(masks_rast_devBlocks_quesnel, elev_rast_quesnel)
species_class_rast_quesnel = terra::resample(species_class_rast_quesnel, elev_rast_quesnel)
lead_htop_rast_quesnel_masked = mask(lead_htop_rast_quesnel, masks_rast_devBlocks_quesnel, inverse=FALSE)
elev_rast_quesnel_masked = mask(elev_rast_quesnel, masks_rast_devBlocks_quesnel, inverse=FALSE)
slope_rast_quesnel_masked = mask(slope_rast_quesnel, masks_rast_devBlocks_quesnel, inverse=FALSE)

```

```

asp_cos_rast_quesnel_masked = mask(asp_cos_rast_quesnel, masks_rast_devBlocks_quesnel, inverse=FALSE)
asp_sin_rast_quesnel_masked = mask(asp_sin_rast_quesnel, masks_rast_devBlocks_quesnel, inverse=FALSE)
species_class_rast_quesnel_masked = mask(species_class_rast_quesnel, masks_rast_devBlocks_quesnel, inverse=FALSE)
# mask by species
lead_htop_rast_quesnel_masked = mask(lead_htop_rast_quesnel_masked, species_class_rast_quesnel_masked, inverse=FALSE)
elev_rast_quesnel_masked = mask(elev_rast_quesnel_masked, species_class_rast_quesnel_masked, inverse=FALSE)
slope_rast_quesnel_masked = mask(slope_rast_quesnel_masked, species_class_rast_quesnel_masked, inverse=FALSE)
asp_cos_rast_quesnel_masked = mask(asp_cos_rast_quesnel_masked, species_class_rast_quesnel_masked, inverse=FALSE)
asp_sin_rast_quesnel_masked = mask(asp_sin_rast_quesnel_masked, species_class_rast_quesnel_masked, inverse=FALSE)
# save outputs
writeRaster(lead_htop_rast_quesnel_masked, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/inputs/lead_htop_rast_quesnel_masked.tif")
writeRaster(elev_rast_quesnel_masked, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/inputs/elev_rast_quesnel_masked.tif")
writeRaster(slope_rast_quesnel_masked, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/inputs/slope_rast_quesnel_masked.tif")
writeRaster(asp_cos_rast_quesnel_masked, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/inputs/asp_cos_rast_quesnel_masked.tif")
writeRaster(asp_sin_rast_quesnel_masked, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/inputs/asp_sin_rast_quesnel_masked.tif")
writeRaster(species_class_rast_quesnel_masked, filename = "/media/seamus/128GB_WORKD/data/raster/tcc/inputs/species_class_rast_quesnel_masked.tif")

```



## 2.6. Quesnel Lake: Stack and Tidy Covariates

```


# Rename rasters
names(lead_htop_rast_quesnel_masked) = "lead_htop"
names(elev_rast_quesnel_masked) = "elev"
names(slope_rast_quesnel_masked) = "slope"
names(asp_cos_rast_quesnel_masked) = "asp_cos"
names(asp_sin_rast_quesnel_masked) = "asp_sin"
names(species_class_rast_quesnel_masked) = "species_class"
# transform spatRaster to raster
lead_htop_raster_quesnel_masked = raster::raster(lead_htop_rast_quesnel_masked)
elev_raster_quesnel_masked = raster::raster(elev_rast_quesnel_masked)
slope_raster_quesnel_masked = raster::raster(slope_rast_quesnel_masked)
asp_cos_raster_quesnel_masked = raster::raster(asp_cos_rast_quesnel_masked)
asp_sin_raster_quesnel_masked = raster::raster(asp_sin_rast_quesnel_masked)

```

```

species_class_raster_quesnel_masked = raster::raster(species_class_rast_quesnel_masked)
# stack rasters
covs_m1_quesnel = raster::stack(
  lead_htop_raster_quesnel_masked,
  elev_raster_quesnel_masked,
  slope_raster_quesnel_masked,
  asp_cos_raster_quesnel_masked,
  asp_sin_raster_quesnel_masked,
  species_class_raster_quesnel_masked)
# visualize
rasterVis::levelplot(covs_m1_quesnel)

```



## 2.7. Quesnel Lake: Modeling WSVHA Estimates with Random Forest Regression

```

wsvha_model1_randomForest_bootstrapped_demBased_100m_quesnelANDdevBlocks <- raster::predict(covs_m1_quesnel,
wsvha_model1_randomForest_bootstrapped_demBased_100m_quesnelANDdevBlocks$layer[wsvha_model1_randomForest_bootstrapped_demBased_100m_quesnelANDdevBlocks$layer,
writeRaster(wsvha_model1_randomForest_bootstrapped_demBased_100m_quesnelANDdevBlocks, overwrite=TRUE,
  filename = "/media/seamus/128GB_WORKKD/data/raster/tcc/outputs/wsvha/bootstrapped/wsvha_model1_randomForest_bootstrapped_demBased_100m_quesnelANDdevBlocks.tif")
plot(wsvha_model1_randomForest_bootstrapped_demBased_100m_quesnelANDdevBlocks, main="Quesnel WSVHA: Random Forest Regression")
hist(wsvha_model1_randomForest_bootstrapped_demBased_100m_quesnelANDdevBlocks, main="Quesnel WSVHA: Random Forest Regression")

```

