

Lecture #38: Compression

Announcements

- HKN surveys Friday in class. Extra points awarded to those who participate!

Compression and Git

- Git creates a new object in the repository each time a change or directory is committed.
- Things can get crowded as a result.
- To save space, it *compresses* each object.
- Every now and then (such as when sending or receiving from repository), it packs objects together into a single file: a "pack".
- Besides just sticking the files together, uses a technique called *delta compression*.

Delta Compression

- Typically, there will be many versions of a file in a Git repository: the latest, and previous edits of it, each in different commits.
- Git doesn't keep track explicitly of which file came from which commit, since that's hard in general:
 - What if a file is split into two, or two are spliced together?
- But, can guess that files with same name and (roughly) same content in two commits are probably versions of the same file.
- When that happens, store one of them as a pointer to the other, plus a list of changes.

Delta Compression (II)

- So, store two versions

V1

My eyes are fully open to my awful situation.

I shall go at once to Roderick and make him an oration. I shall tell him I've recovered my forgotten moral senses,

V2

My eyes are fully open to my awful situation.

I shall go at once to Roderick and make him an oration.

I shall tell him I've recovered my forgotten moral sense, and don't give twopence halfpenny for any consequences.

as

V1

[Fetch 1st 6 lines from V2]

V2

My eyes are fully open to my awful situation.

I shall go at once to Roderick and make him an oration.

I shall tell him I've recovered my forgotten moral senses, and don't give twopence halfpenny for any consequences.

Compression Techniques

Slides from Josh Hug

LZ77 and DEFLATE

- Git Actually uses a different scheme from LZW for compression, a combination of LZ77 and Huffman coding.
- LZ77 is kind of like delta compression, but within the same text.
- Convert a text such as

One Mississippi, two Mississippi

into something like

One Mississippi, two <11,7>

where the <11,7> is intended to mean "the next 11 characters from the text that ends 7 characters before this point."

- We add new symbols to the alphabet to represent these (distance, length) inclusions.
- When done, Huffman encode the result.