Neural Network Basics

Quiz, 10 questions

Congratulations! You passed! Next Item

1 / 1 point

1. What does a neuron compute?

- A neuron computes an activation function followed by a linear function (z = Wx + b)
- A neuron computes a linear function (z = Wx + b) followed by an activation function

Correct
Correct, we generally say that the output of a neuron is a = g(Wx + b) where g is the activation function (sigmoid, tanh, ReLU, ...).

- A neuron computes a function g that scales the input x linearly (Wx + b)
- A neuron computes the mean of all features before applying the output to an activation function

1 / 1 point

2. Which of these is the "Logistic Loss"?

- $\mathcal{L}^{(i)}(\hat{y}^{(i)}, y^{(i)}) = -(y^{(i)} \log(\hat{y}^{(i)}) + (1 - y^{(i)}) \log(1 - \hat{y}^{(i)}))$

Correct
Correct, this is the logistic loss you've seen in lecture!

- $\mathcal{L}^{(i)}(\hat{y}^{(i)}, y^{(i)}) = max(0, y^{(i)} - \hat{y}^{(i)})$
- $\mathcal{L}^{(i)}(\hat{y}^{(i)}, y^{(i)}) = | y^{(i)} - \hat{y}^{(i)} |$
- $\mathcal{L}^{(i)}(\hat{y}^{(i)}, y^{(i)}) = | y^{(i)} - \hat{y}^{(i)} |^2$

1 / 1 point

3. Suppose img is a (32,32,3) array, representing a 32x32 image with 3 color channels red, green and blue. How do you reshape this into a column vector?

- x = img.reshape((1,32*32,*3))
- x = img.reshape((3,32*32))
- x = img.reshape((32*32*3,1))

Correct

- x = img.reshape((32*32,3))

1 / 1 point

4. Consider the two following random arrays "a" and "b":

```
a = np.random.randn(2, 3) # a.shape = (2, 3)
b = np.random.randn(2, 1) # b.shape = (2, 1)
c = a + b
```

What will be the shape of "c"?

- c.shape = (3, 2)
- The computation cannot happen because the sizes don't match. It's going to be "Error"!
- c.shape = (2, 3)

Correct
Yes! This is broadcasting. b (column vector) is copied 3 times so that it can be summed to each column of a.

- c.shape = (2, 1)

---

1 / 1 point

5. Consider the two following random arrays "a" and "b":

```
a = np.random.randn(4, 3) # a.shape = (4, 3)
b = np.random.randn(3, 2) # b.shape = (3, 2)
c = a*b
```

What will be the shape of "c"?

- c.shape = (4,2)
- The computation cannot happen because the sizes don't match. It's going to be "Error"!

Correct
Indeed! In numpy the "*" operator indicates element-wise multiplication. It is different from "np.dot()". If you would try "c = np.dot(a,b)" you would get c.shape = (4, 2).

- c.shape = (4, 3)
- c.shape = (3, 3)

---

1 / 1 point

6. Suppose you have n_x input features per example. Recall that $X = [x^{(1)}x^{(2)}...x^{(m)}]$. What is the dimension of X?

- (n_x, m)

Correct

- (m, n_x)
- $(1, m)$
- $(m, 1)$

---

1 / 1 point

7. Recall that "np.dot(a,b)" performs a matrix multiplication on a and b, whereas "a*b" performs an element-wise multiplication.

Consider the two following random arrays "a" and "b":

```
a = np.random.randn(12288, 150) # a.shape = (12288, 150)
```

```
b = np.random.randn(150, 45) # b.shape = (150, 45)
c = np.dot(a,b)
```

What is the shape of c?

- c.shape = (150,150)
- The computation cannot happen because the sizes don't match. It's going to be "Error"!
- c.shape = (12288, 150)
- **c.shape = (12288, 45)** ✓

Correct
Correct, remember that a np.dot(a, b) has shape (number of rows of a, number of columns of b). The sizes match because :

"number of columns of a = 150 = number of rows of b"

✓ 1 / 1 point

8. Consider the following code snippet:

```
# a.shape = (3,4)
# b.shape = (4,1)

for i in range(3):
  for j in range(4):
    c[i][j] = a[i][j] + b[j]
```

How do you vectorize this?

- c = a.T + b.T
- **c = a + b.T** ✓

Correct

- c = a.T + b
- c = a + b

✓ 1 / 1 point

9. Consider the following code:

```
a = np.random.randn(3, 3)
b = np.random.randn(3, 1)
c = a*b
```

What will be c? (If you're not sure, feel free to run this in python to find out).

- **This will invoke broadcasting, so b is copied three times to become (3,3), and ∗ is an element-wise product so c.shape will be (3, 3)** ✓

Correct

- This will invoke broadcasting, so b is copied three times to become (3, 3), and ∗ invokes a matrix multiplication operation of two 3x3 matrices so c.shape will be (3, 3)
- This will multiply a 3x3 matrix a with a 3x1 vector, thus resulting in a 3x1 vector. That is, c.shape = (3,1).
- It will lead to an error since you cannot use "*" to operate on these two matrices. You need to instead use np.dot(a,b)

10. Consider the following computation graph.

1 / 1 point



What is the output J?

- J = (c - 1)*(b + a)
- J = (a - 1) * (b + c)

Correct
Yes. J = u + v - w = a*b + a*c - (b + c) = a * (b + c) - (b + c) = (a - 1) * (b + c).

- J = a*b + b*c + a*c
- J = (b - 1) * (c + a)