

MEC/KMEC  
HP Drum End Enclosure-Roof Plan

VOGT POWER INTERNATIONAL

Released, Work May Proceed


Bell, Milton

Aug-20-2016

(6) 1095 EQUIPMENT SUPPORTS


**NOTE:**

FIELD CUT 6" WIDE START/FINISH  
CEILING PANELS FROM (1) 16" WIDE  
CEILING PANEL AS REQUIRED.



**CEILING PANEL LAYOUT**

USE (4) BUTLER BOLTS @  
EVERY PANEL AT EAVE  
CONNECTION



**ROOF PLAN**

HOIST RINGS FOR  
ROOF LIFTING SYSTEM  
SEE DWG # VOG-AA-7  
(TYP. OF 4)

**NOTES:**

1. FIELD CUT START AND FINISH CEILING PANELS TO WIDTH SHOWN FROM FULL WIDTH 16" WIDE PANELS PROVIDED.
2. DUE TO NON-STANDARD BUILDING SIZE, FIELD DRILLING AND/OR CUTTING WILL BE REQUIRED AT VARIOUS LOCATIONS.
3. DUE TO REQUIRED ROOF LIFTING SYSTEM NO ENDWALL ROOF OVERHANG IS AVAILABLE.
4. PANELS THAT ARE NUMBERED REPRESENT ITEMS THAT CAN BE FOUND ON THE FIRST PAGE OF THE BILL OF MATERIAL. PANELS THAT ARE LETTERED REPRESENT ITEMS THAT CAN BE FOUND ON THE THIRD PAGE OF THE BILL OF MATERIAL.

VOGT POWER INTERNATIONAL  
V17494-BEXD-5001-05  
06-Aug-2016

REVISIONS	BY
03-24-16	JCC
05-09-16	JCC
07-25-16	DJM

**BUILDING FINISH**

WALL COLOR: ARCTIC WHITE  
WALL PANEL THICKNESS: .028  
TRIM COLOR: ARCTIC WHITE  
ROOF COLOR: GALVALUME  
ROOF PANEL THICKNESS: .042  
ROOF RIR HEIGHT: 3"



**PARKLINE, INC.**  
RT. 62, ELEANOR INDUSTRIAL PARK  
ELEANOR, WV 25070  
EMAIL: PARKLINE@PARKLINE.COM  
PHONE: 800-786-4855 FAX: 304-586-3842

VOGT POWER INTERNATIONAL, INC.  
LOUISVILLE, KY

JOB NO. V17494 - MIDDLETOWN ENERGY - DESTINATION: MIDDLETOWN, OH  
JOB NO. V17495 - KINGS MT. ENERGY - DESTINATION: KINGS MT., NC  
VPI PO#: V0009691  
HP DRUM ENCLOSURE

ROOF PLAN

DATE: 5/13/2016  
DRAWN BY: JCC

VOG-AA-2

