



MEC/KMEC
Drum Enclosure-Framed Opening With Head Panels


Thomas K. Hardy
MAY 09 2012




CROSS SECTION THRU HEAD ASSEMBLY



CAULKING DETAIL
FOR WALL PANELS NEXT TO JAMBS.
SEE STEP-5 ON DWG.# FO-2A.



PANEL CONNECTOR CAULKING DETAIL
VIEWED FROM EXTERIOR



NOTE:
595A 'Z' FLASHING IS ONLY REQUIRED IF PANEL CONNECTOR IS SPLICED.

VOGT POWER INTERNATIONAL
V17494-BEXD-5065-02
06-Aug-2016

DETAIL - '3'
VIEWED FROM INTERIOR

NOTE:
PARKLINE RECOMMENDS THAT THE 1101X HEAD ASSEMBLY BE INSTALLED WITH THE FACE TOWARD THE INSIDE OF THE BUILDING. MANY TIMES THIS IS NECESSARY FOR MOUNTING OF DOOR HARDWARE, HOWEVER THE HEAD ASSEMBLY CAN BE INSTALLED IN EITHER DIRECTION AT BUILDER'S DISCRETION.

REVISIONS	BY
03-08-94	WS
04-05-94	DB
01-16-95	JEH
06-05-95	JEH
01-15-96	CM
04-29-99	DLR
01-23-03	CBP
1-11-05	WBD
07-28-10	RAP
01-19-11	TLC

PARKLINE, INC
P O Box 65 Winfield, WV 25213
phone: (304) 586-2113

<div>JOB DESCRIPTION</div> <div>DETAILS FOR FRAMED OPENING WITH HEAD PANELS</div>		<div>SHEET TITLE</div> <div>DETAILS</div>
DATE		10-05-93
DRAWN BY		WS
SCALE		NTS
ORDER NO.		
REVISION		10
FO-2B		