

D

C

B


A

D


C

B


A




ISOMETRIC VIEW
FROM DOWNSTREAM



SECTION Y2
0001



SECTION A
SCALE: 1/2" = 1'-0"



BRACE DETAIL 01
10 REQUIRED
SCALE: 1" = 1'-0"




PLATE No.	QTY. REQ'D.	"A"	MATERIAL	WEIGHT
100	1	3'-10 1/2" (1181mm)	02	56.9 lbs
101	2	3'-11 1/2" (1207mm)	02	58.1 lbs
102	2	3'-8 3/4" (1137mm)	02	54.7 lbs
103	2	4'-5 1/2" (1359mm)	02	65.4 lbs
104	2	3'-7 1/4" (1099mm)	02	52.9 lbs

MATERIAL LIST - FABRICATOR			
PART NO.	QTY.	DESCRIPTION	MAT'L. SPEC.
01	15.5	LIN. FT. OF STRUCTURAL TEE, WT3x4.5#	A36
02	54	SO. FT. OF PLATE, 3/16" THK	A36

MATERIAL LIST - ERECTION (BY VPI)			
PART NO.	QTY.	DESCRIPTION	MAT'L. SPEC.
10	36	HEX BOLT, 1/2" x 2" LG.	A-325
11	36	HEX NUT, 1/2"	A-563 DH
12	36	WASHER, 1/2"	F-436

PART & ASSY NUMBERS ARE TO HAVE THE PREFIX OF "ER86".
FOR EXAMPLE, PART NUMBER "01" WOULD BE "ER8601",
ASSY NUMBER "101" WOULD BE "ER86101".

GENERAL NOTES:

- SS400 MAY BE SUBSTITUTED FOR A36.
- SURFACE PREP & COATING USING SYSTEMS "P5" PER V17494-EBNC-0001 PAINTING SPECIFICATION.
- ALL WELDS P1-P1 UNO.
- ALL ASSEMBLIES SHIPPED LOOSE TO THE FIELD FOR INSTALLATION ON SITE.
- QUANTITIES SHOWN ARE FOR (1) ONE UNIT:
-(1) ONE UNIT REQUIRED FOR MIDDLETOWN PROJECT.
-(1) ONE UNIT REQUIRED FOR KINGS MOUNTAIN PROJECT.

REFERENCE DRAWINGS:

V17494-ERND-0001 - FIELD CONNECTIONS - LOCATION MAP & MISC. DETAILS

01	REVISED COATING	18-AUG-16	DR	REEVES	-	FRY
00	INITIAL ISSUE	17-AUG-16	DR	REEVES	-	FRY
Rev.	Description	Date	Drawn	Chkd. 1	Chkd. 2	Appr.

This drawing contains Vogt Power International's confidential and proprietary information and cannot be used, duplicated or disclosed in whole or in part, except with the express written permission of Vogt Power International. EXCEPT AS EXPRESSLY STATED IN ANY WRITTEN CONTRACT - ALL WARRANTIES RELATING TO THIS DRAWING, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS, ARE DISCLAIMED.
© Vogt Power International, Inc. all rights reserved as an unpublished work.

MIDDLETOWN ENERGY CENTER
and
KINGS MOUNTAIN ENERGY CENTER
for
NTE ENERGY and GEMMA POWER SYSTEMS
VOGT POWER PROJECTS V17494 & V17495

FIELD CONNECTIONS
CO FRAME BAFFLE (ER86)

Vogt Power International
13551 Triton Park Blvd
Suite 2000
Louisville, Ky. 40223 USA
www.VogtPower.com

Internal Drawing Status	Size	Drawing No.	Rev.
FOR RECORD	D	V17494-ERND-0019	01