



**NOTES:**

Drum End Enclosure-Wall Opening Kit with Partial Fillers


- WALL OPENING KITS WITH PARTIAL FILLERS ALLOW FOR FIELD INSTALLATION OF EXHAUST FANS, LOUVERS, HVAC UNITS ETC. WITHOUT AFFECTING STRUCTURAL STABILITY OF BUILDING WALL.
2. INSTALL BASIC WALL OPENING KIT PER DRAWING #WOK.
  3. 2'-8" WIDE WALL OPENING IS SHOWN. DETAILS APPLY TO ALL WIDTH WALL OPENINGS.
  4. FILLER SIZE WILL VARY DEPENDING ON FINISHED OPENING SIZE REQUIRED.
  5. CAULK JOINTS OF WALL OPENING TO FILLERS WITH K1115C CLEAR CAULK AFTER INSTALLATION.

**NOTE:**


TURN THIS FILLER UPSIDE DOWN FOR FULL RIB NEXT TO OPENING.




TYPICAL SECTION @ PANEL CONNECTOR



VERTICAL SECTION



HORIZONTAL SECTION



REVISIONS	BY
02-26-03	DLR
01-24-05	DLR
12-28-07	BAS
08-30-10	RAP
02-27-12	TLC
09-24-13	TLC

**PARKLINE, INC.**  
 RT. 62, ELEVATOR INDUSTRIAL PARK  
 ELEVATOR, WV 25900  
 EMAIL: PARKLINE@PARKLINE.COM  
 PHONE: 800-786-4655  
 FAX: 304-586-3942  
 ENGINEER: TOM HARDIE  
 THARDIE@PARKLINE.COM



JOB DESCRIPTION: WALL OPENING KIT WITH PARTIAL FILLERS INSTALLATION

SHEET TITLE: SECTIONS AND DETAILS

DATE: 11-11-98  
 DRAWN BY: DLR  
 SCALE: NTS  
 ORDER NO.  
 REVISION: 6

WOK-FIL-1