


MEC/KMEC

NOTES:


Drum End Enclosure Wall Opening Kit With Partial Filler Panels

1. WALL OPENING KITS WITH PARTIAL FILLERS ALLOW FOR FIELD INSTALLATION OF EXHAUST FANS, LOUVERS, HVAC UNITS ETC. WITHOUT AFFECTING STRUCTURAL STABILITY OF BUILDING WALL.
2. INSTALL BASIC WALL OPENING KIT PER DRAWING #WOK.
3. 2'-8" WIDE WALL OPENING IS SHOWN. DETAILS APPLY TO ALL WIDTH WALL OPENINGS.
4. FILLER SIZE WILL VARY DEPENDING ON FINISHED OPENING SIZE REQUIRED.
5. CAULK JOINTS OF WALL OPENING TO FILLERS WITH K1115C CLEAR CAULK AFTER INSTALLATION.


NOTE:
TURN THIS FILLER
UPSIDE DOWN FOR
FULL RIB NEXT TO
OPENING.




EXTERIOR VIEW



TYPICAL SECTION @ PANEL CONNECTOR



VERTICAL SECTION



HORIZONTAL SECTION

Thomark, Hardin

5-21-19

REVISIONS	BY
02-26-03	DLR
01-24-05	DLR
12-28-07	BAS
06-30-10	RAP
02-27-12	TLC
09-24-13	TLC

PARKLINE, INC.
RT. 62, ELEANOR INDUSTRIAL PARK
ELEANOR, WV 25070
EMAIL: PARKLINE@PARKLINE.COM
PHONE: 800-788-4855
FAX: 304-586-3842
ENGINEER: TOM HARDING
THARDING@PARKLINE.COM



JOB DESCRIPTION
**WALL OPENING KIT WITH
PARTIAL FILLERS
INSTALLATION.**

SHEET TITLE
SECTIONS AND DETAILS

DATE	11-11-98
DRAWN BY	DLR
SCALE	NTS
ORDER NO.	
REVISION	6

WOK-FIL-1