


MEC/KMEC
Dry End Enclosure-Installation Details Formed Plus Wall Liner

VOGT POWER INTERNATIONAL

Released, Work May Proceed

Bell, Milton

Aug-20-2016




INSTALLATION


(CONTINUED FROM DRAWING # FORMPLUS-1)

STEP 7 INSTALL TRIM AT FRAMED OPENINGS AND DOORS.
NOTE: TRIM IS PROVIDED IN STOCK LENGTHS. FIELD CUTTING OR SPLICING MAY BE REQUIRED.


NOTE: SOME ERECTORS PREFER TO LET LINER LAP OVER PANEL CONNECTORS, SILLS AND JAMBS INSTEAD OF "TUCKING" BEHIND AS SHOWN. PART # 790A TRIM IS PROVIDED FOR OPTIONAL USE IF PREFERRED.




WALK DOOR SECTIONS




7 FRAMED OPENING JAMB DETAIL



6 FRAMED OPENING HEAD DETAIL WITH HEAD AT EAVE HEIGHT



6 FRAMED OPENING HEAD DETAIL WITH HEAD LESS THAN EAVE HEIGHT



WINDOW SECTIONS
HORIZONTAL SLIDER SHOWN
SIMILAR FOR FIXED WINDOWS, WALL OPENING KITS AND LOUVERS

11-10-17

REVISIONS	BY
08-22-11	RAP
08-23-11	RAP
01-09-12	JMC
11-10-14	RAP

PARKLINE, INC.
RT. 82 ELEANOR INDUSTRIAL PARK
ELEANOR, WV 25070
EMAIL: PARKLINE@PARKLINE.COM
PHONE: 800-788-4855
FAX: 304-586-3842
ENGINEER: TOM HARDING
THARDING@PARKLINE.COM



INSTALLATION DETAILS
FOR FORMED PLUS WALL
LINER
DETAIL

DATE	12-12-07
DRAWN BY	BAS
SCALE	NTS
ORDER NO.	
REVISION	4

FORMPLUS-2