


MEC/KMEC
HP Drum End Enclosure-Floor Plan

VOGT POWER INTERNATIONAL

Released, Work May Proceed

Bell, Milton

Aug-20-2016



NOTES:

1. DUE TO NON-STANDARD BUILDING SIZE, FIELD DRILLING AND/OR CUTTING WILL BE REQUIRED AT VARIOUS LOCATIONS.
2. ALL DETAILS AND SECTIONS SHOWN ON ORDER# DRAWINGS GOVERN OVER ALL STANDARD ERECTION DRAWINGS WHERE DIFFERENT. (TYPICAL)
3. DUE TO BUILDING DESIGN LOADS, IT WILL BE NECESSARY TO INSTALL (1) RIB STIFFENER AT EACH FULL HEIGHT WALL PANEL RIB. (SEE DWG # STIF-RIB)
4. ANY PIPE PENETRATIONS THROUGH PANELS **MUST MISS PANEL RIBS** AND ARE TO BE FIELD LOCATED, CUT, AND FLASHED BY OTHERS.

EAVE CAP RIB BOLTS TO
BE FIELD DRILLED. EAVE
CAP TO BE UNPUNCHED
@ RIB BOLT LOCATION!

VOGT POWER INTERNATIONAL
V17494-BEXD-5000-04
06-Aug-2016

REVISIONS	BY	BUILDING FINISH
03-24-16	JCC	WALL COLOR: ARCTIC WHITE
05-09-16	JCC	WALL PANEL THICKNESS: .028
07-12-16	JCC	TRIM COLOR: ARCTIC WHITE
07-25-16	DJM	ROOF COLOR: GALVALUME
		ROOF PANEL THICKNESS: .042
		ROOF RIB HEIGHT: 3"



PARKLINE, INC.
RT. 62, ELEANOR INDUSTRIAL PARK
ELEANOR, WV 25070
EMAIL: PARKLINE@PARKLINE.COM
PHONE: 800-786-4855 FAX: 304-586-3842

VOGT POWER INTERNATIONAL, INC.
LOUISVILLE, KY

JOB NO. V17494 - MIDDLETOWN ENERGY - DESTINATION: MIDDLETOWN, OH
JOB NO. V17495 - KINGS MT. ENERGY - DESTINATION: KINGS MT., NC
VPI PO#: V0009691
HP DRUM ENCLOSURE

FLOOR PLAN

DATE: 5/13/2016

DRAWN BY: JCC

SCALE: NTS

ORDER #:

VOG-AA-1

REVISION #: