Q7

Due Oct 15, 2018 at 9:50am   **Points** 5   **Questions** 5
Available Oct 15, 2018 at 8am - Oct 15, 2018 at 9:50pm about 14 hours
Time Limit 15 Minutes

This quiz was locked Oct 15, 2018 at 9:50pm.

Attempt History

	Attempt	Time	Score
LATEST	**Attempt 1**	12 minutes	4.5 out of 5

⚠ Correct answers are hidden.

Score for this quiz: **4.5** out of 5
Submitted Oct 15, 2018 at 9:30am
This attempt took 12 minutes.

Question 1	1 / 1 pts

The access modifier of accessor and mutator methods is usually _____

public

Question 2	0.5 / 1 pts

What is an overloaded method?

Your Answer:

An overloaded method is when a class has more than one method with the same name in the program. This will cause a overload.

Question 3   1 / 1 pts

Explain what will happen if you don't write a constructor for a class.

Your Answer:

If you don't write a constructor for a class you cannot initialize the value to desired locations in your program.

Question 4   1 / 1 pts

Inside the curly braces we define the data of the class, called its _____, and the methods.

○ access modifier

○ client programs

◉ fields

○ loop updater

Question 5   1 / 1 pts

The instance variables of a class hold the data for each object of that class.

○ True

○ False

Quiz Score: **4.5** out of 5