

Conservation Commission

Meeting Minutes

Monday, November 4, 2024

Remote meeting via Zoom

Present Commission Members: Carolyn Nielsen, Bob Mosher, Tom Roby, Nina Villanova and Laurie Freeman

Present Staff: Shannon Palmer – Conservation Officer & Sylvia Schuler – Assistant Conservation Officer

Absent: Crystal Kelly, Bob Hidell

Vice Chair Carolyn Nielsen called the meeting to order at 7:00 pm and read the following statement:

“This meeting is being held remotely as an alternate means of public access pursuant to Chapter 2 of the Acts of 2023 and all other applicable laws temporarily amending certain provisions of the Open Meeting Law. You are hereby advised that this meeting and all communications during this meeting may be recorded by the Town of Hingham in accordance with the Open Meeting Law. If any participant wishes to record this meeting, please notify the chair at the start of the meeting in accordance with M.G.L. c. 30A, § 20(f) so that the chair may inform all other participants of said recording.”

Roll Call

Business Items:

1. Minutes

Commissioner Villanova made a motion, seconded by Commissioner Freeman, to approve minutes from the 9/16/24 meeting as drafted. The motion passed by a roll call vote 4-0-1.

In Favor: Robert Mosher, Laurie Freeman, Nina Villanova and Thomas Roby.

Opposed: None

Commissioner Mosher made a motion, seconded by Commissioner Villanova, to approve minutes from the 9/30/24 meeting as drafted. The motion passed by a roll call vote 5-0.

In Favor: Carolyn Nielson, Bob Mosher, Laurie Freeman, Nina Villanova and Tom Roby.

Opposed: None

2. Requests for Certificate of Compliance

a) **CONT. 57 Ward St**, DEP No. 034-1481, Joel Philbrick

Staff had no issues with the request and recommended a partial COC to allow for the mitigation area to survive two full growing seasons.

Vote: Commissioner Mosher made a motion, seconded by Commissioner Freeman, to issue a Partial Certificate of Compliance for 57 Ward Street, DEP No. 034-1481. The motion passed by a roll call vote 5-0.

In Favor: Carolyn Nielsen, Bob Mosher, Tom Roby, Nina Villanova and Laurie Freeman

Opposed: None

b) **CONT. 20 Andrews Isle Road**, DEP No. 034-1380, Lindsey McClenning

Shannon Palmer, Conservation Officer, noted there are outstanding issues with the mitigation plantings and recommended a continuance to work with applicant to bring this area into compliance.

Vote: Commissioner Villanova made a motion, seconded by Commissioner Mosher, to continue consideration of the Request for Certificate of Compliance for 20 Andrews Isle Road, DEP No. 034-1380 to December 16, 2024. The motion passed by a roll call vote 5-0.

In Favor: Carolyn Nielsen, Bob Mosher, Tom Roby, Nina Villanova and Laurie Freeman

Opposed: None

c) **CONT. 289 Whiting Street**, DEP No. 034-1268, Boston Golf Club Inc.

Sarah Stearns, PWS, Beals & Thomas, Project Representative, explained existing conditions of the putting green and updated cart path, noting bridge was not constructed. Ms. Stearns also explained field changes that were approved through previous Conservation Officer.

Shannon Palmer informed the Commission the record was not clear regarding field changes and the justification for those. Ms. Palmer continued to explain the work was done in the riverfront area and within the 50ft buffer and at site visit the applicant agreed to convert a portion of turf area to native grasses. Ms. Palmer asked the Commission to consider the gravel parking area be relocated further from the river.

Commissioner Freeman questioned how far the gravel area is from the resource area.

Ms. Stearns explained the gravel area is within 50ft of the resource area and she noted a berm between developed area and edge of stream.

Commissioner Nielson noted concerns with gravel within 50ft buffer zone and preferred the area be revegetated.

Ms. Stearns noted approximate timeframe of 2017-2018 the gravel area was constructed.

Commissioner Freeman questioned if field changes of gravel parking area were approved.

Ms. Stearns explained the gravel cart path within the 50ft buffer and cart parking off of the paved path to be composed of wood chips was approved. Ms. Stearns showed on the site plan the location of the existing gravel parking area where the approved gravel cart path would have been.

Commissioners in agreement that the existing gravel parking area would not have been approved if proposed during the initial filing.

Sylvia Schuler, Assistant Conservation Officer, explained to the Commission the area originally proposed for parking was never constructed and is currently heavily vegetated. Ms. Schuler suggested to the Commission to reduce the area of gravel parking so as not to alter the naturally vegetated area.

Ms. Stearns further explained the area in question with pictures for reference to the Commission.

Commissioner Freeman questioned if there is less impervious area since the bridge was not constructed.

Ms. Stearns confirmed.

Commission agreed to use wood chips in the parking area instead of gravel and a restoration proposal to be submitted for the corner of the gravel parking area.

Ms. Stearns noted she will discuss with the applicant.

Vote: Commissioner Villanova made a motion, seconded by Commissioner Mosher, to continue consideration of the Request for Certificate of Compliance for 289 Whiting Street, DEP No. 034-1268 to December 16, 2024. The motion passed by a roll call vote 5-0.

In Favor: Carolyn Nielsen, Bob Mosher, Tom Roby, Nina Villanova and Laurie Freeman

Opposed: None

d) **28 Union St**, DEP No. 034-1465, Falconeiri Construction

Shannon Palmer described the project which involved a complete demolition and reconstruction. Ms. Palmer noted there were deviations from the approved plan however the changes were not substantive. She also stated the mitigation area had been seeded as previously requested (after removing mulch) however the seeds had not established due to heavy leaf cover. Ms. Palmer noted the applicant has committed to reseeding in the spring if warranted and recommended issuing a partial COC.

Vote: Commissioner Freeman made a motion, seconded by Commissioner Villanova, to issue a Partial Certificate of Compliance for 28 Union Street, DEP No. 034-1465. The motion passed by a roll call vote 5-0.

In Favor: Carolyn Nielsen, Bob Mosher, Tom Roby, Nina Villanova and Laurie Freeman

Opposed: None

e) **14 Seal Cove Road**, DEP No. 034-1457, Leonard Monfredo

Shannon Palmer reviewed the request and indicated that staff required additional time to resolve outstanding items related to special conditions for lighting, signage, dock plank spacing, and dock height to bottom of substrate. The CO recommended the item be continued to which the applicant consented.

Vote: Commissioner Freeman made a motion, seconded by Commissioner Villanova, to continue consideration of the Request for Certificate of Compliance for 14 Seal Cove Road, DEP No. 034-1457 to November 18, 2024. The motion passed by a roll call vote 5-0.

In Favor: Carolyn Nielsen, Bob Mosher, Tom Roby, Nina Villanova and Laurie Freeman

Opposed: None

3. **Vote to issue Order of Conditions, 289 Whiting Street, DEP No. 034-1507, Boston Golf Club, Inc.**

Vote: Commissioner Freeman made a motion, seconded by Commissioner Mosher, to issue a Restoration Order of Conditions for 289 Whiting Street, DEP No. 034-1507, with Findings of Fact A through E and Special Conditions 23-27 as noted in the Staff Memo. The motion passed by a roll call vote 5-0.

Recommended Findings of Fact

A. The Commission has found the invasive species management project qualifies as an Ecological Restoration Limited Project under 310 CMR 10.53(4)(e)(5) as the proposed activities will improve the natural capacity of a Resource Area(s) to protect the interests identified in M.G.L. c. 131, § 40. The proposal is for the removal of aquatic nuisance vegetation, Phragmites, to retard pond and lake eutrophication and will also result in an improvement to habitat value and re-naturalization of the riparian corridor.

B. The work described in the Ecological Restoration Notice of Intent is within Areas Subject to Protection under the Wetlands Protection Act, M.G.L. Ch. 131, § 40, and will result in impacts to Bank, Bordering Vegetated Wetlands, and Riverfront Area. As demonstrated in the Performance Standards Analysis prepared by Beals and Thomas submitted with the Notice of Intent, the project has been designed to comply with the performance standards set forth under 310 CMR 10.54, 10.55, 10.58(4) and will not have a significant or cumulative adverse effects on the resource areas. Furthermore, the targeted herbicide treatment to control invasive phragmites will improve vegetative diversity and wildlife habitat value.

C. The work described is within Areas Subject to Protection under the Town of Hingham Wetlands Protection Bylaw (Article 22) including Bank, Bordering Vegetated Wetlands, Riverfront Area and Buffer Zone and the Commission finds the areas are significant to the following wetland values: protection of public or private water supply, protection of groundwater, flood control, erosion and sedimentation control, storm damage prevention including coastal storm flowage, prevention of water pollution, protection of fisheries, protection of shellfish, protection of wildlife and wildlife habitat, protection of rare species habitat, protection of recreation and open space, protection of aesthetics.

D. As demonstrated in the Supplemental Narrative prepared by Beals and Thomas dated October 18, 2024, the project has been designed to comply with the performance standards set forth under the Hingham Wetland Regulations (HWR) Sections 19.2, 19.3, 21.1, and will not result in an adverse effect upon the wetland values of the resource areas. Additionally the proposed work has been found to comply with the performance standards for work in the Buffer Zone, HWR Section 22.0(d).

E. With incorporation of the special conditions included in this Order, the Commission has determined the project complies with the Massachusetts Wetlands Protection Act, M.G.L. Ch. 131 §40 and Implementing Regulations, 310 CMR 10.00, and the Hingham Wetlands Protection Bylaw and Wetland Regulations.

Suggested Special Conditions

23. Management of Common Reed (*Phragmites australis*) shall comply with the approved Invasive Species Management Plan prepared by Beals and Thomas dated September 19, 2024 and Supplemental Memorandum prepared by Beals and Thomas dated October 18, 2024 including Table 1: Protocol for Phragmites Treatment. Any changes to the treatment methods or targeted locations as identified in the approved Management Plan shall require review and approval of the Conservation Commission prior to implementation.

24. Prior to commencement of invasive species management work, the applicant shall submit: final selected herbicide EPA product labels, copy of required license(s) for all herbicide applicators, and the BRP WM04 License to Apply Herbicides, to the Conservation Office.

25. Phragmites cut material shall be removed in select areas (i.e. open water, stream) if recommended by the Licensed Herbicide Applicator and wetlands professional. Other cut material is permitted to remain in place to naturally decompose.

26. Annual reports on the Invasive Species Management Plan prepared by the Licensed Aquatic Herbicide Applicator (LHA) and/or other qualified professional shall be submitted to the Conservation Commission detailing methods used (including dates, photos and descriptions of area(s) treated, specific herbicides used) and results (cover of invasive species) throughout the three (3) year project. The annual reports shall be submitted no later than December 31st of each year with the first report being submitted after initial treatment scheduled for September or October 2025. If continued management of phragmites is recommended by the LHA beyond the 3 year period to achieve restoration goals, an extension of the OOC shall be requested in accordance with 310 CMR 10.05(8).

27. Upon completion of invasive species management program and prior to issuance of a Certificate of Compliance, a final report shall be submitted to the Conservation Commission documenting overall success of invasive species management efforts, including site photos, sketches, etc. of each treatment area. If, based on results of treatment efforts, revegetation of any resource areas is needed to establish a native plant community, recommendations shall be provided in the final report.

In Favor: Carolyn Nielsen, Bob Mosher, Tom Roby, Nina Villanova and Laurie Freeman

Opposed: None

Public Meeting - Request for Determination of Applicability

1. 119 Downer Ave, Doug Keach, ALR Homes

Meeting Documents & Exhibits: Site Plan and Staff Memo

Brendan Sullivan, PE/PLS, of Merrill Engineers and Land Surveyors, Project Representative, explained the proposed project, consisting of the demolition and reconstruction of a single family home within the 100ft buffer zone of Coastal Bank and Salt Marsh. Mr. Sullivan noted the removal of existing shed within the 100ft buffer and the reconstruction of dwelling will be almost entirely out of the 100ft buffer.

Shannon Palmer noted no concerns.

Commission had no concerns or questions.

Vote: Commissioner Freeman made a motion, seconded by Commissioner Mosher, to issue a Negative #3 and Negative #6 Determination of Applicability for Applicability for 119 Downer Avenue with Findings of Fact A and B and Special Conditions 1 and 2 of the Staff Memo. The motion passed by a roll call vote 5-0.

Recommended Findings of Fact

A. The work described is within Areas Subject to Protection under the Town of Hingham Wetland Regulations 22.0 (Buffer Zone), and the Commission finds the areas are significant to the following wetland values: protection of public or private water supply, protection of groundwater, flood control, erosion and sedimentation control, storm damage prevention, prevention of water pollution, protection of fisheries, protection of wildlife and wildlife habitat, protection of rare species habitat, protection of recreation and protection of aesthetics.

B. With incorporation of the special conditions included in this Order, the proposed work has been found to comply with the performance standards set forth under Section 22.0(d) of the Hingham Wetland Regulations and will not alter or adversely affect the adjacent Resource Areas.

Suggested Conditions of Approval

1) Erosion and sediment controls shall be installed and inspected by an agent of the Commission prior to commencement of work; straw wattles and/or hay bales shall not be used. Sediment control devices shall remain in place and properly functioning until all exposed soils have been stabilized with final vegetative cover and shall be removed upon authorization by the Conservation Officer.

2) Under no conditions shall operation of equipment, storage of materials, or other site disturbance take place on the wetland side of the limit of work line/erosion control line. Additionally, no vehicle or other machinery refueling, lubrication, or maintenance shall take place within 100 feet of any resource area.

In Favor: Carolyn Nielsen, Bob Mosher, Tom Roby, Nina Villanova and Laurie Freeman

Opposed: None

Public Hearings- Commissioner Nielsen read the Public Hearing statement.

1. **CONT. Notice of Intent, 14 Kress Farm Road**, DEP No. 034-1508, Nicole and Ricardo Pollitt
The applicant requested a continuance to November 18, 2024

Vote: Commissioner Freeman made a motion, seconded by Commissioner Mosher, to continue the public hearing for 14 Kress Farm Road, DEP No. 034-1508, to November 18, 2024. The motion passed by a roll call vote 5-0.

In Favor: Carolyn Nielsen, Bob Mosher, Tom Roby, Nina Villanova and Laurie Freeman

Opposed: None

2. **CONT. Notice of Intent, Union St, Wompatuck State Park**, DEP No. 034-1506, Thomas Valton
The hearing was continued to address staff comments. In accordance with the WPA abutter notification requirements for projects over 50 acres, abutter notification is not required.

Meeting Documents & Exhibits: Site Plan and Staff Memo

Tom Keough, Wetland Scientist, AECOM, Project Representative, explained the proposed project to the Commission. The proposal is a stream crossing project to replace a failing culvert at Wompatuck State Park. Mr. Keough provided images of a forming sink hole and headwall pulling away from street on both sides. Mr. Keough explained the reconstruction that will occur, noting all work will be done from the roadway and work will be done in the river with the turbidity curtains installed upstream and downstream to prevent sediment from leaving the work area.

Shannon Palmer, Conservation Officer, asked about the construction sequenced and timeframe for the culvert replacement.

Mr. Keough explained approximately two days to remove materials that are currently there and approximately a day to insert the new unit. Mr. Keough explained the road will have to be shut down for a week to ten days and timing will be either late spring or fall although dependent on when the precast structures will be ready.

Ms. Palmer explained to the Commission the resource area impacts, noting the applicant submitted a performance standard analysis and proposed replication for impacts to Bordering Vegetated Wetlands.

Commissioner Nielsen questioned how the two concrete boxes will be joined.

Mr. Keough explained they will be sealed together.

Commissioner Nielsen noted no hazardous materials to be stocked piled on the paved area within the 50ft buffer, and asked the commission to consider adding as a condition.

Vice Chair Nielsen opened the discussion to members of the public. No member of the public came forward.

Vote: Commissioner Freeman made a motion, seconded by Commissioner Mosher, to close the public hearing for 0 Union Street, Wompatuck State Park, DEP No. 034-1506. The motion passed by a roll call vote 5-0.

In Favor: Carolyn Nielsen, Bob Mosher, Tom Roby, Nina Villanova and Laurie Freeman

Opposed: None

3. **Notice of Intent, 15 Turkey Hill Lane**, DEP No. 034-1510, Matt Falconeiri, Falconeiri
Abutters were notified by Certificates of Mailing as documented in Affidavit of Service by Karolyn Gear of Merrill submitted with the NOI.

Meeting Documents & Exhibits: Staff notes & Site Plan

Brendan Sullivan, PE/PLS of Merrill Engineers and Land Surveyors, Project Representative, presented the proposed project to the Commission, which involved demolishing and rebuilding a single-family dwelling. Mr. Sullivan noted the existing dwelling currently resides within the 50ft buffer and proposed dwelling to be relocated outside of the 50ft buffer. Mr. Sullivan added the septic to be located outside of the 100ft buffer and no new structures proposed within the 50ft buffer. He explained the mitigation planting areas within the 50ft and 100ft buffer.

Shannon Palmer explained the project is reducing impervious areas with 0-50ft buffer zone and the applicant increased infiltration as staff requested. No further issues.

Commission had no questions or comments.

Vice Chair Nielsen opened the discussion to members of the public. No member of the public came forward.

Vote: Commissioner Villanova made a motion, seconded by Commissioner Mosher, to close the public hearing and issue an Order of Conditions for 15 Turkey Hill Lane, DEP No. 034-1510 with Findings if Fact A-D and Special Conditions 23-31. The motion passed by a roll call vote 5-0.

Recommended Findings of Fact

A. The work described is within an Area Subject to Regulation under the Wetlands Protection Act, M.G.L. Ch. 131, § 40, (Buffer Zone to Bordering Vegetated Wetlands) and with incorporation of the special conditions included in this Order, will not alter or result in adverse impacts to the adjacent Wetland Resource Area.

B. The work described is within an Area Subject to Protection under the Town of Hingham Wetland Regulations, Section 22.0 (Buffer Zone), and the Commission finds the area is significant to the following wetland values: protection of public or private water supply, protection of groundwater, flood control,

erosion and sedimentation control, storm damage prevention, prevention of water pollution, protection of fisheries, protection of wildlife and wildlife habitat, protection of rare species habitat, protection of recreation and protection of aesthetics.

C. With incorporation of the special conditions included in this Order, including stormwater infiltration and buffer zone mitigation, the proposed work has been found to comply with the performance standards set forth under Section 22.0(d) of the Hingham Wetland Regulations and will not alter or adversely affect the adjacent Resource Area.

D. The Commission has determined the project complies with the Massachusetts Wetlands Protection Act, M.G.L. Ch. 131 §40 and Implementing Regulations, 310 CMR 10.00, and the Hingham Wetlands Protection Bylaw (Article 22) and Wetland Regulations.

Suggested Special Conditions

23. The approved limit of work/sediment control line shall be staked out in the field by a registered professional engineer or land surveyor prior to installation. The request for Pre-Construction Meeting/Sediment Control Inspection, as required by Standard Condition #3, shall also include a statement from the registered Professional Engineer or Professional Land Surveyor certifying that the limit of work/sediment controls have been located and installed in accordance with the approved Site Plan dated revised October 28, 2024 prepared by Merrill Engineers and Land Surveyors and stamped by Brendan Sullivan, PE. The limits of the Buffer Zone Mitigation Area shall also be staked out for inspection by the Conservation Officer.

24. The Buffer Zone Mitigation Area (370 SF) and tree mitigation (2 trees) shall be installed as shown on the approved Site Plan dated revised October 28, 2024 prepared by Merrill Engineers and Land Surveyors and stamped by Brendan Sullivan, PE. Any changes to the plant selections or quantities shall be submitted to Conservation for review and approval prior to installation. Planting of the mitigation area shall be prioritized and installed during the first growing season (April 7- November 7) following issuance of this Order, as practical, to allow for the required two growing season survival requirement (special condition #29).

25. Upon installation of the mitigation area, the applicant shall notify the Conservation office in writing and include specific information on the installation date(s), plant species, quantity and size of plants, and seed mix installed, as applicable.

26. All mitigation plantings shall be native species; no cultivars, non-native species, or invasive species shall be allowed. Following planting, the Mitigation Area shall be allowed to naturally revegetate with native species and remain as a naturally vegetated buffer to the adjacent resource area. Mitigation areas shall not be disturbed, mowed or maintained as a landscaped area. This condition shall apply in **perpetuity** and shall not expire with the issuance of a Certificate of Compliance.

27. Prior to the issuance of a Certificate of Compliance, the mitigation area plantings shall survive at least two full growing seasons, unless otherwise approved by the Commission, with a minimum of 75% survival rate. If a 75% survival rate is not achieved, replacement plantings of the same species, or equivalent to be approved by the Conservation Officer, shall be made by the applicant. A Partial Certificate of Compliance (if requested by the applicant) will only be considered if the mitigation area has been planted and seeded in accordance with the approved plan.

28. After completion of work and prior to the issuance of a Certificate of Compliance, the applicant shall permanently mark the Mitigation Area referenced in special condition #24 to ensure no inadvertent encroachment into the area. The markers shall be installed in coordination with the Conservation Officer and shall remain in place in perpetuity.

29. The stormwater control measures in the Buffer Zone (gravel trench and subsurface infiltration system) shall be installed as specified on approved Site Plan dated revised October 28, 2024 prepared by Merrill Engineers and Land Surveyors and stamped by Brendan Sullivan, PE. Documentation, including

photographs and an affidavit from a qualified individual, shall be submitted to the Conservation Commission upon completion of installation and/or with the Request for a Certificate of Compliance.

30. It is the sole responsibility of the owner of record, Falconeiri Construction, or any successors or assigns, to maintain the stormwater control measures (gravel trench and subsurface infiltration area) at all times in accordance with the Long Term Pollution Prevention Plan/Operation and Maintenance Plan prepared by Merrill Engineers and Land Surveyors dated October 28, 2024. The property owner is also responsible for retaining records of the maintenance for review by the Commission, upon request. This condition shall apply **in perpetuity** and shall not expire with the issuance of a Certificate of Compliance.

31. Upon completion of construction and prior to issuance of a Certificate of Compliance, the Applicant shall submit to the Conservation Commission a Final As-Built Plan stamped by a Professional Land Surveyor licensed in the Commonwealth of Massachusetts and a certification letter stamped by a Professional Civil Engineer licensed in the Commonwealth of Massachusetts stating that the work has been built in "substantial compliance" with the plans approved by the Conservation Commission (to include stone trench and grass paver turn around). All deviations from the approved plans must be noted in the letter. The As-Built Plan shall include at a minimum:

- a) All wetland resource area boundaries with associated buffer zones;
- b) Locations and elevations of all retaining walls and stormwater management conveyances and structures within jurisdictional areas;
- c) A line delineating the limit of work- "work" includes any filling, excavating and/or disturbance of soils or vegetation approved under this Order;
- d) Mitigation planting area constructed under this Order.

In Favor: Carolyn Nielsen, Bob Mosher, Tom Roby, Nina Villanova and Laurie Freeman

Opposed: None

Public Hearing – Abbreviated Notice of Resource Area Delineation (ANRAD)

4. **100 Beal Street**, DEP No. 034-1509

Abutters were notified by Certificates of Mailing as documented in Affidavit of Service by Christopher Lucas submitted with the NOI.

Meeting Documents & Exhibits: Staff notes & Site Plan

Christopher Lucas, PWS & PSS of Lucas Environmental, LLC, Project Representative, explained the applicant's request for the delineation and identification of wetland resource areas on the subject property and noted no work proposed at this time. Mr. Lucas explained the location of the site and the wetland locations, noting the majority of the site is wet. He pointed out a vernal pool at corner of property, three Bordering Vegetative Wetlands and two Isolated Vegetative Wetlands, and showed their location on the site plan provided. Mr. Lucas stated the applicant is seeking confirmation of wetland resource areas and their associated buffers.

Shannon Palmer, Conservation Officer, noted no issues with flagging of BVW and flagging and classification of isolated wetlands. Ms. Palmer noted that for projects of this size, the Commission could request a peer review however indicated she was comfortable with the delineation as presented and recommended the Commission confirm.

Commissioner Nielsen asked the Commission if they would consider a peer review.

The Commission was in agreement to approve the plan as presented.

Chair Nielsen opened the discussion to members of the public. No member of the public came forward.

Vote: Commissioner Freeman made a motion, seconded by Commissioner Mosher, to close the public hearing and issue an Order of Resource Area Delineation for 100 Beal Street, DEP No.034-1509, confirming classification of Isolated Wetlands and boundaries of resource areas as shown on plan prepared by Control Point Associates, Inc. dated September 9, 2024, and designation of vernal pool as noted in Staff Memo. The motion passed by a roll call vote 5-0.

In Favor: Carolyn Nielsen, Bob Mosher, Tom Roby, Nina Villanova and Laurie Freeman

Opposed: None

Other Business:

1. Conservation Officer Updates

Shannon Palmer stated the interview process has started for the Administrative Assistant position and the CPC meeting is Wednesday via Zoom for the Bennett Property and Tranquility Grove.

2. Meeting schedule (2024-2025)

Commissioner Mosher made a motion, seconded by Commissioner Villanova, to approve the meeting schedule for 2024-2025. The motion passed by a roll call vote 5-0.

In Favor: Carolyn Nielsen, Bob Mosher, Tom Roby, Nina Villanova and Laurie Freeman

Opposed: None

Adjourn

Motion: Commissioner Mosher, seconded by Commissioner Freeman, moved to adjourn the meeting. The motion passed by roll call vote, 5-0.

Meeting adjourned at 8:40PM

Approved on: February 10, 2025