

This is a sample high resolution PDF.

- Images that print to the edge are required to bleed 1/8" past the trim edge
- Cropmarks should be turned on and offset beyond the bleed
 - Photos should be 300 dpi
- Lineart/Bitmap images should be 900 dpi or higher
- All fonts should be embedded (do not subset fonts)
- All images should be cmyk for 4/color printing



Please contact HBP if you have questions about creating pdfs.

This is a sample high resolution PDF.

- Images that print to the edge are required to bleed 1/8" past the trim edge
- Cropmarks should be turned on and offset beyond the bleed
 - Photos should be 300 dpi
- Lineart/Bitmap images should be 900 dpi or higher
- All fonts should be embedded (do not subset fonts)
- All images should be cmyk for 4/color printing



Please contact HBP if you have questions about creating pdfs.

This is a sample high resolution PDF.

- Images that print to the edge are required to bleed 1/8" past the trim edge
- Cropmarks should be turned on and offset beyond the bleed
 - Photos should be 300 dpi
- Lineart/Bitmap images should be 900 dpi or higher
- All fonts should be embedded (do not subset fonts)
- All images should be cmyp for 4/color printing



Please contact HBP if you have questions about creating pdfs.

This is a sample high resolution PDF.

- Images that print to the edge are required to bleed 1/8" past the trim edge
- Cropmarks should be turned on and offset beyond the bleed
 - Photos should be 300 dpi
- Lineart/Bitmap images should be 900 dpi or higher
- All fonts should be embedded (do not subset fonts)
- All images should be cmyp for 4/color printing



Please contact HBP if you have questions about creating pdfs.

This is a sample high resolution PDF.

- Images that print to the edge are required to bleed 1/8" past the trim edge
- Cropmarks should be turned on and offset beyond the bleed
 - Photos should be 300 dpi
- Lineart/Bitmap images should be 900 dpi or higher
- All fonts should be embedded (do not subset fonts)
- All images should be cmyk for 4/color printing



Please contact HBP if you have questions about creating pdfs.

This is a sample high resolution PDF.

- Images that print to the edge are required to bleed 1/8" past the trim edge
- Cropmarks should be turned on and offset beyond the bleed
 - Photos should be 300 dpi
- Lineart/Bitmap images should be 900 dpi or higher
- All fonts should be embedded (do not subset fonts)
- All images should be cmyk for 4/color printing



Please contact HBP if you have questions about creating pdfs.

This is a sample high resolution PDF.

- Images that print to the edge are required to bleed 1/8" past the trim edge
- Cropmarks should be turned on and offset beyond the bleed
 - Photos should be 300 dpi
- Lineart/Bitmap images should be 900 dpi or higher
- All fonts should be embedded (do not subset fonts)
- All images should be cmyk for 4/color printing



Please contact HBP if you have questions about creating pdfs.

This is a sample high resolution PDF.

- Images that print to the edge are required to bleed 1/8" past the trim edge
- Cropmarks should be turned on and offset beyond the bleed
 - Photos should be 300 dpi
- Lineart/Bitmap images should be 900 dpi or higher
- All fonts should be embedded (do not subset fonts)
- All images should be cmyp for 4/color printing



Please contact HBP if you have questions about creating pdfs.

This is a sample high resolution PDF.

- Images that print to the edge are required to bleed 1/8" past the trim edge
- Cropmarks should be turned on and offset beyond the bleed
 - Photos should be 300 dpi
- Lineart/Bitmap images should be 900 dpi or higher
- All fonts should be embedded (do not subset fonts)
- All images should be cmyp for 4/color printing



Please contact HBP if you have questions about creating pdfs.

This is a sample high resolution PDF.

- Images that print to the edge are required to bleed 1/8" past the trim edge
- Cropmarks should be turned on and offset beyond the bleed
 - Photos should be 300 dpi
- Lineart/Bitmap images should be 900 dpi or higher
- All fonts should be embedded (do not subset fonts)
- All images should be cmyp for 4/color printing



Please contact HBP if you have questions about creating pdfs.

This is a sample high resolution PDF.

- Images that print to the edge are required to bleed 1/8" past the trim edge
- Cropmarks should be turned on and offset beyond the bleed
 - Photos should be 300 dpi
- Lineart/Bitmap images should be 900 dpi or higher
- All fonts should be embedded (do not subset fonts)
- All images should be cmyp for 4/color printing



Please contact HBP if you have questions about creating pdfs.

This is a sample high resolution PDF.

- Images that print to the edge are required to bleed 1/8" past the trim edge
- Cropmarks should be turned on and offset beyond the bleed
 - Photos should be 300 dpi
- Lineart/Bitmap images should be 900 dpi or higher
- All fonts should be embedded (do not subset fonts)
- All images should be cmyk for 4/color printing



Please contact HBP if you have questions about creating pdfs.