wk5-visualization


Sean Anggani

2023-06-25

```
library(dplyr)
##
## Attaching package: 'dplyr'
## The following objects are masked from 'package:stats':
##
##
      filter, lag
## The following objects are masked from 'package:base':
##
      intersect, setdiff, setequal, union
library(tidyverse)
## -- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
## v forcats 1.0.0
                        v readr
                                    2.1.4
## v ggplot2
             3.4.2
                                    1.5.0
                        v stringr
## v lubridate 1.9.2
                       v tibble
                                    3.2.1
## v purrr
              1.0.1
                        v tidyr
                                    1.3.0
                                        ## -- Conflicts -----
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()
                    masks stats::lag()
## i Use the conflicted package (<a href="http://conflicted.r-lib.org/">http://conflicted.r-lib.org/</a>) to force all conflicts to become error
library(knitr)
library(bslib)
##
## Attaching package: 'bslib'
## The following object is masked from 'package:utils':
##
##
      page
download.file(url = "https://raw.githubusercontent.com/fivethirtyeight/data/master/bechdel/movies.csv",
movies<-read.csv("movies.csv", stringsAsFactors = FALSE)</pre>
movies_df <- as.data.frame(movies)</pre>
movies <- movies %>%
 mutate(budget = as.numeric(gsub("[^0-9.-]", "", budget)),
   domgross = as.numeric(gsub("[^0-9.-]", "", domgross)), roi = (domgross - budget) / budget)
bechdel_roi <- ggplot(movies, aes(x = binary, y = roi)) +
 geom_point(size = 3) +
 labs(title = "Impact of bechdel test on movies ROI",
```

Warning: Removed 17 rows containing missing values (`geom_point()`).

Impact of bechdel test on movies ROI



print(intbudget)

