Government 10: Quantitative Political Analysis

Sean Westwood

Correlation

Correlation between variables

Correlation implies that two variables occur and/or 'move together':

Correlation between variables

Correlation implies that two variables occur and/or 'move together':

So, when we observe a change in X, we also observe a change in our outcome of interest: Y

 $X \rightarrow Y$

 $X \rightarrow Y$

"Undertaking two and a half hours a week of physical activity can reduce, but not banish, someone's chances of dying from any cause, according to the study of 36,370 British patients."

 $X \rightarrow Y$

"Undertaking two and a half hours a week of physical activity can reduce, but not banish, someone's chances of dying from any cause, according to the study of 36,370 British patients."

Increased Exercise → Reduced Death Rate

 $\mathsf{X} \to \mathsf{Y}$

"Pipe smoking...was associated with an increased risk of death from cancers of the lung.

 $\mathsf{X} \to \mathsf{Y}$

"Pipe smoking...was associated with an increased risk of death from cancers of the lung. These risks were generally smaller than those associated with cigarette smoking and similar to or larger than those associated with cigar smoking"

 $\mathsf{X} \to \mathsf{Y}$

"Pipe smoking...was associated with an increased risk of death from cancers of the lung. These risks were generally smaller than those associated with cigarette smoking and similar to or larger than those associated with cigar smoking"

Pipe smoking → Higher Risk of Death

 $\mathsf{X} \to \mathsf{Y}$

"Pipe smoking...was associated with an increased risk of death from cancers of the lung. These risks were generally smaller than those associated with cigarette smoking and similar to or larger than those associated with cigar smoking"

Pipe smoking → Higher Risk of Death

Cigarette smoking → Lower Risk of Death

Probe this logically...

Probe this logically...

Pipe Smoking \rightarrow Death

Probe this logically...

 $\mathsf{Pipe}\;\mathsf{Smoking}\to\mathsf{Death}\;$


What could be wrong here?

Who smokes a pipe?

Who smokes a pipe?




Who smokes a pipe?





or


Instead of:





Instead of:



Perhaps:








These (unmeasured) variables are known as confounders


Some examples of where relationships go wrong



What else do these states have in common?

Per capita cheese consumption correlates with

Number of people who died by becoming tangled in their bedsheets




 \equiv

Number of people who drowned by falling into a pool correlates with

Films Nicolas Cage appeared in






Age of Miss America correlates with


Murders by steam, hot vapours and hot objects

Correlation: 87.01% (r=0.870127)



The distance between Uranus and the moon






Popularity of the first name Camden

correlates with

UFO sightings in Florida




Everything causal is correlated

Everything causal is correlated

Not all correlation is causal

Everything causal is correlated

Not all correlation is causal



Correlation and Causation Example

Research Question:

How much racial discrimination exists in the labor market?

Correlation and Causation Example

Research Question:

How much racial discrimination exists in the labor market?

Hypothesis:

African Americans are **less likely** to receive a response to job applications than white applicants.

Correlation and Causation Example

Research Question:

How much racial discrimination exists in the labor market?

Hypothesis:

African Americans are **less likely** to receive a response to job applications than white applicants.

How do we test this?

There are two primary ways to address confounders:

There are two primary ways to address confounders:

1. Observational: 'Controlling'

There are two primary ways to address confounders:

1. Observational: 'Controlling'

► For variables we can measure, implement designs so that the groups are comparable.

There are two primary ways to address confounders:

- 1. Observational: 'Controlling'
 - ► For variables we can measure, implement designs so that the groups are comparable.
- 2. Experiment: Randomization

There are two primary ways to address confounders:

1. Observational: 'Controlling'

▶ For variables we can measure, implement designs so that the groups are comparable.

2. Experiment: Randomization

▶ With a sufficient sample size, random assignment assures that groups are comparable on unobserved factors.

Research Design A - Observational

1. Solicit 1,000 volunteers that identify as white, and 1,000 volunteers that identify as black.

Research Design A - Observational

- 1. Solicit 1,000 volunteers that identify as white, and 1,000 volunteers that identify as black.
- 2. Ask these volunteers to send their resumes to a single job opening, and report back whether they received a response.

Research Design A - Observational

- 1. Solicit 1,000 volunteers that identify as white, and 1,000 volunteers that identify as black.
- 2. Ask these volunteers to send their resumes to a single job opening, and report back whether they received a response.

Research Design B - Experimental

1. Create identical resumes. Randomly assign half of the resumes to contain a 'white' cue, and half to contain a 'black' cue (name).

Research Design B - Experimental

- 1. Create identical resumes. Randomly assign half of the resumes to contain a 'white' cue, and half to contain a 'black' cue (name).
- 2. Randomly sample thousands of employers.

Research Design B - Experimental

- 1. Create identical resumes. Randomly assign half of the resumes to contain a 'white' cue, and half to contain a 'black' cue (name).
- 2. Randomly sample thousands of employers.
- 3. Send exactly one resume to each employer.
- 4. Measure responses

Differences?

Which gives the most precise answer?

Which is the easiest?