

A **hypothesis** is a statement about a possible relationship

A **hypothesis** is a statement about a possible relationship

"Strong economic performance causes more support for democracy"

A hypothesis is a statement about a possible relationship

"Strong economic performance causes more support for democracy"

In order to test a hypothesis, we must move from concepts to measurement

A **hypothesis** is a statement about a possible relationship

"Strong economic performance causes more support for democracy"

In order to test a hypothesis, we must move from concepts to measurement

Concept	Measurement
Economic Performance	Average household incomeUnemployment rate
Support for Democracy	- Electoral participation rates - Survey responses

Most measurements will be imperfect proxies of a concept.

Most measurements will be imperfect proxies of a concept.

We can think of this as basic measurement error

Most measurements will be imperfect proxies of a concept.

We can think of this as basic measurement error

When evaluating measurements, we should think about:

Most measurements will be imperfect proxies of a concept.

We can think of this as basic measurement error

When evaluating measurements, we should think about:

Validity:

Most measurements will be imperfect proxies of a concept.

We can think of this as basic measurement error

When evaluating measurements, we should think about:

Validity:

▶ The concept measures what it is supposed to measure

Most measurements will be imperfect proxies of a concept.

We can think of this as basic measurement error

When evaluating measurements, we should think about:

Validity:

▶ The concept measures what it is supposed to measure

Reliability:

Most measurements will be imperfect proxies of a concept.

We can think of this as basic measurement error

When evaluating measurements, we should think about:

Validity:

▶ The concept measures what it is supposed to measure

Reliability:

▶ The same result is found if the measurement is repeated (by someone else)

Most measurements will be imperfect proxies of a concept.

We can think of this as basic measurement error

When evaluating measurements, we should think about:


Validity:

▶ The concept measures what it is supposed to measure

Reliability:

▶ The same result is found if the measurement is repeated (by someone else)

Measurement and Error



Some concepts are easier to measure than others

Some concepts are easier to measure than others

Easily Validated

Tough to Validate

Age: Date of Birth

Some concepts are easier to measure than others

Easily Validated Tough to Validate

Age: Date of Birth

Wealth: Annual Income

Some concepts are easier to measure than others

Easily Validated

Tough to Validate

Age: Date of Birth

Wealth: Annual Income

Support for Democracy

Some concepts are easier to measure than others

Easily Validated Tough to Validate

Age: Date of Birth

Wealth: Annual Income

Support for Democracy

Support for Immigration

Some concepts are easier to measure than others

Easily Validated Tough to Validate

Age: Date of Birth

Wealth: Annual Income

Support for Democracy

Support for Immigration

How do we measure most of these things?

Some concepts are easier to measure than others

Easily Validated Tough to Validate

Age: Date of Birth

Wealth: Annual Income

Support for Democracy

Support for Immigration

How do we measure most of these things? Surveys!

Survey sampling

Reminder: Learning about a fairly large population by interviewing a small fraction of it.

Survey sampling

Reminder: Learning about a fairly large population by interviewing a small fraction of it.

Assuming the subset is randomly selected

Survey sampling

Reminder: Learning about a fairly large population by interviewing a small fraction of it.

- Assuming the subset is randomly selected
- ► Assuming the subset is representative

How do we actually run a survey?

 $Two\ common\ methods:$

How do we actually run a survey?

Two common methods:

Probability sampling: every unit of a target population has a known AND non-zero probability of being selected

How do we actually run a survey?

Two common methods:

- Probability sampling: every unit of a target population has a known AND non-zero probability of being selected
- ➤ Simple random sampling (SRS): selects a pre-determined number of respondents from a target population with each potential respondent having an equal chance of being selected

How similar is the sample to the 'real-world?'

How similar is the sample to the 'real-world?'

▶ If we repeat the sampling procedure many times, the features of each resulting sample would not be exactly the same as those of the population, but on average (across all the samples) would be identical.

How similar is the sample to the 'real-world?'

▶ If we repeat the sampling procedure many times, the features of each resulting sample would not be exactly the same as those of the population, but on average (across all the samples) would be identical.

We infer population characteristics using those of a representative sample obtained through probability sampling procedures.

How similar is the sample to the 'real-world?'

▶ If we repeat the sampling procedure many times, the features of each resulting sample would not be exactly the same as those of the population, but on average (across all the samples) would be identical.

We infer population characteristics using those of a representative sample obtained through probability sampling procedures.

Candidate support

How similar is the sample to the 'real-world?'

▶ If we repeat the sampling procedure many times, the features of each resulting sample would not be exactly the same as those of the population, but on average (across all the samples) would be identical.

We infer population characteristics using those of a representative sample obtained through probability sampling procedures.

- Candidate support
- Health

How similar is the sample to the 'real-world?'

▶ If we repeat the sampling procedure many times, the features of each resulting sample would not be exactly the same as those of the population, but on average (across all the samples) would be identical.

We infer population characteristics using those of a representative sample obtained through probability sampling procedures.

- Candidate support
- ► Health
- TV and movie preferences

▶ Sampling frame: a list of individuals in the population to sample from

- ► Sampling frame: a list of individuals in the population to sample from
 - Addresses

- ▶ Sampling frame: a list of individuals in the population to sample from
 - Addresses
 - ► Phone numbers (RDD)

- ▶ Sampling frame: a list of individuals in the population to sample from
 - Addresses
 - ► Phone numbers (RDD)
 - Census block

- ▶ Sampling frame: a list of individuals in the population to sample from
 - Addresses
 - Phone numbers (RDD)
 - Census block
- But massive amounts of missing data

- ▶ Sampling frame: a list of individuals in the population to sample from
 - Addresses
 - Phone numbers (RDD)
 - Census block
- ▶ But massive amounts of missing data
 - Cell phones, multiple units at each location/number

- Sampling frame: a list of individuals in the population to sample from
 - Addresses
 - Phone numbers (RDD)
 - Census block
- But massive amounts of missing data
 - Cell phones, multiple units at each location/number

A more complex process

Multi-stage cluster sampling: proceeds in multiple stages by sampling larger units first and then randomly selecting smaller units within each of the selected larger units.

- Sampling frame: a list of individuals in the population to sample from
 - Addresses
 - Phone numbers (RDD)
 - Census block
- But massive amounts of missing data
 - Cell phones, multiple units at each location/number

A more complex process

- Multi-stage cluster sampling: proceeds in multiple stages by sampling larger units first and then randomly selecting smaller units within each of the selected larger units.
 - A random selection from a random subset is just as random as an initial random selection

Things that can go wrong:

Things that can go wrong:

▶ *Unit non-response*: the failure to reach selected units

Things that can go wrong:

- ▶ *Unit non-response*: the failure to reach selected units
- ▶ *Item non-response*: respondents refuse to answer certain survey questions.

Things that can go wrong:

- ▶ *Unit non-response*: the failure to reach selected units
- ▶ *Item non-response*: respondents refuse to answer certain survey questions.
- Social desirability bias: the problem where respondents choose an answer that is seen as socially desirable regardless of what their truthful answer is