## Effects of Early Forming Massive Stars

Sean C. Lewis

December 27, 2022





## Early Forming Massive Stars

Disruption of gas collapse, star formation, and cluster assembly

blah blah



## Early Forming Massive Stars

Disruption of gas collapse, star formation, and cluster assembly

blah blah

la dee dah




### **Torch**

#### Stars from gas


- Couples N-body, stellar evolution, and feedback in AMUSE with self-gravitating magnetized gas in MHD code FLASH.
- Resolved dynamics of stars and gas; study star cluster formation within collapsing GMCs.
- Form stars from sink particles which each have a randomized star mass list sampled from the Kroupa (2001) IMF.

2 / 14

### A Controlled Experiment





Lewis et al. in prep



Lewis et al. in prep


#### Effects on Gas









### Effects on Gas Accretion and Star Formation





# Effects on Star Clustering, Cluster Assembly



## Effects of Early Forming Massive Stars


- Significantly disrupt the natal gas structure, resulting in fast evacuation from the star forming region.
- The star formation rate is suppressed, reducing the total mass of stars formed.
- Early forming massive stars stifle the hierarchical assembly process of massive star clusters, instead promoting the formation of spatially separate and energetically unbound subclusters.

#### The Problem with Initial Conditions

- Self consistent galactic scale simulations with resolution down to sub-tenth parsec scales and include Nbody individual stellar dynamics and individual stellar feedback all at once? A little tough.
- Creating our own isolated clouds from scratch? "Creative liberties..."




#### Clouds from Galactic Simulations




GMC identification [Li, H. et al. 2020]

### From AREPO to FLASH

Try CIC Mapping?




Cloud from raw AREPO data represented using SPH kernels



Cloud-in-cell mapping onto AMR FLASH grid

#### Voronoi Mesh to AMR Grid



0.4 0.2 z (kpc) 0.0 -0.2-0.4-0.4-0.20.0 0.2 0.4 y (kpc)


Figure: Voronoi mesh from 20 points

Figure: AMR grid from 20 points



### VorAMR: Logic path

2a. Convert mesh to particles and construct refined AMR grid



2b. Construct KDtree with field values assigned to leaf nodes

### VorAMR: The Big Wins

- Significantly expands Torch's horizon and moves Torch to "completion".
- Opens wide avenue of collaboration; code bases do not have to be exclusive!
- More accurate visualizations (no more estimating Voronoi meshes as SPH kernels in yt).



Thank You!

\_

Questions?

