deeplearning.ai

Deep Neural Networks

Building blocks of deep neural networks

Forward and backward functions



Layer l: $W^{[l]}, b^{[l]}$

→ Forward: Input $a^{[l-1]}$, output $a^{[l]}$

$z^{[l]} = W^{[l]} a^{[l-1]} + b^{[l]}$ cache $z^{[l]}$

$a^{[l]} = g^{[l]}(z^{[l]})$

→ Backward: Input $da^{[l]}$, output $da^{[l-1]}$, $dW^{[l]}$, $db^{[l]}$ cache($z^{[l]}$)



Andrew Ng

Forward and backward functions



Andrew Ng

deeplearning.ai

Deep Neural Networks

Forward and backward propagation

Forward propagation for layer l

- Input $a^{[l-1]}$
- Output $a^{[l]}$, cache ($z^{[l]}$)

$W^{[l]}, b^{[l]}$

$z^{[l]} = W^{[l]} \cdot a^{[l-1]} + b^{[l]}$

$a^{[l]} = g^{[l]}(z^{[l]})$

Vertorized:

$Z^{[l]} = W^{[l]} \cdot A^{[l-1]} + b^{[l]}$

$A^{[l]} = g^{[l]}(Z^{[l]})$

$a^{[0]}$

$A^{[0]}$



Backward propagation for layer l

- Input $da^{[l]}$
- Output $da^{[l-1]}, dW^{[l]}, db^{[l]}$

$$dz^{[l]} = da^{[l]} * g^{[l]\prime}(z^{[l]})$$

$$dW^{[l]} = dz^{[l]} \cdot a^{[l-1]}$$

$$db^{[l]} = dz^{[l]}$$

$$da^{[l-1]} = W^{[l]T} \cdot dz^{[l]}$$

$$dz^{[l]} = W^{[l+1]T} dz^{[l+1]} * g^{[l]\prime}(z^{[l]})$$

$$dz^{[l]} = dA^{[l]} * g^{[l]\prime}(z^{[l]})$$

$$dW^{[l]} = \frac{1}{m} dz^{[l]} \cdot A^{[l-1]T}$$

$$db^{[l]} = \frac{1}{m} np.sum(dz^{[l]}, axis=1, keepdims=True)$$

$$dA^{[l-1]} = W^{[l]T} \cdot dz^{[l]}$$

Andrew Ng

Summary



Andrew Ng