

GriefGuardian Project - Full Code PDF (Frontend + Backend)

Folder Structure:

```
griefguardian/ ├── frontend/ |   ├── package.json |   ├── styles/globals.css |   ├──
pages/_app.js |   ├── pages/index.js |   ├── components/Header.js |   ├──
components/Footer.js |   ├── components/ChatBox.js |   ├── backend/ |   ├── package.json |   ├──
server.js |   ├── config/db.js |   ├── models/user.js |   ├── routes/auth.js |   ├── routes/chat.js
```

```
/* ===== frontend/package.json ===== */ { "name": "griefguardian-frontend", "version": "1.0.0",
"scripts": { "dev": "next dev", "build": "next build", "start": "next start" }, "dependencies": { "next":
"13.x", "react": "18.x", "react-dom": "18.x", "axios": "1.x" } }
```

```
/* ===== frontend/styles/globals.css ===== */ body { margin: 0; font-family: Arial, sans-serif;
background: #f7f7f7; color: #222; }
```

```
/* ===== frontend/pages/_app.js ===== */ import './styles/globals.css'; export default function
App({ Component, pageProps }) { return <Component {...pageProps} />; }
```

```
/* ===== frontend/pages/index.js ===== */ import Header from '../components/Header'; import
Footer from '../components/Footer'; export default function Home() { return ( <div> <Header />
<main style={{ padding: '2em' }}> <h1>Welcome to GriefGuardian</h1> <p>Your AI companion
for grief support, memory preservation, and healing.</p> </main> <Footer /> </div> ); }
```

```
/* ===== frontend/components/Header.js ===== */ export default function Header() { return (
<header style={{ background: '#6B5B95', color: 'white', padding: '1em', textAlign: 'center' }}>
<h1>GriefGuardian</h1> <nav> <a href="/" style={{ margin: '0 1em', color: 'white' }}>Home</a>
<a href="/chat" style={{ margin: '0 1em', color: 'white' }}>Chat</a> <a href="/memories" style={{
margin: '0 1em', color: 'white' }}>Memories</a> <a href="/reflection" style={{ margin: '0 1em',
color: 'white' }}>Reflection</a> <a href="/community" style={{ margin: '0 1em', color: 'white'
}}>Community</a> <a href="/profile" style={{ margin: '0 1em', color: 'white' }}>Profile</a> </nav>
</header> ); }
```

```
/* ===== frontend/components/Footer.js ===== */ export default function Footer() { return ( <footer
style={{ background: '#6B5B95', color: 'white', padding: '1em', textAlign: 'center', marginTop:
'2em' }}> <p>© 2026 GriefGuardian. All rights reserved.</p> </footer> ); }
```

```
/* ===== frontend/components/ChatBox.js ===== */ import { useState } from 'react'; export default
function ChatBox() { const [message, setMessage] = useState(""); const [chat, setChat] =
useState([]);
```

```
const sendMessage = async () => { if (!message) return; setChat([...chat, { user: message, ai: 'AI response placeholder' }]); setMessage(""); };
```

```
return ( <div> <div style={{ border: '1px solid #ccc', padding: '1em', minHeight: '300px',  
marginBottom: '1em', overflowY: 'auto' }}> {chat.map((c, i) => ( <div  
key={i}><strong>You:</strong> {c.user}<br /><strong>AI:</strong> {c.ai}</div> ))} </div> <input  
value={message} onChange={e => setMessage(e.target.value)} placeholder='Type message'  
style={{ width: '70%', padding: '0.5em' }} /> <button onClick={sendMessage} style={{ padding:  
'0.5em 1em', marginLeft: '0.5em' }}>Send</button> </div> ); }
```

```
/* ==== backend/package.json ==== */ { "name": "griefguardian-backend", "version": "1.0.0",  
"main": "server.js", "scripts": { "start": "node server.js" }, "dependencies": { "express": "4.x",  
"cors": "2.x", "body-parser": "1.x", "pg": "8.x", "stripe": "12.x", "dotenv": "16.x", "jsonwebtoken":  
"9.x", "bcrypt": "5.x" } }
```

```
/* ==== backend/config/db.js ==== */ const { Pool } = require('pg'); const pool = new Pool({  
connectionString: process.env.DATABASE_URL }); module.exports = pool;
```

```
/* ==== backend/models/user.js ==== */ const pool = require('../config/db'); module.exports = {  
createUser: async (email, passwordHash) => { const res = await pool.query('INSERT INTO  
users(email,password) VALUES($1,$2) RETURNING id,email', [email, passwordHash]); return  
res.rows[0]; }, findByEmail: async (email) => { const res = await pool.query('SELECT * FROM  
users WHERE email=$1', [email]); return res.rows[0]; } };
```

```
/* ==== backend/routes/auth.js ==== */ const express = require('express'); const router =  
express.Router(); const jwt = require('jsonwebtoken'); const bcrypt = require('bcrypt'); const  
User = require('../models/user');
```

```
router.post('/register', async (req, res) => { const { email, password } = req.body; const hash =  
await bcrypt.hash(password, 10); const user = await User.createUser(email, hash); res.json({  
user }); });
```

```
router.post('/login', async (req, res) => { const { email, password } = req.body; const user = await  
User.findByEmail(email); if (!user) return res.status(404).send('User not found'); const valid =  
await bcrypt.compare(password, user.password); if (!valid) return res.status(401).send('Invalid  
password'); const token = jwt.sign({ id: user.id }, process.env.JWT_SECRET, { expiresIn: '7d' });  
res.json({ token }); });
```

```
module.exports = router;
```

```
/* ==== backend/routes/chat.js ==== */ const express = require('express'); const router =  
express.Router(); router.post('/', async (req, res) => { res.json({ response: 'AI response  
placeholder' }); }); module.exports = router;
```

```
/* ==== backend/server.js ==== */ const express = require('express'); const cors =  
require('cors'); const bodyParser = require('body-parser'); require('dotenv').config();  
  
const authRoutes = require('./routes/auth'); const chatRoutes = require('./routes/chat');  
  
const app = express(); app.use(cors()); app.use(bodyParser.json());  
  
app.use('/api/auth', authRoutes); app.use('/api/chat', chatRoutes);  
  
const PORT = process.env.PORT || 3001; app.listen(PORT, () => console.log(Backend running  
on port ${PORT}));
```