OMA Test Cases -Warsaw TestFest, Oct/Nov 2017

Konas - Warsaw Server ALL Results

Answer Options	Pass	Fail	Incon-clusive	Not Applicable	Out of Time	Response Count
REGISTRATION INTERFACE				Applicable		Count
LightweightM2M-1.0-int-102 - Registration Update	3	0	0	0	0	3
LightweightM2M-1.0-int-102 - Registration Update	3	0	0	0	0	3
LightweightM2M-1.0-int-201 - Querying basic information in Plain Text format	3	0	0	0	0	3
LightweightM2M-1.0-int-203 - Querying basic information in TLV format	3	0	0	0	0	3
Bootstrap Interface						
LightweightM2M-1.0-int-0 - Client Initiated Bootstrap	6	0	0	1	2	9
Registration Interface						
LightweightM2M-1.0-int-101 - Initial Registration	9	0	0	0	0	9
LightweightM2M-1.0-int-102 - Registration Update	6	0	3	0	0	9
LightweightM2M-1.0-int-103 - Deregistration	8	0	0	1	0	9
LightweightM2M-1.0-int-104 - Registration Update Trigger	9	0	0	0	0	9
Device management & Service Enablement Interface	3		•	- U		
LightweightM2M-1.0-int-201 - Querying basic information in Plain Text format	9	0	0	0	0	9
LightweightM2M-1.0-int-202 - Querying basic information in Opaque format	0	0	0	9	0	9
LightweightM2M-1.0-int-203 - Querying basic information in TLV format	9	0	0	0	0	9
LightweightM2M-1.0-int-204 - Querying basic information in JSON format	6	1	0	2	0	9
LightweightM2M-1.0-int-205 - Setting basic information in Plain Text format	8	0	0	1	0	9
LightweightM2M-1.0-int-210 - Setting basic information in Opaque format	0	0	0	9	0	9
LightweightM2M-1.0-int-215 - Setting basic information in TLV format	6	0	0	1	2	9
LightweightM2M-1.0-int-220 - Setting basic information in JSON format	3	0	0	4	2	9
LightweightM2M-1.0-int-241 - Executable Resource: Rebooting the device	8	0	0	0	1	9
LightweightM2M-1.0-int-260 - Discover Command	5	2	0	2	0	9
LightweightM2M-1.0-int-270 - Create Object Instance	3	0	0	6	0	9
LightweightM2M-1.0-int-271 - Create Multiple Resource Instance	0	0	0	9	0	9
LightweightM2M-1.0-int-290 - Delete Object Instance	3	0	0	6	0	9
INFORMATION REPORTING INTERFACE						
LightweightM2M-1.0-int-301 - Observation and Notification of parameter values	8	0	0	1	0	9
LightweightM2M-1.0-int-302 - Cancel Observations using Reset Operation	6	0	1	2	0	9
LightweightM2M-1.0-int-303 - Cancel Observations using Observe with Cancel parameter	5	0	0	2	2	9
SECURITY						
LightweightM2M-1.0-int-401 - UDP Channel Security - Pre-shared Key Mode	5	1	0	2	1	9
SERVER OBJECT (ID 1)						
LightweightM2M-1.0-int-551 - Access Check to the Resources	6	0	0	1	2	9
LightweightM2M-1.0-int-555 - Check of the Disable (De-Registration) capability	6	0	0	2	1	9
LightweightM2M-1.0-int-556 - Check of the Update Registration capability	7	0	0	1	1	9
LightweightM2M-1.0-int-560 - Delayed Report Notification	0	0	0	8	1	9
LightweightM2M-1.0-int-565 - Create Object Instance	0	0	0	8	1	9
LightweightM2M-1.0-int-566 - Delete Object Instance	0	0	0	8	1	9

LightweightM2M-1.0-int-651 - Check Access to the Resources LightweightM2M-1.0-int-652 - Querying the firmware version from the client LightweightM2M-1.0-int-655 - Check of the "Reboot" capability LightweightM2M-1.0-int-655 - Check of the "Factory Reset" capability LightweightM2M-1.0-int-656 - Check of the "Factory Reset" capability LightweightM2M-1.0-int-657 - Check of the "Error Code" functionality LightweightM2M-1.0-int-660 - Basic Observation and notification of Device Object Resources LightweightM2M-1.0-int-661 - Extended Observation and notification of Device Object Resources LightweightM2M-1.0-int-670 - Create Multiple Resource Instances LightweightM2M-1.0-int-680 - Create Object Instance LightweightM2M-1.0-int-685 - Delete Object Instance The Maccontent of the Resource of Object Instance LightweightM2M-1.0-int-701 - Querying the readable resources of object LightweightM2M-1.0-int-705 - Setting the writable resources O	1 0 0 0 0 0 0 0 0 0 2 1	1 0 0 0 0 0 0 0 0 0 0	2 0 2 6 9 2 9 9 1 1 1	0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9
LightweightM2M-1.0-int-652 - Querying the firmware version from the client LightweightM2M-1.0-int-655 - Check of the "Reboot" capability LightweightM2M-1.0-int-656 - Check of the "Factory Reset" capability LightweightM2M-1.0-int-657 - Check of the "Error Code" functionality LightweightM2M-1.0-int-657 - Check of the "Error Code" functionality LightweightM2M-1.0-int-660 - Basic Observation and notification of Device Object Resources 7 LightweightM2M-1.0-int-661 - Extended Observation and notification of Device Object Resources LightweightM2M-1.0-int-670 - Create Multiple Resource Instances LightweightM2M-1.0-int-680 - Create Object Instance LightweightM2M-1.0-int-685 - Delete Object Instance To be the Manager of Device Object Instance LightweightM2M-1.0-int-685 - Delete Object Instance To be the Manager of Device Object Instance LightweightM2M-1.0-int-701 - Querying the readable resources of object LightweightM2M-1.0-int-705 - Setting the writable resources O	0 0 0 0 0 0 0 0 2 1	0 0 0 0 0 0 0 0 0	0 2 6 9 2 9 9 1 1	0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9
LightweightM2M-1.0-int-655 - Check of the "Reboot" capability LightweightM2M-1.0-int-656 - Check of the "Factory Reset" capability LightweightM2M-1.0-int-657 - Check of the "Error Code" functionality LightweightM2M-1.0-int-657 - Check of the "Error Code" functionality LightweightM2M-1.0-int-660 - Basic Observation and notification of Device Object Resources 7 LightweightM2M-1.0-int-661 - Extended Observation and notification of Device Object Resources 0 LightweightM2M-1.0-int-670 - Create Multiple Resource Instances 0 LightweightM2M-1.0-int-680 - Create Object Instance 1 LightweightM2M-1.0-int-685 - Delete Object Instance 7 LightweightM2M-1.0-int-685 - Delete Object Instance 7 LightweightM2M-1.0-int-705 - Setting the readable resources of object 7 LightweightM2M-1.0-int-705 - Setting the writable resources	0 0 0 0 0 0 0 0 2 1	0 0 0 0 0 0 0 0	2 6 9 2 9 9 1 1	0 0 0 0 0 0 0 0	9 9 9 9 9 9 9
LightweightM2M-1.0-int-656 - Check of the "Factory Reset" capability LightweightM2M-1.0-int-657 - Check of the "Error Code" functionality LightweightM2M-1.0-int-650 - Basic Observation and notification of Device Object Resources 7 LightweightM2M-1.0-int-661 - Extended Observation and notification of Device Object Resources 0 LightweightM2M-1.0-int-670 - Create Multiple Resource Instances 0 LightweightM2M-1.0-int-680 - Create Object Instance 1 LightweightM2M-1.0-int-685 - Delete Object Instance 7 LightweightM2M-1.0-int-685 - Delete Object Instance 7 LightweightM2M-1.0-int-705 - Ouerying the readable resources of object 1 LightweightM2M-1.0-int-701 - Querying the readable resources of object 7 LightweightM2M-1.0-int-705 - Setting the writable resources	0 0 0 0 0 0 2 1	0 0 0 0 0 0 0	6 9 2 9 9 1 1	0 0 0 0 0 0 0 0	9 9 9 9 9 9
LightweightM2M-1.0-int-657 - Check of the "Error Code" functionality LightweightM2M-1.0-int-660 - Basic Observation and notification of Device Object Resources 1 clightweightM2M-1.0-int-661 - Extended Observation and notification of Device Object Resources 2 clightweightM2M-1.0-int-670 - Create Multiple Resource Instances 3 clightweightM2M-1.0-int-680 - Create Object Instance 4 clightweightM2M-1.0-int-685 - Delete Object Instance 5 clightweightM2M-1.0-int-685 - Delete Object Instance 6 clightweightM2M-1.0-int-685 - Delete Object Instance 7 clightweightM2M-1.0-int-705 - Setting the readable resources of object 1 clightweightM2M-1.0-int-705 - Setting the writable resources 1 clightweightM2M-1.0-int-705 - Setting the writable resources	0 0 0 0 0 2 1	0 0 0 0 0 0	9 2 9 9 1 1	0 0 0 0 0 0	9 9 9 9 9 9
LightweightM2M-1.0-int-660 - Basic Observation and notification of Device Object Resources LightweightM2M-1.0-int-661 - Extended Observation and notification of Device Object Resources LightweightM2M-1.0-int-670 - Create Multiple Resource Instances LightweightM2M-1.0-int-680 - Create Object Instance LightweightM2M-1.0-int-685 - Delete Object Instance To be supported by the control of the	0 0 0 2 1	0 0 0 0 0 0	2 9 9 1 1	0 0 0 0 0	9 9 9 9 9
LightweightM2M-1.0-int-661 - Extended Observation and notification of Device Object Resources LightweightM2M-1.0-int-670 - Create Multiple Resource Instances LightweightM2M-1.0-int-680 - Create Object Instance LightweightM2M-1.0-int-685 - Delete Object Instance To be supported by the support of the su	0 0 2 1 0 0 0	0 0 0 0 0	9 9 1 1 1	0 0 0 0 0	9 9 9 9
LightweightM2M-1.0-int-670 - Create Multiple Resource Instances LightweightM2M-1.0-int-680 - Create Object Instance LightweightM2M-1.0-int-685 - Delete Object Instance Total Connectivity Monitoring (ID 4) LightweightM2M-1.0-int-701 - Querying the readable resources of object LightweightM2M-1.0-int-705 - Setting the writable resources O LightweightM2M-1.0-int-705 - Setting the writable resources	0 2 1 0 0 0	0 0 0	9 1 1	0 0 0	9 9 9
LightweightM2M-1.0-int-680 - Create Object Instance LightweightM2M-1.0-int-685 - Delete Object Instance To be support of the	0 0 0	0 0	1 1	0 0	9
LightweightM2M-1.0-int-685 - Delete Object Instance LWM2M CONNECTIVITY MONITORING (ID 4) LightweightM2M-1.0-int-701 - Querying the readable resources of object 7 LightweightM2M-1.0-int-705 - Setting the writable resources 0	1 0 0 0	0 0	1	0	9
LWM2M CONNECTIVITY MONITORING (ID 4) LightweightM2M-1.0-int-701 - Querying the readable resources of object 7 LightweightM2M-1.0-int-705 - Setting the writable resources 0	0 0	0	1	1	
LightweightM2M-1.0-int-701 - Querying the readable resources of object 7 LightweightM2M-1.0-int-705 - Setting the writable resources 0	0 0	0	_		9
LightweightM2M-1.0-int-705 - Setting the writable resources	0 0	0	_		9
-g-mang-manus-manu	0		9		
		0		0	9
LightweightM2M-1.0-int-710 - Basic Observation and notification on Connectivity Monitoring Object Resources 7	0		1	1	9
LightweightM2M-1.0-int-711 - Extended Observation and notification of Connectivity Monitoring Object Resources 0		0	9	0	9
LightweightM2M-1.0-int-720 - Create Multiple Resource Instances	0	0	9	0	9
LightweightM2M-1.0-int-730 - Create Object Instance	0	0	9	0	9
LightweightM2M-1.0-int-735 - Delete Object Instance	0	0	9	0	9
FIRMWARE UPDATE OBJECT (ID 5)					
LightweightM2M-1.0-int-751 - Querying the readable resources	0	0	1	0	9
LightweightM2M-1.0-int-755 - Setting the writable Resource Package	0	0	3	0	9
LightweightM2M-1.0-int-756 - Setting the writable Resource Package URI	0	1	2	0	9
LightweightM2M-1.0-int-760 -Basic Observation and notification on Firmware Update Object Resources 6	0	0	3	0	9
LightweightM2M-1.0-int-770 - Successful Firmware update (via COAP) 4	1	0	4	0	9
LightweightM2M-1.0-int-771 - Successful Firmware update (via alternative mechanism) 4	1	0	3	1	9
LightweightM2M-1.0-int-772 - Error Case 1: firmware installation without downloaded package	0	0	3	0	9
LightweightM2M-1.0-int-773 - Error Case 2: shortage of storage memory 4	0	0	4	1	9
LightweightM2M-1.0-int-774 - Error Case 3: out of memory 3	0	0	5	1	9
LightweightM2M-1.0-int-775 - Error Case 4: Connection lost during download (package URI)	0	0	4	1	9
LightweightM2M-1.0-int-776 - Error Case 5: Package Integrity check failure	0	0	4	1	9
LightweightM2M-1.0-int-777 - Error Case 6: unsupported package type	1	0	3	1	9
LightweightM2M-1.0-int-778 - Error Case 7: invalid URI (package URI)	1	0	4	1	9
LightweightM2M-1.0-int-779 - Error Case 8: Unsuccessful Firmware Update	0	0	3	1	9
LightweightM2M-1.0-int-780 - Error Case 9: Unsupported protocol	0	0	6	1	9
LOCATION OBJECT (ID 6)		-		_	
LightweightM2M-1.0-int-801 - Querying the readable resources of object 6	0	0	2	1	9
LightweightM2M-1.0-int-805 - Setting the writable resources 0	0	0	8	1	9
LightweightM2M-1.0-int-810 - Basic Observation and notification on Location Object Instance	0	0	2	1	9
LightweightM2M-1.0-int-811 - Extended Observation and notification of Location Object Instance	0	0	8	1	9
LightweightM2M-1.0-int-820 - Create Multiple Resource Instances	0	0	8	1	9
LightweightM2M-1.0-int-830 - Create Object Instance	0	0	8	1	9
LightweightM2M-1.0-int-835 - Delete Object Instance	0	0	8	1	9
CONNECTIVITY STATISTICS (ID 7)					

LightweightM2M-1.0-int-901 - Querying a Data Collection from Connectivity Object Instance	6	0	0	2	1	9
LightweightM2M-1.0-int-905 - Setting the writable resources	4	0	0	4	1	9
LightweightM2M-1.0-int-910 - Basic Observation and notification on Connectivity Monitoring Object Instance	4	0	0	4	1	9
LightweightM2M-1.0-int-911 - Extended Observation and notification of Connectivity Statistics Object Instance	0	0	0	8	1	9
LightweightM2M-1.0-int-920 - Create Multiple Resource Instances	0	0	0	8	1	9
LightweightM2M-1.0-int-930 - Create Object Instance	0	0	0	8	1	9
LightweightM2M-1.0-int-935 - Delete Object Instance	0	0	0	8	1	9
Multi-Servers Context						
LightweightM2M- 1.0 - int-950 - Multi-Servers Registration	5	0	0	3	1	9
LightweightM2M- 1.0 - int-951 - Multi-Servers & Attributes	5	0	0	3	1	9
CELLULAR NETWORK CONNECTIVITY (ID 10)						
LightweightM2M-1.0-int-1200 - Querying the readable resources of Object ID:10	2	0	0	6	1	9
LightweightM2M-1.0-int-1201 - Querying the readable resources of Object ID:10 in version 1.1	1	0	0	7	1	9
LightweightM2M-1.0-int-1210 - Setting the Power Saving Mode Resources of Object ID:10 (version 1.1 only)	1	0	0	7	1	9
LightweightM2M-1.0-int-1230 - Observation and notification on Object ID:0 related to Power Saving Mode Resources (version 1.1 only)	1	0	0	7	1	9
APN CONNECTION PROFILE (ID 11)						
LightweightM2M-CONMGMT - 1.0-int - 1250 - APN Configuration	1	0	0	7	1	9
BEARER SELECTION (ID 13)						
LightwightM2M-CONMGMT - 1.0-int-1350 - Bearer Selection	1	0	0	7	1	9
PORTFOLIO OBJECT (ID 16)						
LightweightM2M-1.0-int-1600 - Querying the readable resources of object	1	0	0	7	1	9
LightweightM2M-1.0-int-1605 - Setting the writable resources	0	0	0	8	1	9
LightweightM2M-1.0-int-1610 - Basic Observation and notification of a Portfolio Object Instance	0	0	0	8	1	9
LightweightM2M-1.0-int-1611 - Extended Observation and notification of a Portfolio Object Instance	0	0	0	8	1	9
LightweightM2M-1.0-int-1620 - Create Multiple Resource Instances	0	0	0	8	1	9
LightweightM2M-1.0-int-1630 - Create Portfolio Object Instance	3	0	0	5	1	9
LightweightM2M-1.0-int-1635 - Delete Portfolio Object Instance	3	0	0	5	1	9
Totals Totals	318	12	6	408	57	801

Explanation of Test Cases Results

	Tot budge Hodgite		
Test Case Result	Criteria		
Pass	Both teams agree that the Test Case "Pass Criteria" has been met.		
Fail	Both teams agreed that the Test Case "Pass Criteria" was not met.		
Inconclusiv	Teams are not in agreement of the Test result or the Test Case has not been run due to functionality not being tested as a result of an error in the implementation or other functionality that is required to run		
е	this Test Case.		
Not	Test Case that has not been run due to one of the implementations does not support the functionality required to run this Test Case.		
Applicable	Total case that has been an add to the on the imperioritations about the farmation and total case.		
Out of	here was not enough time to test the Test Case.		
Time	3 There was not enough unterto test the Test Case.		