Modeling Evolution with Changing Selection Pressure

Sean Medin

Birth Rate Equation

$$(\frac{m}{n}(b_A + r_A(m, n))e^{\frac{-1}{C_A}\sum \frac{m_i}{n}} + \frac{n - m}{n}(b_B + r_B(m, n))e^{\frac{-1}{C_B}\sum \frac{n - m_i}{n}})e^{\frac{-N}{C_W}}$$

Built in Features of System

1. The mutual resource (C_W) is small enough and/or the rewards (a_i) for homogeneity are large enough such that when:

$$(b_i + a_i)e^{-N(\frac{1}{C_i} + \frac{1}{C_W})} \approx d$$
 (1)

where i represents the food source that organisms mostly consume, we also have the condition that:

$$b_j e^{-\frac{N}{C_j}} < d$$

where j respresents the food resource that most organisms do not consume at all.

- 2. $b_A + a_A \approx b_B + a_B$ so that consuming each of the foods are roughly equally beneficial for a single organism.
- 3. The above feature is only true in the limit that $C_W, C_A, C_B >> 1$ except when we are decreasing C_W .

Favorable Genotype test

An organism with a given genotype is expected to have its population increase when

$$\left(\frac{m}{n}(b_A + r_A(m, n))e^{\frac{-1}{C_A}\sum \frac{m_i}{n}} + \frac{n - m}{n}(b_B + r_B(m, n))e^{\frac{-1}{C_B}\sum \frac{n - m_i}{n}}\right)e^{\frac{-N}{C_W}} + M \cdot G > d$$

where $M \cdot G$ represents the number of organisms born from other genotypes with this genotype minus the number of organisms born with this genotype mutating to have a different genotype.

If have most organisms consuming a single food resource i, then we would not expect organisms consuming the other food resource to start to form if:

$$r_i e^{\frac{-N}{C_i}} > \frac{1}{n} (1 - e^{\frac{-N}{C_i}})$$

Stable Equilibrium


Equilibrium is reached when the birth rate is equal to the death rate. For a system with a small mutation rate, a positive reward, and several genes, there are only two stable equilibrium positions.

- 1. The wide majority of the organisms (typically more than 90%) consume a single food source. There are some organisms with one or two mutations away from that food source (due to the fact that the organisms always have some chance of mutating), but those dwindle quickly to 0 with the number of mutations leading away from consuming that food resource increase. There is always some possibility of leaving this genotype if an organism suddenly mutates to having all genes for consuming the other food resource, but for reasonably large n, this is highly unlikely.
- 2. Two genotypes dominate: one for each of the two food resources. Like in the last case, some in between genotypes are present, but in very low numbers.

For the first case, we will be at an equilibrium when the birth rate of the organisms consuming all of one food is equal to the death rate. We can find the approximate total population by solving for N in equation 1. For these simulations, $N \approx 11500$. We will also have a small number of organisms with a genotype one mutation away. The number of these can be found approximately using the following equation:


$$\mu Nd = a_i N_1 e^{-N(\frac{1}{C_0} + \frac{1}{C_i})}$$

where N_1 is the population of organisms one mutation away from the dominant genotype. Plugging in the numbers predicts that we'd have $N_1 \approx 350$. The number of organisms with other genotypes is typically in the single digits. An example population graph over time is below:




Unstable Equilibrium

While there are technically many equilibria involving large numbers of organisms that don't have the two 'pure' genotypes (in fact, one of them would have any of the two 'pure' genotypes), none of them are stable. This is because neutral drift will always eventually lead to the one or both of the homogenous genotypes showing up and, due to the extra reward for being homogenous, they will inevitably out compete all the other genotypes. It is still possible that this can take a very long time with a large number of genes. An example graph is below (10 genes, with the initial population being at an equilibrium with every organism having half of their genes being beneficial for one of the food resources):



Sample Evolution



Time Until New Equilibrium Versus Number of Genes Original Food Decline and Return

Case 1: Original Food Wins

Case 2: New Food Wins

Case 3: Coexistence