

The interactive origin of iconiciy: Permutation tests

Load libraries

```
library(gplots)
library(lattice)
library(lme4)
```

Load data

```
finalLangs = read.csv("../data/finalLanguages/FinalLanguages.csv", stringsAsFactors = F)
# make a variable which stores condition, chain and generation
finalLangs$cond2 = paste(finalLangs$Cond,finalLangs$Chain, finalLangs$Gen)
```

Run permutation test

For each output language, take the difference in means in spikiness ratings between spiky and non-spiky meanings. Compare this to 1000 permutations of the numbers.

```
# Set the random seed for reproducibility
set.seed(1278)

# what factor should the data be split by?
split = finalLangs[finalLangs$cond2==unique(finalLangs$cond2)[1],]$Shape

# for each language (a single generation's output)
res = tapply(finalLangs$RatedSpikiness, finalLangs$cond2, function(X){
  # calculate the true difference
  trueDiff = -diff(tapply(X, split, mean))
  # permute the numbers and re-calculate difference
  permDiff = replicate(1000,
    {-diff(tapply(sample(X), split, mean)) })

  # work out p and z-scores
  p = 1- sum(trueDiff > permDiff ) / length(permDiff)
  z.score = (trueDiff - mean(permDiff)) / sd(permDiff)
  return(c(p,z.score))
})
```

Recast results into data frame:

```
res2 = data.frame(
  p = sapply(res, head, n=1),
  z = sapply(res, tail, n=1),
  t(sapply(names(res), function(X){
```

```

    strsplit(X, " ")[[1]]
  )))
, stringsAsFactors = F)
names(res2) = c("p", "z", "condition", "chain", "gen")

```



Plot the results. Each line represents an independent chain. The red lines show the results for the Learning condition. The results suggest that there is no strong difference between the conditions. One of the learning chains decreases in iconicity, due to that chain focussing on specifying the colour rather than the shape.

```

par(mfrow=c(1,2))
plot(c(1,6), c(-3,3), type='n', ylab='Z score', xlab='Generations')
for(i in unique(res2$chain)){
  dx = res2[res2$chain==i,]
  lines(dx$gen, dx$z, col=c("black", "red")[dx$condition=="Learn"+1])
}

plot(c(1,6), c(0,1), type='n', ylab='p', xlab='Generations')
for(i in unique(res2$chain)){
  dx = res2[res2$chain==i,]
  lines(dx$gen, dx$p, col=c("black", "red")[dx$condition=="Learn"+1])
}

```



```

rownames(res2) = NULL
res2

```

##	p	z	condition	chain	gen
## 1	0.365	0.39651582	Communication	0	1
## 2	0.192	0.87023750	Communication	0	2
## 3	0.036	1.90398924	Communication	0	3
## 4	0.018	2.19686551	Communication	0	4
## 5	0.171	0.96732544	Communication	0	5

## 6	0.032	1.81968720	Communication	0	6
## 7	0.410	0.27163156	Communication	1	1
## 8	0.234	0.85438818	Communication	1	2
## 9	0.025	1.99017220	Communication	1	3
## 10	0.011	2.29125403	Communication	1	4
## 11	0.193	1.09194544	Communication	1	5
## 12	0.002	2.83378086	Communication	1	6
## 13	0.452	0.11931504	Communication	2	1
## 14	0.841	-0.99573110	Communication	2	2
## 15	0.641	-0.46244255	Communication	2	3
## 16	0.232	0.86643742	Communication	2	4
## 17	0.038	1.71762100	Communication	2	5
## 18	0.213	0.86711511	Communication	2	6
## 19	0.587	-0.21997100	Communication	3	1
## 20	0.556	-0.17252929	Communication	3	2
## 21	0.171	0.87557683	Communication	3	3
## 22	0.127	1.16617467	Communication	3	4
## 23	0.592	-0.36031071	Communication	3	5
## 24	0.368	0.27612849	Communication	3	6
## 25	0.303	0.57103499	Learn	4	1
## 26	0.183	1.02227196	Learn	4	2
## 27	0.385	0.41949120	Learn	4	3
## 28	0.544	-0.11348068	Learn	4	4
## 29	0.521	-0.03655111	Learn	4	5
## 30	0.452	0.08509545	Learn	4	6
## 31	0.494	0.13627918	Learn	5	1
## 32	0.525	0.02997840	Learn	5	2
## 33	0.143	1.23116378	Learn	5	3
## 34	0.001	2.73954890	Learn	5	4
## 35	0.012	2.37478332	Learn	5	5
## 36	0.016	2.21463208	Learn	5	6
## 37	0.905	-1.39552168	Learn	6	1
## 38	0.902	-1.29934990	Learn	6	2
## 39	0.437	0.05754949	Learn	6	3
## 40	0.978	-1.99616121	Learn	6	4
## 41	0.996	-2.54919070	Learn	6	5
## 42	1.000	-3.20395726	Learn	6	6
## 43	0.294	0.63720477	Learn	7	1
## 44	0.757	-0.71198396	Learn	7	2
## 45	0.524	-0.08605136	Learn	7	3
## 46	0.336	0.68413893	Learn	7	4
## 47	0.499	0.17370403	Learn	7	5
## 48	0.519	0.12991654	Learn	7	6

Looking only at red-coloured meanings

The mixed effects results suggested that there is a difference between conditions. The difference could be because the permutation test does not take into account effects of items nor the other aspects of meaning.

```
finalLangs2 = finalLangs[finalLangs$Colour=="Rojo",]

# Set the random seed for reproducibility
set.seed(1278)

# what factor should the data be split by?
split = finalLangs2[finalLangs2$cond2==unique(finalLangs2$cond2)[1],]$Shape



# for each language (a single generation's output)
resRed = tapply(finalLangs2$RatedSpikiness, finalLangs2$cond2, function(X){
  # calculate the true difference
  trueDiff = -diff(tapply(X, split, mean))
  # permute the numbers and re-calculate difference
  permDiff = replicate(1000,
    {-diff(tapply(sample(X), split, mean)) })

  # work out p and z-scores
  p = 1- sum(trueDiff > permDiff ) / length(permDiff)
  z.score = (trueDiff - mean(permDiff)) / sd(permDiff)
  return(c(p,z.score))
})
res2Red = data.frame(
p = sapply(resRed, head, n=1),
z = sapply(resRed, tail, n=1),
t(sapply(names(resRed), function(X){
  strsplit(X, " ")[[1]]
})))
, stringsAsFactors = F)
names(res2Red) = c("p", "z", "condition", "chain", "gen")
```

Plot the results. In this case, we do see a division between the two conditions by the last generation.

```
par(mfrow=c(1,2))
plot(c(1,6), c(-3,3), type='n', ylab='Z score')
for(i in unique(res2Red$chain)){
  dx = res2Red[res2Red$chain==i,]
  lines(dx$gen, dx$z, col=c("black", "red")[(dx$condition=="Learn")+1])
}

plot(c(1,6), c(0,1), type='n', ylab='p')
for(i in unique(res2Red$chain)){
  dx = res2Red[res2Red$chain==i,]
  lines(dx$gen, dx$p, col=c("black", "red")[(dx$condition=="Learn")+1])
}
```



Stratified permutation

More generally, the results change if we run a permutation test on the whole data, but only permuting within colour.



```
set.seed(2389)
split = finalLangs[finalLangs$cond2==unique(finalLangs$cond2)[1],]$Shape
permWithin = finalLangs[finalLangs$cond2==unique(finalLangs$cond2)[1],]$Colour

res3 = tapply(finalLangs$RatedSpikiness, finalLangs$cond2, function(X){
  trueDiff = -diff(tapply(X, split, mean))
  permDiff = replicate(1000,
    {-diff(tapply(
      unlist(tapply(X, permWithin, sample)), split, mean)) })
  p = 1- sum(trueDiff > permDiff) / length(permDiff)
  z.score = (trueDiff - mean(permDiff)) / sd(permDiff)
  return(c(p, z.score))
})

res4 = data.frame(
  p = sapply(res3, head, n=1),
  z = sapply(res3, tail, n=1),
  t(sapply(names(res3), function(X){
    strsplit(X, " ")[[1]]
  })),
  , stringsAsFactors = F)
names(res4) = c("p", "z", "condition", "chain", "gen")

par(mfrow=c(1,2))
plot(c(1,6), c(-20,20), type='n', ylab='Z score', xlab='Generations')
for(i in unique(res4$chain)){
  dx = res4[res4$chain==i,]
  lines(dx$gen, dx$z, col=c("black", "red")[dx$condition=="Learn"+1])
}

plot(c(1,6), c(0,1), type='n', ylab='p', xlab='Generations')
for(i in unique(res4$chain)){
  dx = res4[res4$chain==i,]
  lines(dx$gen, dx$p, col=c("black", "red")[dx$condition=="Learn"+1])
}
```



```
rownames(res4) = NULL
res4
```

##	p	z	condition	chain	gen
## 1	0.000	4.56685059	Communication	0	1
## 2	0.000	3.40964854	Communication	0	2
## 3	0.000	3.76858419	Communication	0	3
## 4	0.000	5.08826780	Communication	0	4
## 5	0.000	47.51288481	Communication	0	5
## 6	0.000	6.12956475	Communication	0	6
## 7	0.496	-0.09060629	Communication	1	1
## 8	0.000	1.93366284	Communication	1	2
## 9	0.000	5.43646797	Communication	1	3
## 10	0.000	5.61508708	Communication	1	4
## 11	0.000	3.70487853	Communication	1	5
## 12	0.000	5.70320640	Communication	1	6
## 13	0.000	1.66066765	Communication	2	1
## 14	0.822	-0.40035254	Communication	2	2
## 15	0.646	-0.28884356	Communication	2	3
## 16	0.000	2.91174179	Communication	2	4
## 17	0.000	6.14742225	Communication	2	5
## 18	0.000	3.39859546	Communication	2	6
## 19	1.000	-8.70604396	Communication	3	1
## 20	1.000	-4.86064866	Communication	3	2
## 21	1.000	-2.29510615	Communication	3	3
## 22	1.000	-1.73281115	Communication	3	4
## 23	1.000	-10.63296647	Communication	3	5
## 24	1.000	-6.72313843	Communication	3	6
## 25	1.000	-1.38675040	Learn	4	1
## 26	1.000	-2.22850384	Learn	4	2
## 27	0.510	-0.00417857	Learn	4	3
## 28	0.824	-0.94723804	Learn	4	4

##	29	0.829	-0.80945268	Learn	4	5
##	30	1.000	-2.21375842	Learn	4	6
##	31	0.467	-0.55967919	Learn	5	1
##	32	0.508	0.52382629	Learn	5	2
##	33	0.000	3.53378565	Learn	5	3
##	34	0.000	15.16409561	Learn	5	4
##	35	0.000	2.63688462	Learn	5	5
##	36	0.000	3.42033531	Learn	5	6
##	37	1.000	-5.08039027	Learn	6	1
##	38	1.000	-5.26259019	Learn	6	2
##	39	0.000	5.47894765	Learn	6	3
##	40	1.000	-2.63482567	Learn	6	4
##	41	1.000	-4.03995363	Learn	6	5
##	42	1.000	-4.73269417	Learn	6	6
##	43	0.000	6.88692652	Learn	7	1
##	44	0.000	5.49759121	Learn	7	2
##	45	0.531	-0.12585102	Learn	7	3
##	46	0.000	19.25607033	Learn	7	4
##	47	0.487	0.42029622	Learn	7	5
##	48	0.506	0.36108821	Learn	7	6