
Colour: search tool
phmmer
MMseqs2
kmerseek, gbmr4 k21 (the setting on its tool card)
kmerseek, best of its 15 settings for each relative on this figure's score (picked after seeing the result: an upper bound)
DIAMOND
hmmscan
Shape: how the call is made
every hit, whole aligned region
every hit, whole aligned region, duplicates merged
best hit, whole aligned region
best hit, Pfam domain placed through the alignment
Pfam-A models on the query (hmmscan)
truth instances
QfO chimpanzee (6.5 Mya)
QfO mouse (83.5 Mya)
QfO rat (83.5 Mya)
QfO cow (89.5 Mya)
QfO dog (89.5 Mya)
QfO opossum (159.2 Mya)
QfO chicken (318.8 Mya)
QfO Xenopus (352.1 Mya)
QfO zebrafish (435.1 Mya)
QfO Ciona (601.0 Mya)
QfO Drosophila (692.2 Mya)
QfO C. elegans (692.2 Mya)
QfO yeast (1164.3 Mya)
QfO Arabidopsis (1515.8 Mya)
QfO E. coli (no TimeTree age)
Swiss-Prot minus Mammalia, DIAMOND --sensitive
Swiss-Prot minus Mammalia, DIAMOND --ultra-sensitive
Swiss-Prot minus Mammalia, MMseqs2 -s 7.5
Pfam-A library (hmmscan, the ceiling)
n = 2,435
0.0
0.2
0.4
0.6
0.8
1.0
Fmax over Pfam domains on 998 human proteins (higher is better)