
Colour: search tool
phmmer
MMseqs2
kmerseek, gbmr4 k21 (the setting on its tool card)
kmerseek, best of its 15 settings for each relative on this figure's score (picked after seeing the result: an upper bound)
DIAMOND
hmmscan
Shape: how the call is made
every hit, whole aligned region
every hit, whole aligned region, duplicates merged
best hit, whole aligned region
best hit, Pfam domain placed through the alignment
Pfam-A models on the query (hmmscan)
truth instances
QfO chimpanzee (6 Mya)
QfO rat (90 Mya)
QfO cow (95 Mya)
QfO dog (95 Mya)
QfO mouse (100 Mya)
QfO opossum (160 Mya)
QfO chicken (300 Mya)
QfO Xenopus (350 Mya)
QfO zebrafish (430 Mya)
QfO Ciona (550 Mya)
QfO Drosophila (600 Mya)
QfO C. elegans (650 Mya)
QfO yeast (900 Mya)
QfO Arabidopsis (1500 Mya)
QfO E. coli (2000 Mya)
Swiss-Prot minus Mammalia, DIAMOND --sensitive
Swiss-Prot minus Mammalia, DIAMOND --ultra-sensitive
Swiss-Prot minus Mammalia, MMseqs2 -s 7.5
Pfam-A library (hmmscan, the ceiling)
n = 2,435
0.0
0.2
0.4
0.6
0.8
1.0
Fmax over Pfam domains on 998 human proteins (higher is better)