
IBP used as query and target
type IV AFP, disputed: scored, left out of every metric
control protein, never tested for ice binding
shuffled IBP (same residues, new order)
a
development split (settings chosen here)
b
evaluation split (scored once, after the choice)
control: C-type lectin domain (type II AFP fold)
control: Swiss-Prot, matched length and composition
control: Swiss-Prot, most alanine+threonine-rich
control: Swiss-Prot, most alanine-rich
control: Swiss-Prot, most cysteine-rich
control: Swiss-Prot, most repetitive
control: apolipoprotein A1/A4/E (type IV AFP family)
control: secreted (UniProt keyword)
control: sialic acid synthase (type III AFP homolog)
shuffle of an IBP
IBP: AFP4_apolipoprotein_like
IBP: AFGP_gadid
IBP: AFGP_notothenioid
IBP: AFP1_flounder
IBP: AFP1_sculpin
IBP: AFP2_lectin_like
IBP: AFP3_sialic_acid_synthase_like
IBP: DUF3494_IBP
IBP: IAFP_beetle
IBP: THP_moth
12
98
6
6
6
6
15
7
42
1
2
3
8
155
4
3
5
6
11
14
66
3
5
2
9
1
5
0
20
40
60
80
100
120
140
160
Sequences (n)