
each mark: one list. filled: beat random genes. open: did not. thick bar: all lists together. dotted line: 50 % target. text: genes reached, lists beating random
a
the paper's 12 lists
gene-counts, mean of samples
522 of 878, 11 of 12 lists
gene-counts, summed reads
207 of 878, 11 of 12 lists
SPLASH
250 of 878, 3 of 12 lists
anchor counts, p < 0.05
86 of 878, 5 of 12 lists
KaMRaT, t-test, p < 0.05
50 of 878, 6 of 12 lists
KaMRaT, DESeq2, p < 0.05
69 of 878, 9 of 12 lists
DE-kupl, limma, p < 0.05
29 of 792, 3 of 10 lists
DE-kupl, DESeq2, p < 0.05
97 of 792, 8 of 10 lists
0
25
50
75
100
list genes reached, going the same way (%)
b
12 nf-core DESeq2 lists, p ≤ 0.05, 2-fold
609 of 1135, 11 of 12 lists
366 of 1135, 11 of 12 lists
419 of 1135, 5 of 12 lists
160 of 1135, 8 of 12 lists
229 of 1135, 6 of 12 lists
259 of 1135, 11 of 12 lists
139 of 1021, 6 of 10 lists
141 of 1021, 9 of 10 lists
0
25
50
75
100
list genes reached, going the same way (%)
c
nf-core list sizes
expected by chance at p ≤ 0.05 (5 % of genes)
genes with p ≤ 0.05 and 2-fold
2,000
1,000
100
10
genes
young 24 h
young 2 h
young 132 d
old 24 h
old 41-93 d
young 13-49 d
15,000
25,000
35,000
genes DESeq2 tested