

[MongoDB Create DB](#)[MongoDB Collection](#)[MongoDB Insert](#)[MongoDB Find](#)[MongoDB Query](#)[MongoDB Sort](#)[MongoDB Delete](#)[MongoDB Drop Collection](#)[MongoDB Update](#)[MongoDB Limit](#)


## Python Reference

[Python Overview](#)[Python Built-in Functions](#)[Python String Methods](#)[Python List Methods](#)[Python Dictionary Methods](#)[Python Tuple Methods](#)[Python Set Methods](#)[Python File Methods](#)[Python Keywords](#)[Python Exceptions](#)[Python Glossary](#)

## Module Reference

[Random Module](#)[Requests Module](#)[Statistics Module](#)[Math Module](#)[cMath Module](#)

## Python How To

[Remove List Duplicates](#)

# Python Dictionary

## Methods

[< Previous](#)[Next >](#)

Python has a set of built-in methods that you can use on dictionaries.

Method	Description
<a href="#"><u>clear()</u></a>	Removes all the elements from the dictionary
<a href="#"><u>copy()</u></a>	Returns a copy of the dictionary
<a href="#"><u>fromkeys()</u></a>	Returns a dictionary with the specified keys and value
<a href="#"><u>get()</u></a>	Returns the value of the specified key
<a href="#"><u>items()</u></a>	Returns a list containing a tuple for each key value pair
<a href="#"><u>keys()</u></a>	Returns a list containing the dictionary's keys
<a href="#"><u>pop()</u></a>	Removes the element with the specified key
<a href="#"><u>popitem()</u></a>	Removes the last inserted key-value pair

ADVERTISEMENT

If you

LEARN

setdefault(). Returns the value of the specified key. If the key does not exist: insert the key, with the specified value

update(). Updates the dictionary with the specified key-value pairs

values(). Returns a list of all the values in the dictionary

Learn more about dictionaries in our [Python Dictionaries Tutorial](#).

[< Previous](#)

[Next >](#)

[Sign Up](#)

[Log in](#)


W<sup>3</sup>  
schools

Python  
Learni  
Resou

For Teachers

[CHECK IT](#)

COLOR  
PICKER



Now this is how  
you alfredo



ADVERTISEMENT