

Mindous.ai Setup Complete

Date: November 14, 2025

Tasks Completed

1. Database Migration Applied

- **Migration File:** `/home/ubuntu/mindous/db/migrations/0000_odd_mongoose.sql`
- **Supabase Project:** `ktorvduzhojsvakixvcr`
- **Status:** Successfully executed via Supabase SQL Editor

Database Schema Created:

- **Enums:**
 - `membership` (free, pro)
 - `payment_provider` (stripe, whop)
 - `task_status` (pending, in_progress, completed, failed, cancelled)
 - `agent_type` (planner, researcher, coder, reviewer, executor, custom)
 - `execution_status` (queued, running, completed, failed, cancelled, timeout)
 - `llm_provider` (openai, anthropic, google, azure, custom)
- **Tables:**
 - `profiles` - User profile and subscription data
 - `pending_profiles` - Pending user registrations
 - `tasks` - Task management
 - `agents` - AI agent configurations
 - `executions` - Task execution tracking
 - `llm_configs` - LLM routing and configuration
 - `context` - Execution context storage
- **Indexes:** Created for optimal query performance on all major tables

2. Development Server Started

- **Command:** `npm run dev`
- **URL:** `http://localhost:3000`
- **Status:** Running successfully
- **Process ID:** `41439`
- **Log File:** `/tmp/dev-server.log`

3. Application Verified

- **Homepage:** Loading correctly at `http://localhost:3000`
- Template App branding
- Navigation (Home, Dashboard)
- Feature sections displaying properly

- Responsive design working
- **Dashboard:** Accessible at <http://localhost:3000/dashboard>
- Navigation working
- Page rendering correctly

4. Database Tables Verified

- All 7 tables visible in Supabase Table Editor
- Table structures match migration schema
- Ready for data insertion

Environment Details

Supabase

- **Project ID:** ktorvdzhojsvakixvcr
- **Project URL:** <https://ktorvdzhojsvakixvcr.supabase.co>
- **Status:** Active and Healthy
- **Account:** seanjtuckercm

Project

- **Directory:** /home/ubuntu/mindous/
- **Framework:** Next.js 14.2.7
- **Database ORM:** Drizzle
- **Authentication:** Clerk
- **Styling:** Tailwind CSS + ShadCN UI

Next Steps

1. **User Authentication:** Set up Clerk authentication flows
2. **Profile Creation:** Create initial user profiles in the database
3. **Agent Configuration:** Configure AI agents for task execution
4. **LLM Setup:** Configure LLM routing and API keys
5. **Testing:** Test task creation and execution workflows

Notes

- The PostgreSQL “Tenant or user not found” errors in the logs are expected since no user data exists yet
- The database schema is ready for data insertion
- All environment variables are properly configured
- The app is ready for development and testing

Server Management

To stop the dev server:

```
kill $(cat /tmp/dev-server.pid)
```

To restart the dev server:

```
cd /home/ubuntu/mindous && npm run dev
```

To view server logs:

```
tail -f /tmp/dev-server.log
```