

Supabase Database Issue - Permanent Fix Guide

DIAGNOSIS RESULTS

Problems Found:

- Truncated API Key:** The `NEXT_PUBLIC_SUPABASE_ANON_KEY` in `.env.local` is incomplete
 - Current: `eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...v4` (truncated)
 - JWT tokens should end with a complete signature, not just “v4”
- Project Not Accessible:** Supabase project `ktorvduzhojsvakixvcr` returns:
 - 404 error when accessing the project URL
 - “Invalid API key” when trying to authenticate
 - This indicates either:
 - Project is **paused** (Supabase auto-pauses inactive projects)
 - Project has been **deleted**
 - Credentials are incorrect
- Database Connection Failed:** Cannot connect to `db.ktorvduzhojsvakixvcr.supabase.co`
 - DNS lookup fails
 - Database operations will not work

What This Means:

Your database is NOT working and migrations have NOT been applied because the connection cannot be established.

PERMANENT FIX - Step by Step

Step 1: Check Your Supabase Project Status

- Go to [Supabase Dashboard](https://supabase.com/dashboard) (<https://supabase.com/dashboard>)
- Log in with GitHub account: **seanjtuckercm**
- Look for project: `ktorvduzhojsvakixvcr`

Possible Scenarios:

Scenario A: Project is Paused

- You’ll see a “Resume Project” or “Restore Project” button
- Click it to unpause the project
- Wait 2-3 minutes for the project to become active
- Proceed to Step 2

Scenario B: Project Doesn’t Exist

- You need to create a new Supabase project
- Or use an existing active project

- Proceed to Step 2 to get credentials

Step 2: Get Correct Supabase Credentials

Once your project is active (or you've created a new one):

1. In Supabase Dashboard, go to: **Project Settings → API**
2. Copy these values EXACTLY (no truncation!):
 - **Project URL:** `https://[your-project-ref].supabase.co`
 - **anon/public key:** Full JWT token (should be ~200+ characters)
 - **service_role key:** Full JWT token (should be ~200+ characters)
3. Go to: **Project Settings → Database**
4. Copy the **Connection String** for PostgreSQL (URI format)
 - Should look like: `postgresql://postgres:[password]@db.[project-ref].supabase.co:5432/postgres`

Step 3: Update .env.local File

Update your `/home/ubuntu/mindous/.env.local` with the COMPLETE credentials:

```
DATABASE_URL=postgresql://postgres:[YOUR_PASSWORD]@db.[YOUR_PROJECT_REF].supabase.co:5432/postgres

NEXT_PUBLIC_SUPABASE_URL=https://[YOUR_PROJECT_REF].supabase.co
NEXT_PUBLIC_SUPABASE_ANON_KEY=[COMPLETE_ANON_KEY_HERE]
SUPABASE_SERVICE_ROLE_KEY=[COMPLETE_SERVICE_ROLE_KEY_HERE]
```

CRITICAL: Make sure to copy the ENTIRE anon key - it should be a long JWT token!

Step 4: Apply Database Migration

After updating credentials, I'll apply the migration automatically:

```
cd /home/ubuntu/mindous
npx drizzle-kit push
```

This will create all the necessary tables:

- profiles
 - pending_profiles
 - tasks
 - agents
 - executions
 - llm_configs
 - context
-

Step 5: Verify Everything Works

I'll run tests to confirm:

-  Database connection successful
-  All tables created
-  Sample queries work
-  No more errors

ACTION REQUIRED FROM YOU

Please:

1. Go to [Supabase Dashboard](https://supabase.com/dashboard) (<https://supabase.com/dashboard>)
2. Check if project `ktorvduzhojsvakixvcr` exists and is active
3. If paused → unpause it
4. If doesn't exist → tell me, and I'll help create a new project or use another one
5. Get the COMPLETE credentials (don't truncate!)
6. Share them with me so I can update the `.env.local` file

OR if you prefer, you can update the `.env.local` file yourself with the correct credentials, and I'll then:

- Apply the migration
- Test the connection
- Verify everything works permanently

Summary

Current Status:  Database NOT working

- Truncated API key
- Cannot connect to database
- Migrations NOT applied

After Fix:  Database will be fully operational

- Complete credentials configured
- All tables created via migration
- Tested and verified
- No more database errors

Prevention

To prevent this issue in the future:

1. Always copy FULL credentials (don't truncate)
2. Keep Supabase project active (login periodically)
3. Set up project alerts for pausing
4. Store backup of credentials securely