NORTHPEAK BANK

Loan Data Quality Rulebook

Version 3.2 · Effective 2026-07-01

Document owner	Chief Data Office (Dana Whitfield, Chief Data Officer)
Approved by	Data Governance Council, 2026-06-18
Applies to	Loan servicing, ledger, warehouse and regulatory reporting data for the consumer and residential loan book
Rules in force	96 rules in 9 families; 24 critical data elements
Monitored by	Eagle DQ Monitor (S-EGL), graded at each close of business
Classification	Internal. SYNTHETIC DOCUMENT prepared for a demonstration; the bank, people and figures are fictitious.

Contents

- 0. About this rulebook
- 1. Severity and grading
- 2. Governance
- 3. Systems register
- 4. Feeds and lineage register
- 5. Critical data element register
- 6. Loan master rules (NPB-DQ-LN)
- 7. Loan transactions rules (NPB-DQ-TX)
- 8. Repayment schedule rules (NPB-DQ-SC)
- 9. Arrears rules (NPB-DQ-AR)
- 10. Loan charges rules (NPB-DQ-CH)
- 11. Customer rules (NPB-DQ-CL)
- 12. Ledger rules (NPB-DQ-GL)
- 13. Regulatory reporting rules (NPB-DQ-RP)
- 14. Feeds rules (NPB-DQ-FD)
- Appendix A. Report line and MDRM crosswalk
- Appendix B. Business calendar
- Appendix C. Change log and retired rules
- Appendix D. Glossary

0. About this rulebook

0.1 Purpose

This rulebook sets out the data quality rules that protect the critical data elements (CDEs) of NorthPeak Bank's loan book, from the Loan Servicing Platform through the Enterprise Data Warehouse to the figures the bank files on the Call Report (FFIEC 031) and the FR Y-9C. Each rule states what good data looks like, how it is checked, when a failure is a Warning and when it is an Error, who owns it, and which regulatory lines depend on it.

It is the reference the Eagle DQ Monitor is configured from, and the reference incident investigators use to judge whether an exception is a real data problem, a known recurring pattern, or a fault in the rule itself.

0.2 Scope

- Systems: the Loan Servicing Platform (Apache Fineract), General Ledger, Payments Hub, Customer Master, Collections, Collateral Management, Enterprise Data Warehouse and Regulatory Reporting Hub.
- Data: loan accounts, repayment schedules, loan transactions, arrears aging, loan charges, clients, loan accounting journals, provisioning, and the quarterly regulatory extracts.
- Out of scope: deposits, treasury, and the commercial loan book (covered by the Commercial Lending DQ Rulebook).

0.3 Ownership and approval

The Chief Data Office owns this rulebook. Each rule has a rule owner (a business team), and each CDE has a data steward who approves the thresholds of every rule that checks it. Changes follow the process in chapter 2 and are approved by the Data Governance Council.

0.4 Version history

Version	Effective	Change
v3.0	2025-07-01	First rulebook under the CDE governance model (EF-2024-11 remediation).
v3.1	2026-01-15	Added the FD feed family and RP-006 (FR Y-9C HC-C tie-out).
v3.2	2026-07-01	Retired 4 rules (Appendix C) and re-graded 6: LN-003, TX-009, AR-001, CL-004, GL-002 and RP-001. Each rule now carries its own Warning and Error conditions; only Error opens or attaches an incident.

0.5 How to read a rule card

Every rule is printed as a card of labelled lines, in this order:

- **Rule id, version and title.** Rule ids take the form NPB-DQ-<family>-<nnn> and never change; the version rises when the check or a threshold changes.
- **Statement:** the rule in plain language.
- **Dimension, Severity, System, Feed, Eagle rule:** the data quality dimension, the business impact of an Error, the system of record checked, the feed whose output is checked, and the id the rule carries in Eagle.
- **CDE** and **Applies to:** the critical data elements protected and the table.column values the check reads.
- **Check:** the check, in words.

- **Warning when** and **Error when:** the rule's own grading thresholds (chapter 1).
- **Regulatory reach:** report lines and MDRM codes that depend on the data.
- **Owner, Handling, Related:** who acts, what happens on an Error, and related rules.

Regulatory references. Report line numbers and MDRM codes in this rulebook are illustrative. They follow the public FFIEC 031/041 Call Report and FR Y-9C schedules; verify every code against the FFIEC MDRM dictionary before relying on it.

1. Severity and grading

Eagle runs every rule at each close of business (COB) and grades the result against the rule's own thresholds. The grading unit is one rule version on one COB: Eagle publishes one exception group per failing rule per COB.

1.1 Warning and Error

- **Warning** goes to the DQ dashboard only. No incident is opened and the Monitoring step writes nothing.
- **Error** opens an incident for the rule owner, or attaches to the open incident for the same rule and cause. An attach does not restart the investigation.
- A rule whose Warning line reads "never" has no Warning grade: any failure is an Error.

1.2 Severity only moves up

An incident's severity is set when it opens and can only rise: a later Error on the same rule raises it, a later Warning or clean COB never lowers it. Closing an incident is the only way out.

1.3 Metrics

Metric	Measured as	Example
Failure rate	failing records divided by the population at COB	more than 0.25% of active loans fail at COB
Failure count	number of failing records at COB	more than 5 active loans fail at COB
Relative difference	|A – B| / B for two totals that must agree	the two totals differ by more than 0.05%
Amount difference	|A – B| in US dollars	the two totals differ by more than USD 25,000
Lateness	minutes after a feed's or job's deadline	the deadline is missed by more than 60 minutes

1.4 Close of business

COB follows the NorthPeak US business calendar (Appendix B): weekdays except Federal Reserve holidays. A rule that runs on a non-business day is not graded. Quarterly rules (family RP) are graded on the extract built for the quarter-end COB.

1.5 False positives

When an investigation concludes that the data is correct and the rule or its configuration is wrong, the incident is closed as a false positive and a Rule Drafting case is opened against this rulebook. Thresholds are never changed in Eagle alone.

2. Governance

2.1 Roles

- **Chief Data Office** owns the rulebook and chairs the Data Governance Council.
- **Data stewards** approve the definition of each CDE and the thresholds of every rule that checks it (remediation of EF-2024-11).
- **Rule owners** receive incidents for their rules through their ITSM assignment group and own the fix.
- **Data Quality Operations** configures Eagle from this rulebook and may not change a threshold without an approved rulebook change.
- **Investigators** (people or approved agents) may prepare a remediation; a person approves it and a different person carries it out.

2.2 Owners and assignment groups

Team	Responsibility	ITSM group	Steward / lead
Chief Data Office	Data governance	NPB-CDO	Dana Whitfield
Loan Operations	Loan servicing operations	NPB-LOAN-OPS	Marcus Feld
Payments Operations	Payments and posting	NPB-PAY-OPS	Aisha Rahman
Collections	Arrears and collections	NPB-COLL	Tomas Lindgren
Customer Data Management	Customer master data	NPB-CUST-DATA	Priya Natarajan
Finance Controllership	General ledger and provisioning	NPB-FIN-CTRL	Helen Okafor
Regulatory Reporting	Call Report and FR Y-9C	NPB-REG-REP	Victor Osei
Data Platform Engineering	Warehouse and feeds	NPB-DATA-PLAT	Jonah Kim
Loan Platform Engineering	Fineract platform engineering	NPB-LSP-ENG	Elena Varga
Data Quality Operations	Eagle administration	NPB-DQ-OPS	Ravi Menon

2.3 Changing a rule

- A change is proposed as a Rule Drafting case with evidence (exception history, profile, incident).
- The CDE steward approves thresholds; the rule owner approves the check.
- The version rises; Eagle is reconfigured from the new version; retired rules are listed in Appendix C and never reused.

2.4 Open supervisory matters

Finding	Type	Title	Status	Due
EF-2024-11	MRA	DQ thresholds for CDEs were not approved by CDE stewards	closed	2025-06-30
EF-2025-02	MRA	End-to-end lineage for FR Y-9C HC-C is not documented	open	2026-12-31
EF-2025-07	Finding	RC-N past-due misclassification for loans with short payments	open	2026-03-31
EF-2026-01	Observation	Recurring loan-balance breaks lack a durable root-cause fix	open	2026-12-31
EF-2026-03	Observation	Feed SLAs are not aligned to the business calendar	open	2027-03-31

3. Systems register

Tier 1 systems hold or transform data that reaches a regulatory filing.

Id	System	Tier	Owner	Description
S-LSP	Loan Servicing Platform	1	Loan Platform Engineering	Apache Fineract loan core: loans, schedules, transactions, charges, arrears aging and loan accounting.
S-GL	General Ledger	1	Finance Controllership	The bank's book of record; receives loan journals from the LSP intraday.
S-PAY	Payments Hub	2	Payments Operations	Inbound repayments (ACH, card, branch) routed to the LSP.
S-CIF	Customer Master	1	Customer Data Management	Customer information file; golden record for clients.
S-COL	Collections	2	Collections	Arrears workflow and collection cases.
S-CLT	Collateral Management	3	Loan Operations	Collateral items and valuations for secured loans.
S-EDW	Enterprise Data Warehouse	1	Data Platform Engineering	Daily loan, transaction and arrears snapshots for reporting and finance.
S-RRH	Regulatory Reporting Hub	1	Regulatory Reporting	Builds the Call Report (FFIEC 031) and FR Y-9C extracts.
S-EGL	Eagle DQ Monitor	1	Data Quality Operations	Runs every DQ rule at each COB, grades it Warning or Error and emits exception groups.
S-ITSM	ServiceDesk ITSM	2	Data Quality Operations	Incident and change tickets; assignment groups per owner.
S-OLY	Olympus Profile Service	2	Data Platform Engineering	Deterministic exception profiles per data platform (baseline failure rates, recent changes).

3.1 Database structures and tables

Loan platform tables keep their Apache Fineract names (for example m_loan, m_loan_transaction, m_loan_repayment_schedule).

Id	Schema	System	Engine	Tables
DS-LSP-FINERACT	fineract_default	S-LSP	PostgreSQL	m_loan, m_product_loan, organisationcurrency, m_loan_transaction, m_loan_repayment_schedule, m_loan_arrears_aging, m_loan_charge, m_charge, m_client, acc_gl_journal_entry, acc_gl_account, acc_product_mapping, m_provisioning_history, m_loanproduct_provisioning_entry
DS-GL	gl	S-GL	PostgreSQL	gl.ledger_balance
DS-PAY	pay	S-PAY	PostgreSQL	pay.payment_instruction
DS-CIF	cif	S-CIF	PostgreSQL	cif.customer_master
DS-COL	col	S-COL	PostgreSQL	col.collection_case
DS-CLT	clt	S-CLT	PostgreSQL	clt.collateral_item

DS-EDW	edw	S-EDW	Columnar warehouse	edw.fact_loan_daily, edw.fact_loan_txn_daily, edw.fact_arrears_daily, edw.dim_client, edw.fact_gl_balance_daily, edw.fact_loan_provision, edw.feed_audit
DS-RRH	rrh	S-RRH	PostgreSQL	rrh.call_report_extract, rrh.fry9c_extract

4. Feeds and lineage register

Feed	Name	Reads	Loads	Schedule and SLA	Owner
F-01	LSP to EDW loans, daily	m_loan, m_loan_repayment_schedule, m_loan_charge	edw.fact_loan_daily	daily (business days); lands by 06:00 ET	Data Platform Engineering
F-02	LSP to EDW transactions, daily	m_loan_transaction	edw.fact_loan_txn_daily	daily (business days); lands by 06:00 ET	Data Platform Engineering
F-03	LSP to GL journals, intraday	acc_gl_journal_entry	gl.ledger_balance	hourly 07:00-20:00 ET; within 60 minutes	Finance Controllership
F-04	CIF to LSP client sync, daily	cif.customer_master	m_client	daily; lands by 04:00 ET	Customer Data Management
F-05	EDW to RRH Call Report extract, quarterly	edw.fact_loan_daily, edw.fact_loan_txn_daily, edw.fact_arrears_daily, edw.fact_loan_provision	rrh.call_report_extract	quarterly; quarter-end + 5 business days	Regulatory Reporting
F-06	EDW to RRH FR Y-9C extract, quarterly	edw.fact_loan_daily, edw.fact_arrears_daily, edw.fact_loan_provision	rrh.fry9c_extract	quarterly; quarter-end + 5 business days	Regulatory Reporting
F-07	Collections to EDW arrears, daily	m_loan_arrears_aging, col.collection_case	edw.fact_arrears_daily	daily (business days); lands by 05:30 ET	Collections
F-08	LSP to EDW provisioning, monthly	m_loanproduct_provisioning_entry	edw.fact_loan_provision	monthly; month-end + 2 business days	Finance Controllership
F-09	Payments hub to LSP repayments, intraday	pay.payment_instruction	m_loan_transaction	every 15 minutes; within 30 minutes	Payments Operations
F-10	GL to EDW balances, daily	gl.ledger_balance	edw.fact_gl_balance_daily	daily (business days); lands by 06:30 ET	Data Platform Engineering
F-11	LSP to EDW clients, daily	m_client	edw.dim_client	daily; lands by 06:00 ET	Data Platform Engineering
F-12	Collateral to EDW valuations, weekly	clt.collateral_item	edw.fact_loan_daily	weekly; Monday 06:00 ET	Loan Operations

4.1 Column lineage

Registered column-level hops. Every extract column (rrh.call_report_extract.amount, rrh.fry9c_extract.amount) is in turn filed on the report lines listed in Appendix A.

Hop	From	To	Feed	Transform
LIN-01	m_loan.principal_outstanding_derived	edw.fact_loan_daily.principal_outstanding	F-01	copied as at COB
LIN-02	edw.fact_loan_daily.principal_outstanding	rrh.call_report_extract.amount	F-05	summed by call_report_category, net of unearned income, in USD thousands
LIN-03	m_loan.total_outstanding_derived	edw.fact_loan_daily.total_outstanding	F-01	copied as at COB
LIN-04	m_loan_transaction.amount	edw.fact_loan_txn_daily.amount	F-02	copied; reversed transactions flagged
LIN-05	m_loan_transaction.principal_portion_derived	edw.fact_loan_txn_daily.principal_portion	F-02	copied
LIN-06	m_loan_transaction.interest_portion_derived	edw.fact_loan_txn_daily.interest_portion	F-02	copied
LIN-07	m_loan_transaction.fee_charges_portion_derived	edw.fact_loan_txn_daily.fee_portion	F-02	copied
LIN-08	edw.fact_loan_txn_daily.principal_portion	rrh.call_report_extract.amount	F-05	charge-offs and recoveries summed for the quarter
LIN-09	edw.fact_loan_txn_daily.interest_portion	rrh.call_report_extract.amount	F-05	interest and fee income summed for the quarter
LIN-10	m_loan_arrears_aging.overdue_since_date_derived	edw.fact_arrears_daily.overdue_since	F-07	copied
LIN-11	m_loan_arrears_aging.total_overdue_derived	edw.fact_arrears_daily.total_overdue	F-07	copied
LIN-12	edw.fact_arrears_daily.total_overdue	rrh.call_report_extract.amount	F-05	summed by dpd_bucket and nonaccrual_flag
LIN-13	acc_gl_journal_entry.amount	gl.ledger_balance.balance	F-03	posted and summed by GL account
LIN-14	gl.ledger_balance.balance	edw.fact_gl_balance_daily.balance	F-10	copied as at COB
LIN-15	cif.customer_master.external_id	m_client.external_id	F-04	copied
LIN-16	m_client.external_id	edw.dim_client.external_id	F-11	copied
LIN-17	m_loanproduct_provisioning_entry.reseve_amount	edw.fact_loan_provision.provision_amount	F-08	summed by product

LIN-18	edw.fact_loan_provision.provision_amount	rrh.call_report_extract.amount	F-05	allowance total
LIN-19	pay.payment_instruction.amount	m_loan_transaction.amount	F-09	posted as a repayment
LIN-20	cif.customer_master.date_of_birth	m_client.date_of_birth	F-04	copied

4.2 Known lineage gaps

- edw.fact_loan_daily.principal_outstanding to rrh.fry9c_extract.amount via F-06: not registered (finding EF-2025-02, issue ISS-044).

5. Critical data element register

Twenty-four CDEs. A CDE's thresholds are approved by its steward.

CDE-LN-001 Loan principal outstanding

Definition: Unpaid principal of a loan at COB: disbursed less repaid less written off.

System of record: S-LSP. Stored in: m_loan.principal_outstanding_derived. Steward: Marcus Feld.

Upstream CDE: CDE-LN-003, CDE-TX-002. Reported in: Call Report RC-C Part I item 12 (RCON2122); FR Y-9C HC-C item 12 (BHCK2122); Call Report RC-C Part I item 1.c.(1) (RCON1797); Call Report RC-C Part I item 1.c.(2)(a) (RCON5367); Call Report RC-C Part I item 1.c.(2)(b) (RCON5368); Call Report RC-C Part I item 6.c (RCONK137); Call Report RC-C Part I item 6.d (RCONK207).

CDE-LN-002 Loan total outstanding

Definition: Principal, interest, fees and penalties outstanding on a loan at COB.

System of record: S-LSP. Stored in: m_loan.total_outstanding_derived. Steward: Marcus Feld.

Upstream CDE: CDE-LN-001. Reported in: Call Report RC item 12 (RCON2170).

CDE-LN-003 Original principal

Definition: Principal approved at origination.

System of record: S-LSP. Stored in: m_loan.principal_amount. Steward: Marcus Feld.

Upstream CDE: none. Reported in: none (internal use).

CDE-LN-004 Loan status

Definition: Lifecycle status of the loan (active, closed, written off).

System of record: S-LSP. Stored in: m_loan.loan_status_id. Steward: Marcus Feld.

Upstream CDE: none. Reported in: Call Report RC-N item 9 (RCON1403); FR Y-9C HC-N item 9 (BHCK1403).

CDE-LN-005 Disbursement date

Definition: Date the loan funds were disbursed.

System of record: S-LSP. Stored in: m_loan.disbursedon_date. Steward: Marcus Feld.

Upstream CDE: none. Reported in: none (internal use).

CDE-LN-006 Maturity date

Definition: Contractual final repayment date.

System of record: S-LSP. Stored in: m_loan.maturedon_date. Steward: Marcus Feld.

Upstream CDE: none. Reported in: none (internal use).

CDE-LN-007 Nominal interest rate

Definition: Annual nominal interest rate of the loan.

System of record: S-LSP. Stored in: m_loan.annual_nominal_interest_rate. Steward: Marcus Feld.

Upstream CDE: none. Reported in: Call Report RI item 1.a (RIAD4010).

CDE-LN-008 Loan currency

Definition: ISO 4217 currency of the loan.

System of record: S-LSP. Stored in: m_loan.currency_code. Steward: Marcus Feld.

Upstream CDE: none. Reported in: none (internal use).

CDE-TX-001 Transaction amount

Definition: Amount of a loan transaction.

System of record: S-LSP. Stored in: m_loan_transaction.amount. Steward: Aisha Rahman.

Upstream CDE: none. Reported in: Call Report RI-B Part I item 9 (RIAD4605); FR Y-9C HI-B Part I item 9 (BHCK4605).

CDE-TX-002 Principal portion

Definition: Part of a transaction allocated to principal.

System of record: S-LSP. Stored in: m_loan_transaction.principal_portion_derived. Steward: Aisha Rahman.

Upstream CDE: CDE-TX-001. Reported in: Call Report RI-B Part I item 9 (RIAD4635); FR Y-9C HI-B Part I item 9 (BHCK4635).

CDE-TX-003 Interest portion

Definition: Part of a transaction allocated to interest.

System of record: S-LSP. Stored in: m_loan_transaction.interest_portion_derived. Steward: Aisha Rahman.

Upstream CDE: CDE-TX-001. Reported in: Call Report RI item 1.a (RIAD4010).

CDE-TX-004 Fee portion

Definition: Part of a transaction allocated to fees.

System of record: S-LSP. Stored in: m_loan_transaction.fee_charges_portion_derived. Steward: Aisha Rahman.

Upstream CDE: CDE-TX-001. Reported in: Call Report RI item 1.a (RIAD4010).

CDE-TX-005 Overpayment portion

Definition: Part of a transaction in excess of the amount owed.

System of record: S-LSP. Stored in: m_loan_transaction.overpayment_portion_derived. Steward: Aisha Rahman.

Upstream CDE: CDE-TX-001. Reported in: none (internal use).

CDE-TX-006 Transaction date

Definition: Business date of a loan transaction.

System of record: S-LSP. Stored in: m_loan_transaction.transaction_date. Steward: Aisha Rahman.

Upstream CDE: none. Reported in: none (internal use).

CDE-TX-007 Reversal flag

Definition: Whether a loan transaction was reversed.

System of record: S-LSP. Stored in: m_loan_transaction.is_reversed. Steward: Aisha Rahman.

Upstream CDE: none. Reported in: none (internal use).

CDE-SC-001 Installment due date

Definition: Date an installment falls due.

System of record: S-LSP. Stored in: m_loan_repayment_schedule.duedate. Steward: Marcus Feld.

Upstream CDE: none. Reported in: Call Report RC-N item 9 (RCON1406).

CDE-SC-002 Installment completed

Definition: Whether an installment is fully paid.

System of record: S-LSP. Stored in: m_loan_repayment_schedule.completed_derived. Steward: Marcus Feld.

Upstream CDE: CDE-TX-001. Reported in: none (internal use).

CDE-AR-001 Overdue-since date

Definition: First date a loan's oldest unpaid installment was due.

System of record: S-LSP. Stored in: m_loan_arrears_aging.overdue_since_date_derived. Steward: Tomas Lindgren.

Upstream CDE: CDE-SC-001. Reported in: Call Report RC-N item 9 (RCON1406); Call Report RC-N item 9 (RCON1407); FR Y-9C HC-N item 9 (BHCK1406); FR Y-9C HC-N item 9 (BHCK1407).

CDE-AR-002 Total overdue

Definition: Principal, interest, fees and penalties overdue.

System of record: S-LSP. Stored in: m_loan_arrears_aging.total_overdue_derived. Steward: Tomas Lindgren.

Upstream CDE: CDE-SC-002. Reported in: Call Report RC-N item 9 (RCON1406); Call Report RC-N item 9 (RCON1407); Call Report RC-N item 9 (RCON1403); FR Y-9C HC-N item 9 (BHCK1403).

CDE-CH-001 Charge outstanding

Definition: Unpaid amount of a loan charge.

System of record: S-LSP. Stored in: m_loan_charge.amount_outstanding_derived. Steward: Marcus Feld.

Upstream CDE: none. Reported in: none (internal use).

CDE-CL-001 Client external id

Definition: The Customer Master id of a client.

System of record: S-LSP. Stored in: m_client.external_id. Steward: Priya Natarajan.

Upstream CDE: none. Reported in: none (internal use).

CDE-CL-002 Client date of birth

Definition: Date of birth of a retail client.

System of record: S-LSP. Stored in: m_client.date_of_birth. Steward: Priya Natarajan.

Upstream CDE: none. Reported in: none (internal use).

CDE-GL-001 Journal amount

Definition: Amount of a loan accounting journal entry.

System of record: S-LSP. Stored in: acc_gl_journal_entry.amount. Steward: Helen Okafor.

Upstream CDE: CDE-TX-001. Reported in: Call Report RC item 12 (RCON2170).

CDE-PV-001 Provision amount

Definition: Allowance for credit losses by product and category.

System of record: S-LSP. Stored in: m_loanproduct_provisioning_entry.reseve_amount. Steward: Helen Okafor.

Upstream CDE: CDE-AR-001. Reported in: Call Report RC item 4.c (RCON3123); FR Y-9C HC item 4.c (BHCK3123).

---

6. Loan master rules (NPB-DQ-LN)

Loan master rules protect the balances, dates, rates and status held on m_loan, the source of total loans on RC-C and HC-C. Rule owner by default: Loan Operations. Rules in this family: 18.

NPB-DQ-LN-001 v1 — Principal outstanding is never negative

Statement: No loan may show a negative principal balance.
Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0586
CDE: CDE-LN-001 Loan principal outstanding (m_loan.principal_outstanding_derived)
Applies to: m_loan.principal_outstanding_derived
Check: For every active loan, principal_outstanding_derived is zero or greater.
Warning when: any active loan fails at COB.
Error when: more than 5 active loans fail at COB.
Regulatory reach: Call Report RC-C Part I item 12 (RCON2122); FR Y-9C HC-C item 12 (BHCK2122).
Owner: Loan Operations (steward Marcus Feld). **Related:** NPB-DQ-LN-003.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-LN-002 v1 — Principal outstanding does not exceed original principal

Statement: A loan never owes more principal than was lent, plus any capitalized amounts.
Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0587
CDE: CDE-LN-001 Loan principal outstanding (m_loan.principal_outstanding_derived); CDE-LN-003 Original principal (m_loan.principal_amount)
Applies to: m_loan.principal_outstanding_derived, m_loan.principal_amount
Check: For every active loan, principal outstanding is at most original principal plus capitalized interest and fees.
Warning when: more than 0.01% of active loans fail at COB.
Error when: more than 0.1% of active loans fail at COB.
Regulatory reach: Call Report RC-C Part I item 12 (RCON2122).
Owner: Loan Operations (steward Marcus Feld). **Related:** NPB-DQ-LN-003.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-LN-003 v2 — Principal outstanding reconciles to its components

Statement: The loan balance the bank reports must equal what was disbursed, less what was repaid and written off.
Dimension: Accuracy **Severity:** High **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0588
CDE: CDE-LN-001 Loan principal outstanding (m_loan.principal_outstanding_derived)
Applies to: m_loan.principal_outstanding_derived, m_loan.principal_disbursed_derived, m_loan.principal_repaid_derived, m_loan.principal_writtenoff_derived
Check: For every active loan, principal outstanding equals principal disbursed minus principal repaid minus principal written off, to the cent.
Warning when: more than 0.05% of active loans fail at COB.
Error when: more than 0.25% of active loans fail at COB, or any single loan differs by more than USD 100.
Regulatory reach: Call Report RC-C Part I item 12 (RCON2122); FR Y-9C HC-C item 12 (BHCK2122).
Owner: Loan Operations (steward Marcus Feld). **Related:** NPB-DQ-GL-002, NPB-DQ-TX-006.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-LN-004 v1 — Total outstanding equals the sum of its parts

Statement: Total outstanding is principal plus interest plus fees plus penalties outstanding.

Dimension: Accuracy **Severity:** High **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0589

CDE: CDE-LN-002 Loan total outstanding (m_loan.total_outstanding_derived)

Applies to: m_loan.total_outstanding_derived, m_loan.principal_outstanding_derived, m_loan.interest_outstanding_derived, m_loan.fee_charges_outstanding_derived, m_loan.penalty_charges_outstanding_derived

Check: For every active loan, total_outstanding_derived equals the sum of the principal, interest, fee and penalty outstanding columns.

Warning when: more than 0.05% of active loans fail at COB.

Error when: more than 0.25% of active loans fail at COB.

Regulatory reach: Call Report RC item 12 (RCON2170).

Owner: Loan Operations (steward Marcus Feld). **Related:** NPB-DQ-LN-003.

Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-LN-005 v1 — A closed loan carries zero outstanding

Statement: A loan closed with obligations met owes nothing.

Dimension: Consistency **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0590

CDE: CDE-LN-002 Loan total outstanding (m_loan.total_outstanding_derived); CDE-LN-004 Loan status (m_loan.loan_status_id)

Applies to: m_loan.total_outstanding_derived, m_loan.loan_status_id

Check: For every loan in status 600 (closed, obligations met), total outstanding is zero.

Warning when: any active loan fails at COB.

Error when: more than 10 active loans fail at COB.

Regulatory reach: none.

Owner: Loan Operations (steward Marcus Feld). **Related:** NPB-DQ-LN-015.

Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-LN-006 v1 — Maturity is after disbursement

Statement: A loan cannot mature before it is disbursed.

Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0591

CDE: CDE-LN-005 Disbursement date (m_loan.disbursedon_date); CDE-LN-006 Maturity date (m_loan.maturedon_date)

Applies to: m_loan.disbursedon_date, m_loan.maturedon_date

Check: For every disbursed loan, maturedon_date is later than disbursedon_date.

Warning when: any active loan fails at COB.

Error when: more than 5 active loans fail at COB.

Regulatory reach: none.

Owner: Loan Operations (steward Marcus Feld). **Related:** NPB-DQ-SC-006.

Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-LN-007 v1 — Disbursement date is present for disbursed loans

Statement: Every loan that has been disbursed records when.

Dimension: Completeness **Severity:** Low **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0592

CDE: CDE-LN-005 Disbursement date (m_loan.disbursedon_date)

Applies to: m_loan.disbursedon_date, m_loan.loan_status_id

Check: For every loan in status 300 or later, disbursedon_date is not null.

Warning when: more than 0.01% of active loans fail at COB.

Error when: more than 0.1% of active loans fail at COB.

Regulatory reach: none.

Owner: Loan Operations (steward Marcus Feld). **Related:** none.

Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-LN-008 v1 — Nominal rate is within the product's range

Statement: A loan's interest rate stays within what its product allows.

Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0593

CDE: CDE-LN-007 Nominal interest rate (m_loan.annual_nominal_interest_rate)

Applies to: m_loan.annual_nominal_interest_rate, m_product_loan.min_nominal_interest_rate_per_period, m_product_loan.max_nominal_interest_rate_per_period

Check: For every active loan, the nominal rate lies between the product's minimum and maximum nominal rate.

Warning when: more than 0.05% of active loans fail at COB.

Error when: more than 0.5% of active loans fail at COB.

Regulatory reach: Call Report RI item 1.a (RIAD4010).

Owner: Loan Operations (steward Marcus Feld). **Related:** none.

Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-LN-009 v1 — Currency is a valid ISO 4217 code

Statement: Every loan is denominated in a currency the bank has enabled.

Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0594

CDE: CDE-LN-008 Loan currency (m_loan.currency_code)

Applies to: m_loan.currency_code, organisationcurrency.code

Check: For every active loan, currency_code is an ISO 4217 code present in organisationcurrency.

Warning when: any active loan fails at COB.

Error when: more than one active loan fails at COB.

Regulatory reach: none.

Owner: Loan Operations (steward Marcus Feld). **Related:** none.

Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-LN-010 v1 — Loan status is a recognised status

Statement: Every loan carries one of the statuses the platform defines.

Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0595

CDE: CDE-LN-004 Loan status (m_loan.loan_status_id)

Applies to: m_loan.loan_status_id

Check: For every loan, loan_status_id is one of 100, 200, 300, 400, 500, 600, 601, 602 or 700.

Warning when: any active loan fails at COB.

Error when: more than one active loan fails at COB.

Regulatory reach: none.

Owner: Loan Operations (steward Marcus Feld). **Related:** none.

Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-LN-011 v1 — Active loans have been disbursed

Statement: A loan is active only once money has gone out.

Dimension: Consistency **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0596

CDE: CDE-LN-004 Loan status (m_loan.loan_status_id); CDE-LN-005 Disbursement date (m_loan.disbursedon_date)

Applies to: m_loan.loan_status_id, m_loan.principal_disbursed_derived

Check: For every loan in status 300 (active), principal disbursed is greater than zero.

Warning when: any active loan fails at COB.

Error when: more than 5 active loans fail at COB.

Regulatory reach: none.

Owner: Loan Operations (steward Marcus Feld). **Related:** NPB-DQ-LN-007.

Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-LN-012 v1 — Original principal is within the product's range

Statement: Each loan's approved principal respects its product limits.
Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0597
CDE: CDE-LN-003 Original principal (m_loan.principal_amount)
Applies to: m_loan.principal_amount, m_product_loan.min_principal_amount, m_product_loan.max_principal_amount
Check: For every active loan, principal_amount lies between the product's minimum and maximum principal.
Warning when: more than 0.05% of active loans fail at COB.
Error when: more than 0.5% of active loans fail at COB.
Regulatory reach: none.
Owner: Loan Operations (steward Marcus Feld). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-LN-013 v1 — Principal outstanding is populated

Statement: Every active loan has a principal balance recorded.
Dimension: Completeness **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0598
CDE: CDE-LN-001 Loan principal outstanding (m_loan.principal_outstanding_derived)
Applies to: m_loan.principal_outstanding_derived
Check: For every active loan, principal_outstanding_derived is not null.
Warning when: more than 0.01% of active loans fail at COB.
Error when: more than 0.1% of active loans fail at COB.
Regulatory reach: Call Report RC-C Part I item 12 (RCON2122).
Owner: Loan Operations (steward Marcus Feld). **Related:** NPB-DQ-LN-001.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-LN-014 v1 — Derived balances are refreshed at COB

Statement: Balances are recomputed after the last transaction of the day, before the warehouse extract.
Dimension: Timeliness **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0599
CDE: CDE-LN-002 Loan total outstanding (m_loan.total_outstanding_derived)
Applies to: m_loan.last_modified_on_utc, m_loan.total_outstanding_derived
Check: For every active loan with a transaction on the COB date, last_modified_on_utc is later than that transaction and earlier than the F-01 extract start.
Warning when: more than 0.1% of active loans fail at COB.
Error when: more than 0.5% of active loans fail at COB.
Regulatory reach: none.
Owner: Loan Operations (steward Marcus Feld). **Related:** NPB-DQ-LN-003, NPB-DQ-FD-001.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-LN-015 v1 — Written-off loans carry a write-off date and no principal

Statement: A written-off loan says when, and carries no principal balance.
Dimension: Consistency **Severity:** High **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0600
CDE: CDE-LN-001 Loan principal outstanding (m_loan.principal_outstanding_derived); CDE-LN-004 Loan status (m_loan.loan_status_id)
Applies to: m_loan.writtenoffon_date, m_loan.principal_outstanding_derived, m_loan.loan_status_id
Check: For every loan in status 601 (written off), writtenoffon_date is not null and principal outstanding is zero.
Warning when: any active loan fails at COB.
Error when: more than 3 active loans fail at COB.
Regulatory reach: Call Report RI-B Part I item 9 (RIAD4635).
Owner: Loan Operations (steward Marcus Feld). **Related:** NPB-DQ-TX-017.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-LN-016 v1 — Loan account number is unique

Statement: No two loans share an account number, so balances are never double counted.

Dimension: Uniqueness **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0601

CDE: CDE-LN-001 Loan principal outstanding (m_loan.principal_outstanding_derived)

Applies to: m_loan.account_no

Check: Across all loans, account_no has no duplicates.

Warning when: any active loan fails at COB.

Error when: more than one active loan fails at COB.

Regulatory reach: none.

Owner: Loan Operations (steward Marcus Feld). **Related:** none.

Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-LN-017 v1 — Every loan belongs to an existing client

Statement: A loan always points at a real borrower.

Dimension: Consistency **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0602

CDE: CDE-LN-004 Loan status (m_loan.loan_status_id)

Applies to: m_loan.client_id, m_client.id

Check: For every loan, client_id matches an id in m_client.

Warning when: any active loan fails at COB.

Error when: more than one active loan fails at COB.

Regulatory reach: none.

Owner: Loan Operations (steward Marcus Feld). **Related:** NPB-DQ-CL-005.

Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-LN-018 v1 — Every loan maps to a Call Report loan category

Statement: Every loan lands in exactly one RC-C category, so the schedule adds up.

Dimension: Completeness **Severity:** Medium **System:** S-EDW **Feed:** F-01 **Eagle rule:** EGL-0603

CDE: CDE-LN-001 Loan principal outstanding (m_loan.principal_outstanding_derived)

Applies to: edw.fact_loan_daily.call_report_category

Check: For every active loan in the EDW snapshot, call_report_category is populated with a valid RC-C category.

Warning when: more than 0.01% of active loans fail at COB.

Error when: more than 0.05% of active loans fail at COB.

Regulatory reach: Call Report RC-C Part I item 1.c.(1) (RCON1797); Call Report RC-C Part I item 1.c.(2)(a) (RCON5367); Call Report RC-C Part I item 1.c.(2)(b) (RCON5368); Call Report RC-C Part I item 6.c (RCONK137); Call Report RC-C Part I item 6.d (RCONK207).

Owner: Loan Operations (steward Marcus Feld). **Related:** NPB-DQ-RP-002.

Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

7. Loan transactions rules (NPB-DQ-TX)

Transaction rules protect how each payment, reversal, charge-off and recovery on m_loan_transaction is allocated, including partial-payment handling under Regulation Z. Rule owner by default: Payments Operations. Rules in this family: 18.

NPB-DQ-TX-001 v1 — Transaction amount is positive

Statement: Money moves in positive amounts; direction comes from the type.
Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-02 **Eagle rule:** EGL-0606
CDE: CDE-TX-001 Transaction amount (m_loan_transaction.amount)
Applies to: m_loan_transaction.amount
Check: For every loan transaction, amount is greater than zero.
Warning when: any loan transaction fails at COB.
Error when: more than 5 loan transactions posted on the COB date fail at COB.
Regulatory reach: none.
Owner: Payments Operations (steward Aisha Rahman). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Payments Operations (ITSM NPB-PAY-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-TX-002 v1 — Transaction date is not after COB

Statement: Nothing is booked in the future.
Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-02 **Eagle rule:** EGL-0607
CDE: CDE-TX-006 Transaction date (m_loan_transaction.transaction_date)
Applies to: m_loan_transaction.transaction_date
Check: For every loan transaction, transaction_date is on or before the COB date.
Warning when: any loan transaction fails at COB.
Error when: more than one loan transaction fails at COB.
Regulatory reach: none.
Owner: Payments Operations (steward Aisha Rahman). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Payments Operations (ITSM NPB-PAY-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-TX-003 v1 — Transaction date is not before disbursement

Statement: Repayments cannot precede the loan.
Dimension: Consistency **Severity:** Medium **System:** S-LSP **Feed:** F-02 **Eagle rule:** EGL-0608
CDE: CDE-TX-006 Transaction date (m_loan_transaction.transaction_date); CDE-LN-005 Disbursement date (m_loan.disbursedon_date)
Applies to: m_loan_transaction.transaction_date, m_loan.disbursedon_date
Check: For every non-disbursement loan transaction, transaction_date is on or after the loan's disbursedon_date.
Warning when: any loan transaction fails at COB.
Error when: more than 3 loan transactions posted on the COB date fail at COB.
Regulatory reach: none.
Owner: Payments Operations (steward Aisha Rahman). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Payments Operations (ITSM NPB-PAY-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-TX-004 v1 — Reversed transactions are excluded from balances

Statement: A reversed payment no longer reduces what the borrower owes.

Dimension: Consistency **Severity:** High **System:** S-LSP **Feed:** F-02 **Eagle rule:** EGL-0609

CDE: CDE-TX-007 Reversal flag (m_loan_transaction.is_reversed); CDE-LN-001 Loan principal outstanding (m_loan.principal_outstanding_derived)

Applies to: m_loan_transaction.is_reversed, m_loan.principal_outstanding_derived

Check: For every loan, principal outstanding recomputed from non-reversed transactions equals principal_outstanding_derived.

Warning when: more than 0.05% of loan transactions posted on the COB date fail at COB.

Error when: more than 0.25% of loan transactions posted on the COB date fail at COB.

Regulatory reach: Call Report RC-C Part I item 12 (RCON2122).

Owner: Payments Operations (steward Aisha Rahman). **Related:** NPB-DQ-LN-003.

Handling: Warning: DQ dashboard only. Error: opens an incident for Payments Operations (ITSM NPB-PAY-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-TX-005 v1 — A reversed transaction carries a reversal date

Statement: When a transaction is reversed the bank records when.

Dimension: Completeness **Severity:** Low **System:** S-LSP **Feed:** F-02 **Eagle rule:** EGL-0610

CDE: CDE-TX-007 Reversal flag (m_loan_transaction.is_reversed)

Applies to: m_loan_transaction.is_reversed, m_loan_transaction.reversed_on_date

Check: For every loan transaction with is_reversed true, reversed_on_date is not null.

Warning when: more than 0.05% of loan transactions posted on the COB date fail at COB.

Error when: more than 0.5% of loan transactions posted on the COB date fail at COB.

Regulatory reach: none.

Owner: Payments Operations (steward Aisha Rahman). **Related:** none.

Handling: Warning: DQ dashboard only. Error: opens an incident for Payments Operations (ITSM NPB-PAY-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-TX-006 v1 — Transaction amount equals the sum of its portions

Statement: Every cent of a payment is allocated somewhere.

Dimension: Accuracy **Severity:** High **System:** S-LSP **Feed:** F-02 **Eagle rule:** EGL-0611

CDE: CDE-TX-001 Transaction amount (m_loan_transaction.amount); CDE-TX-002 Principal portion (m_loan_transaction.principal_portion_derived); CDE-TX-003 Interest portion (m_loan_transaction.interest_portion_derived); CDE-TX-004 Fee portion (m_loan_transaction.fee_charges_portion_derived); CDE-TX-005 Overpayment portion (m_loan_transaction.overpayment_portion_derived)

Applies to: m_loan_transaction.amount, m_loan_transaction.principal_portion_derived, m_loan_transaction.interest_portion_derived, m_loan_transaction.fee_charges_portion_derived, m_loan_transaction.penalty_charges_portion_derived, m_loan_transaction.overpayment_portion_derived

Check: For every non-reversed loan transaction, amount equals principal plus interest plus fee plus penalty plus overpayment portions, to the cent.

Warning when: more than 0.01% of loan transactions posted on the COB date fail at COB.

Error when: more than 0.1% of loan transactions posted on the COB date fail at COB.

Regulatory reach: Call Report RI item 1.a (RIAD4010).

Owner: Payments Operations (steward Aisha Rahman). **Related:** NPB-DQ-LN-003.

Handling: Warning: DQ dashboard only. Error: opens an incident for Payments Operations (ITSM NPB-PAY-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-TX-007 v1 — No duplicate external reference

Statement: A payment from the hub is posted once.

Dimension: Uniqueness **Severity:** Medium **System:** S-LSP **Feed:** F-02 **Eagle rule:** EGL-0612

CDE: CDE-TX-001 Transaction amount (m_loan_transaction.amount)

Applies to: m_loan_transaction.external_id

Check: Across non-reversed loan transactions, external_id has no duplicates.

Warning when: any loan transaction fails at COB.

Error when: more than one loan transaction fails at COB.

Regulatory reach: none.

Owner: Payments Operations (steward Aisha Rahman). **Related:** none.

Handling: Warning: DQ dashboard only. Error: opens an incident for Payments Operations (ITSM NPB-PAY-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-TX-008 v1 — Repayment portions never exceed what was due

Statement: A repayment cannot pay more principal or interest than the loan owed.

Dimension: Accuracy **Severity:** Medium **System:** S-LSP **Feed:** F-02 **Eagle rule:** EGL-0613

CDE: CDE-TX-002 Principal portion (m_loan_transaction.principal_portion_derived); CDE-TX-003 Interest portion (m_loan_transaction.interest_portion_derived)

Applies to: m_loan_transaction.principal_portion_derived, m_loan_transaction.interest_portion_derived

Check: For every repayment, the principal and interest portions are at most the principal and interest due before the transaction.

Warning when: more than 0.01% of loan transactions posted on the COB date fail at COB.

Error when: more than 0.1% of loan transactions posted on the COB date fail at COB.

Regulatory reach: none.

Owner: Payments Operations (steward Aisha Rahman). **Related:** none.

Handling: Warning: DQ dashboard only. Error: opens an incident for Payments Operations (ITSM NPB-PAY-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-TX-009 v2 — A short payment is held in suspense until a full periodic payment

Statement: A payment less than a periodic payment is not credited to the installment; it is held and credited once accumulated funds reach a full periodic payment.

Dimension: Consistency **Severity:** High **System:** S-LSP **Feed:** F-02 **Eagle rule:** EGL-0614

CDE: CDE-TX-001 Transaction amount (m_loan_transaction.amount); CDE-SC-002 Installment completed (m_loan_repayment_schedule.completed_derived)

Applies to: m_loan_transaction.amount, m_loan_repayment_schedule.completed_derived

Check: For every repayment smaller than the installment due, the amount is held in suspense and credited when accumulated suspense reaches a full periodic payment.

Warning when: more than 0.01% of loan transactions posted on the COB date fail at COB.

Error when: more than 0.1% of loan transactions posted on the COB date fail at COB.

Regulatory reach: Call Report RC-N item 9 (RCON1406).

Legal reference: 12 CFR 1026.36(c)(1)(ii) (Regulation Z, partial payments).

Owner: Payments Operations (steward Aisha Rahman). **Related:** NPB-DQ-TX-010, NPB-DQ-SC-004.

Handling: Warning: DQ dashboard only. Error: opens an incident for Payments Operations (ITSM NPB-PAY-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-TX-010 v1 — A short payment never completes an installment

Statement: Paying part of an installment never marks it paid.
Dimension: Consistency **Severity:** High **System:** S-LSP **Feed:** F-02 **Eagle rule:** EGL-0615
CDE: CDE-TX-001 Transaction amount (m_loan_transaction.amount); CDE-SC-002 Installment completed (m_loan_repayment_schedule.completed_derived)
Applies to: m_loan_transaction.amount, m_loan_repayment_schedule.completed_derived
Check: For every installment paid by a payment smaller than the amount due, completed_derived stays false.
Warning when: more than 0.01% of loan transactions posted on the COB date fail at COB.
Error when: more than 0.05% of loan transactions posted on the COB date fail at COB.
Regulatory reach: Call Report RC-N item 9 (RCON1406).
Owner: Payments Operations (steward Aisha Rahman). **Related:** NPB-DQ-TX-009, NPB-DQ-SC-004.
Handling: Warning: DQ dashboard only. Error: opens an incident for Payments Operations (ITSM NPB-PAY-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-TX-011 v1 — A chargeback posts fully to principal

Statement: A card chargeback adds back principal only.
Dimension: Accuracy **Severity:** Medium **System:** S-LSP **Feed:** F-02 **Eagle rule:** EGL-0616
CDE: CDE-TX-002 Principal portion (m_loan_transaction.principal_portion_derived)
Applies to: m_loan_transaction.principal_portion_derived, m_loan_transaction.transaction_type_enum
Check: For every chargeback transaction, principal portion equals the amount and other portions are zero.
Warning when: any loan transaction fails at COB.
Error when: more than 3 loan transactions posted on the COB date fail at COB.
Regulatory reach: none.
Owner: Payments Operations (steward Aisha Rahman). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Payments Operations (ITSM NPB-PAY-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-TX-012 v1 — Overpayment only when the loan is fully paid

Statement: Money is called overpayment only after everything owed is paid.
Dimension: Consistency **Severity:** Medium **System:** S-LSP **Feed:** F-02 **Eagle rule:** EGL-0617
CDE: CDE-TX-005 Overpayment portion (m_loan_transaction.overpayment_portion_derived); CDE-LN-002 Loan total outstanding (m_loan.total_outstanding_derived)
Applies to: m_loan_transaction.overpayment_portion_derived, m_loan.total_outstanding_derived
Check: For every transaction with an overpayment portion, the loan's total outstanding after the transaction is zero.
Warning when: any loan transaction fails at COB.
Error when: more than 3 loan transactions posted on the COB date fail at COB.
Regulatory reach: none.
Owner: Payments Operations (steward Aisha Rahman). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Payments Operations (ITSM NPB-PAY-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-TX-013 v1 — Interest portion is never negative

Statement: Interest allocation cannot be negative.
Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-02 **Eagle rule:** EGL-0618
CDE: CDE-TX-003 Interest portion (m_loan_transaction.interest_portion_derived)
Applies to: m_loan_transaction.interest_portion_derived
Check: For every loan transaction, interest_portion_derived is zero or greater.
Warning when: any loan transaction fails at COB.
Error when: more than one loan transaction fails at COB.
Regulatory reach: Call Report RI item 1.a (RIAD4010).
Owner: Payments Operations (steward Aisha Rahman). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Payments Operations (ITSM NPB-PAY-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-TX-014 v1 — Fee portion matches the charges paid

Statement: Fees taken from a payment show up as fees paid on the charge.

Dimension: Consistency **Severity:** High **System:** S-LSP **Feed:** F-02 **Eagle rule:** EGL-0619

CDE: CDE-TX-004 Fee portion (m_loan_transaction.fee_charges_portion_derived); CDE-CH-001 Charge outstanding (m_loan_charge.amount_outstanding_derived)

Applies to: m_loan_transaction.fee_charges_portion_derived, m_loan_charge.amount_paid_derived

Check: For every loan, the sum of fee portions equals the sum of amount_paid_derived on its fee charges.

Warning when: more than 0.05% of loan transactions posted on the COB date fail at COB.

Error when: more than 0.5% of loan transactions posted on the COB date fail at COB.

Regulatory reach: Call Report RI item 1.a (RIAD4010).

Owner: Payments Operations (steward Aisha Rahman). **Related:** NPB-DQ-CH-001.

Handling: Warning: DQ dashboard only. Error: opens an incident for Payments Operations (ITSM NPB-PAY-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-TX-015 v1 — Transaction type is recognised

Statement: Every transaction has a type the platform defines.

Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-02 **Eagle rule:** EGL-0620

CDE: CDE-TX-001 Transaction amount (m_loan_transaction.amount)

Applies to: m_loan_transaction.transaction_type_enum

Check: For every loan transaction, transaction_type_enum is a defined loan transaction type.

Warning when: any loan transaction fails at COB.

Error when: more than one loan transaction fails at COB.

Regulatory reach: none.

Owner: Payments Operations (steward Aisha Rahman). **Related:** none.

Handling: Warning: DQ dashboard only. Error: opens an incident for Payments Operations (ITSM NPB-PAY-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-TX-016 v1 — Transactions are posted within one business day

Statement: Payments are booked promptly so balances are current at COB.

Dimension: Timeliness **Severity:** Medium **System:** S-LSP **Feed:** F-02 **Eagle rule:** EGL-0621

CDE: CDE-TX-006 Transaction date (m_loan_transaction.transaction_date)

Applies to: m_loan_transaction.transaction_date, m_loan_transaction.submitted_on_date

Check: For every loan transaction, submitted_on_date is at most one business day after transaction_date.

Warning when: more than 0.2% of loan transactions posted on the COB date fail at COB.

Error when: more than 1% of loan transactions posted on the COB date fail at COB.

Regulatory reach: none.

Owner: Payments Operations (steward Aisha Rahman). **Related:** NPB-DQ-FD-003.

Handling: Warning: DQ dashboard only. Error: opens an incident for Payments Operations (ITSM NPB-PAY-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-TX-017 v1 — Charge-offs agree with the loan's write-off

Statement: What the bank charges off equals what the loan shows written off.

Dimension: Accuracy **Severity:** High **System:** S-LSP **Feed:** F-02 **Eagle rule:** EGL-0622

CDE: CDE-TX-002 Principal portion (m_loan_transaction.principal_portion_derived); CDE-LN-001 Loan principal outstanding (m_loan.principal_outstanding_derived)

Applies to: m_loan_transaction.principal_portion_derived, m_loan.principal_writtenoff_derived

Check: For every written-off loan, the principal portion of its write-off transactions equals principal_writtenoff_derived.

Warning when: any loan transaction fails at COB.

Error when: more than 2 loan transactions posted on the COB date fail at COB.

Regulatory reach: Call Report RI-B Part I item 9 (RIAD4635); FR Y-9C HI-B Part I item 9 (BHCK4635).

Owner: Payments Operations (steward Aisha Rahman). **Related:** NPB-DQ-RP-003.

Handling: Warning: DQ dashboard only. Error: opens an incident for Payments Operations (ITSM NPB-PAY-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-TX-018 v1 — Recoveries post only to charged-off loans

Statement: A recovery is money collected after charge-off.
Dimension: Consistency **Severity:** High **System:** S-LSP **Feed:** F-02 **Eagle rule:** EGL-0623
CDE: CDE-TX-001 Transaction amount (m_loan_transaction.amount); CDE-LN-004 Loan status (m_loan.loan_status_id)
Applies to: m_loan_transaction.transaction_type_enum, m_loan.loan_status_id
Check: For every recovery transaction, the loan is in status 601 (written off).
Warning when: any loan transaction fails at COB.
Error when: more than 2 loan transactions posted on the COB date fail at COB.
Regulatory reach: Call Report RI-B Part I item 9 (RIAD4605); FR Y-9C HI-B Part I item 9 (BHCK4605).
Owner: Payments Operations (steward Aisha Rahman). **Related:** NPB-DQ-RP-004.
Handling: Warning: DQ dashboard only. Error: opens an incident for Payments Operations (ITSM NPB-PAY-OPS) or attaches to the open one for this rule, with the failing keys.

8. Repayment schedule rules (NPB-DQ-SC)

Schedule rules protect the installments on m_loan_repayment_schedule from which arrears and past-due status are derived. Rule owner by default: Loan Operations. Rules in this family: 10.

NPB-DQ-SC-001 v1 — Installment numbers are contiguous

Statement: A schedule has no missing installments.
Dimension: Completeness **Severity:** Low **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0626
CDE: CDE-SC-001 Installment due date (m_loan_repayment_schedule.duedate)
Applies to: m_loan_repayment_schedule.installment
Check: For every loan, installment numbers run 1, 2, 3 ... with no gaps.
Warning when: any open installment fails at COB.
Error when: more than 5 open installments fail at COB.
Regulatory reach: none.
Owner: Loan Operations (steward Marcus Feld). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-SC-002 v1 — Due dates rise strictly

Statement: Each installment falls due after the one before.
Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0627
CDE: CDE-SC-001 Installment due date (m_loan_repayment_schedule.duedate)
Applies to: m_loan_repayment_schedule.duedate, m_loan_repayment_schedule.installment
Check: For every loan, duedate increases strictly with installment number.
Warning when: any open installment fails at COB.
Error when: more than 5 open installments fail at COB.
Regulatory reach: none.
Owner: Loan Operations (steward Marcus Feld). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-SC-003 v1 — Each period starts where the last ended

Statement: Schedule periods are back to back.

Dimension: Consistency **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0628

CDE: CDE-SC-001 Installment due date (m_loan_repayment_schedule.duedate)

Applies to: m_loan_repayment_schedule.fromdate, m_loan_repayment_schedule.duedate

Check: For every installment after the first, fromdate equals the previous installment's duedate.

Warning when: any open installment fails at COB.

Error when: more than 5 open installments fail at COB.

Regulatory reach: none.

Owner: Loan Operations (steward Marcus Feld). **Related:** none.

Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-SC-004 v1 — An installment is completed only when fully paid

Statement: An installment counts as paid only when principal, interest, fees and penalties are all paid.

Dimension: Accuracy **Severity:** High **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0629

CDE: CDE-SC-002 Installment completed (m_loan_repayment_schedule.completed_derived)

Applies to: m_loan_repayment_schedule.completed_derived, m_loan_repayment_schedule.principal_completed_derived, m_loan_repayment_schedule.interest_completed_derived

Check: For every installment with completed_derived true, principal, interest, fees and penalties completed equal the amounts scheduled.

Warning when: more than 0.01% of open installments fail at COB.

Error when: more than 0.05% of open installments fail at COB.

Regulatory reach: Call Report RC-N item 9 (RCON1406).

Owner: Loan Operations (steward Marcus Feld). **Related:** NPB-DQ-TX-010, NPB-DQ-AR-001.

Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-SC-005 v1 — Scheduled principal adds up to the disbursed principal

Statement: The schedule repays exactly what was lent.

Dimension: Accuracy **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0630

CDE: CDE-SC-001 Installment due date (m_loan_repayment_schedule.duedate); CDE-LN-003 Original principal (m_loan.principal_amount)

Applies to: m_loan_repayment_schedule.principal_amount, m_loan.principal_disbursed_derived

Check: For every disbursed loan, the sum of scheduled principal equals principal disbursed.

Warning when: more than 0.05% of open installments fail at COB.

Error when: more than 0.25% of open installments fail at COB.

Regulatory reach: none.

Owner: Loan Operations (steward Marcus Feld). **Related:** NPB-DQ-LN-003.

Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-SC-006 v1 — The last installment falls on the maturity date

Statement: The schedule ends when the loan matures.

Dimension: Consistency **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0631

CDE: CDE-SC-001 Installment due date (m_loan_repayment_schedule.duedate); CDE-LN-006 Maturity date (m_loan.maturedon_date)

Applies to: m_loan_repayment_schedule.duedate, m_loan.maturedon_date

Check: For every active loan, the last installment's duedate equals maturedon_date.

Warning when: more than 0.05% of open installments fail at COB.

Error when: more than 0.5% of open installments fail at COB.

Regulatory reach: none.

Owner: Loan Operations (steward Marcus Feld). **Related:** NPB-DQ-LN-006.

Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-SC-007 v1 — Principal paid never exceeds principal scheduled

Statement: An installment cannot be overpaid in principal.
Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0632
CDE: CDE-SC-002 Installment completed (m_loan_repayment_schedule.completed_derived)
Applies to: m_loan_repayment_schedule.principal_completed_derived, m_loan_repayment_schedule.principal_amount
Check: For every installment, principal_completed_derived is at most principal_amount.
Warning when: any open installment fails at COB.
Error when: more than 5 open installments fail at COB.
Regulatory reach: none.
Owner: Loan Operations (steward Marcus Feld). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-SC-008 v1 — Interest paid never exceeds interest scheduled

Statement: An installment cannot be overpaid in interest.
Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0633
CDE: CDE-SC-002 Installment completed (m_loan_repayment_schedule.completed_derived)
Applies to: m_loan_repayment_schedule.interest_completed_derived, m_loan_repayment_schedule.interest_amount
Check: For every installment, interest_completed_derived is at most interest_amount.
Warning when: any open installment fails at COB.
Error when: more than 5 open installments fail at COB.
Regulatory reach: none.
Owner: Loan Operations (steward Marcus Feld). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-SC-009 v1 — Completed installments record when they were met

Statement: When an installment is paid, the date it was paid is kept.
Dimension: Completeness **Severity:** Low **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0634
CDE: CDE-SC-002 Installment completed (m_loan_repayment_schedule.completed_derived)
Applies to: m_loan_repayment_schedule.obligations_met_on_date, m_loan_repayment_schedule.completed_derived
Check: For every installment with completed_derived true, obligations_met_on_date is not null.
Warning when: more than 0.05% of open installments fail at COB.
Error when: more than 0.5% of open installments fail at COB.
Regulatory reach: none.
Owner: Loan Operations (steward Marcus Feld). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-SC-010 v1 — No installment is due on a non-business day

Statement: Due dates respect the bank's business calendar.
Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0635
CDE: CDE-SC-001 Installment due date (m_loan_repayment_schedule.duedate)
Applies to: m_loan_repayment_schedule.duedate
Check: For every open installment, duedate is a business day in the NorthPeak business calendar, or carries a holiday adjustment.
Warning when: more than 0.05% of open installments fail at COB.
Error when: more than 0.5% of open installments fail at COB.
Regulatory reach: none.
Owner: Loan Operations (steward Marcus Feld). **Related:** NPB-DQ-AR-001.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

9. Arrears rules (NPB-DQ-AR)

Arrears rules protect overdue-since dates and overdue amounts on m_loan_arrears_aging, which drive RC-N and HC-N past-due reporting. Rule owner by default: Collections. Rules in this family: 10.

NPB-DQ-AR-001 v2 — Overdue-since is set within one business day

Statement: When an installment is missed or paid short, the loan shows as overdue by the next business day.
Dimension: Timeliness **Severity:** High **System:** S-LSP **Feed:** F-07 **Eagle rule:** EGL-0646
CDE: CDE-AR-001 Overdue-since date (m_loan_arrears_aging.overdue_since_date_derived)
Applies to: m_loan_arrears_aging.overdue_since_date_derived
Check: For every loan with an installment unpaid past its due date, overdue_since_date_derived is set within one business day of that due date.
Warning when: more than 0.1% of loans in arrears fail at COB.
Error when: more than 0.5% of loans in arrears fail at COB.
Regulatory reach: Call Report RC-N item 9 (RCON1406); FR Y-9C HC-N item 9 (BHCK1406).
Owner: Collections (steward Tomas Lindgren). **Related:** NPB-DQ-SC-004, NPB-DQ-FD-004.
Handling: Warning: DQ dashboard only. Error: opens an incident for Collections (ITSM NPB-COLL) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-AR-002 v1 — Overdue-since is not after COB

Statement: A loan cannot be overdue from the future.
Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-07 **Eagle rule:** EGL-0647
CDE: CDE-AR-001 Overdue-since date (m_loan_arrears_aging.overdue_since_date_derived)
Applies to: m_loan_arrears_aging.overdue_since_date_derived
Check: For every arrears row, overdue_since_date_derived is on or before the COB date.
Warning when: any loan in arrears fails at COB.
Error when: more than one loan in arrears fails at COB.
Regulatory reach: none.
Owner: Collections (steward Tomas Lindgren). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Collections (ITSM NPB-COLL) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-AR-003 v1 — Days-past-due bucket agrees with overdue-since

Statement: The past-due bucket reported is the one the overdue-since date implies.
Dimension: Consistency **Severity:** High **System:** S-EDW **Feed:** F-07 **Eagle rule:** EGL-0648
CDE: CDE-AR-001 Overdue-since date (m_loan_arrears_aging.overdue_since_date_derived)
Applies to: edw.fact_arrears_daily.dpd_bucket, edw.fact_arrears_daily.overdue_since
Check: For every loan in arrears, dpd_bucket equals the bucket computed from COB date minus overdue_since.
Warning when: more than 0.05% of loans in arrears fail at COB.
Error when: more than 0.25% of loans in arrears fail at COB.
Regulatory reach: Call Report RC-N item 9 (RCON1406); Call Report RC-N item 9 (RCON1407); FR Y-9C HC-N item 9 (BHCK1406); FR Y-9C HC-N item 9 (BHCK1407).
Owner: Collections (steward Tomas Lindgren). **Related:** NPB-DQ-AR-001.
Handling: Warning: DQ dashboard only. Error: opens an incident for Collections (ITSM NPB-COLL) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-AR-004 v1 — Total overdue never exceeds total outstanding

Statement: A borrower cannot be behind by more than they owe.

Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-07 **Eagle rule:** EGL-0649

CDE: CDE-AR-002 Total overdue (m_loan_arrears_aging.total_overdue_derived); CDE-LN-002 Loan total outstanding (m_loan.total_outstanding_derived)

Applies to: m_loan_arrears_aging.total_overdue_derived, m_loan.total_outstanding_derived

Check: For every loan in arrears, total_overdue_derived is at most total_outstanding_derived.

Warning when: any loan in arrears fails at COB.

Error when: more than 3 loans in arrears fail at COB.

Regulatory reach: none.

Owner: Collections (steward Tomas Lindgren). **Related:** none.

Handling: Warning: DQ dashboard only. Error: opens an incident for Collections (ITSM NPB-COLL) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-AR-005 v1 — Total overdue equals the sum of its parts

Statement: Total overdue is principal plus interest plus fees plus penalties overdue.

Dimension: Accuracy **Severity:** High **System:** S-LSP **Feed:** F-07 **Eagle rule:** EGL-0650

CDE: CDE-AR-002 Total overdue (m_loan_arrears_aging.total_overdue_derived)

Applies to: m_loan_arrears_aging.total_overdue_derived, m_loan_arrears_aging.principal_overdue_derived, m_loan_arrears_aging.interest_overdue_derived, m_loan_arrears_aging.fee_charges_overdue_derived, m_loan_arrears_aging.penalty_charges_overdue_derived

Check: For every loan in arrears, total_overdue_derived equals the sum of the four overdue components.

Warning when: more than 0.05% of loans in arrears fail at COB.

Error when: more than 0.25% of loans in arrears fail at COB.

Regulatory reach: Call Report RC-N item 9 (RCON1406); Call Report RC-N item 9 (RCON1407).

Owner: Collections (steward Tomas Lindgren). **Related:** none.

Handling: Warning: DQ dashboard only. Error: opens an incident for Collections (ITSM NPB-COLL) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-AR-006 v1 — Every loan with an overdue installment has an arrears row

Statement: No overdue loan is missing from arrears aging.

Dimension: Completeness **Severity:** Medium **System:** S-LSP **Feed:** F-07 **Eagle rule:** EGL-0651

CDE: CDE-AR-001 Overdue-since date (m_loan_arrears_aging.overdue_since_date_derived)

Applies to: m_loan_arrears_aging.loan_id, m_loan_repayment_schedule.duedate

Check: For every active loan with an incomplete installment due before COB, a row exists in m_loan_arrears_aging.

Warning when: more than 0.05% of loans in arrears fail at COB.

Error when: more than 0.25% of loans in arrears fail at COB.

Regulatory reach: Call Report RC-N item 9 (RCON1406).

Owner: Collections (steward Tomas Lindgren). **Related:** none.

Handling: Warning: DQ dashboard only. Error: opens an incident for Collections (ITSM NPB-COLL) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-AR-007 v1 — No arrears row for a loan that is up to date

Statement: A current loan is not reported as past due.

Dimension: Consistency **Severity:** High **System:** S-LSP **Feed:** F-07 **Eagle rule:** EGL-0652

CDE: CDE-AR-002 Total overdue (m_loan_arrears_aging.total_overdue_derived)

Applies to: m_loan_arrears_aging.loan_id, m_loan_arrears_aging.total_overdue_derived

Check: For every row in m_loan_arrears_aging, the loan has at least one incomplete installment due before COB.

Warning when: more than 0.05% of loans in arrears fail at COB.

Error when: more than 0.25% of loans in arrears fail at COB.

Regulatory reach: Call Report RC-N item 9 (RCON1406).

Owner: Collections (steward Tomas Lindgren). **Related:** none.

Handling: Warning: DQ dashboard only. Error: opens an incident for Collections (ITSM NPB-COLL) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-AR-008 v1 — Loans 90 or more days past due are nonaccrual

Statement: Loans 90 days or more past due stop accruing interest unless well secured and in collection.

Dimension: Consistency **Severity:** High **System:** S-EDW **Feed:** F-07 **Eagle rule:** EGL-0653

CDE: CDE-AR-001 Overdue-since date (m_loan_arrears_aging.overdue_since_date_derived); CDE-LN-004 Loan status (m_loan.loan_status_id)

Applies to: edw.fact_arrears_daily.days_past_due, edw.fact_arrears_daily.nonaccrual_flag

Check: For every loan with days_past_due of 90 or more, nonaccrual_flag is true or an approved exception exists.

Warning when: more than 0.1% of loans in arrears fail at COB.

Error when: more than 0.5% of loans in arrears fail at COB.

Regulatory reach: Call Report RC-N item 9 (RCON1407); Call Report RC-N item 9 (RCON1403); FR Y-9C HC-N item 9 (BHCK1403).

Owner: Collections (steward Tomas Lindgren). **Related:** NPB-DQ-AR-003.

Handling: Warning: DQ dashboard only. Error: opens an incident for Collections (ITSM NPB-COLL) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-AR-009 v1 — Principal overdue matches the schedule

Statement: Principal overdue is what the schedule says is due and unpaid.

Dimension: Accuracy **Severity:** Medium **System:** S-LSP **Feed:** F-07 **Eagle rule:** EGL-0654

CDE: CDE-AR-002 Total overdue (m_loan_arrears_aging.total_overdue_derived)

Applies to: m_loan_arrears_aging.principal_overdue_derived, m_loan_repayment_schedule.principal_amount, m_loan_repayment_schedule.principal_completed_derived

Check: For every loan in arrears, principal_overdue_derived equals scheduled principal minus principal completed on installments due before COB.

Warning when: more than 0.05% of loans in arrears fail at COB.

Error when: more than 0.25% of loans in arrears fail at COB.

Regulatory reach: none.

Owner: Collections (steward Tomas Lindgren). **Related:** none.

Handling: Warning: DQ dashboard only. Error: opens an incident for Collections (ITSM NPB-COLL) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-AR-010 v1 — Arrears aging is refreshed before the EDW extract

Statement: Arrears are recomputed every business day before the warehouse reads them.

Dimension: Timeliness **Severity:** Medium **System:** S-LSP **Feed:** F-07 **Eagle rule:** EGL-0655

CDE: CDE-AR-001 Overdue-since date (m_loan_arrears_aging.overdue_since_date_derived)

Applies to: m_loan_arrears_aging.overdue_since_date_derived

Check: On every business day, the arrears aging job completes before the F-07 extract starts.

Warning when: the deadline is missed.

Error when: the deadline is missed by more than 30 minutes.

Regulatory reach: none.

Owner: Collections (steward Tomas Lindgren). **Related:** NPB-DQ-FD-004.

Handling: Warning: DQ dashboard only. Error: opens an incident for Collections (ITSM NPB-COLL) or attaches to the open one for this rule, with the failing keys.

10. Loan charges rules (NPB-DQ-CH)

Charge rules protect fees and penalties on m_loan_charge. Rule owner by default: Loan Operations. Rules in this family: 8.

NPB-DQ-CH-001 v1 — Charge outstanding reconciles to its components

Statement: What is owed on a charge is its amount less what was paid, waived or written off.
Dimension: Accuracy **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0666
CDE: CDE-CH-001 Charge outstanding (m_loan_charge.amount_outstanding_derived)
Applies to: m_loan_charge.amount_outstanding_derived, m_loan_charge.amount, m_loan_charge.amount_paid_derived, m_loan_charge.amount_waived_derived, m_loan_charge.amount_writtenoff_derived
Check: For every active loan charge, amount outstanding equals amount minus paid minus waived minus written off.
Warning when: more than 0.01% of active loan charges fail at COB.
Error when: more than 0.1% of active loan charges fail at COB.
Regulatory reach: none.
Owner: Loan Operations (steward Marcus Feld). **Related:** NPB-DQ-TX-014.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-CH-002 v1 — Payments never exceed a charge's outstanding amount

Statement: A charge cannot be overpaid.
Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0667
CDE: CDE-CH-001 Charge outstanding (m_loan_charge.amount_outstanding_derived)
Applies to: m_loan_charge.amount_paid_derived, m_loan_charge.amount
Check: For every loan charge, amount_paid_derived is at most amount minus waived minus written off.
Warning when: any active loan charge fails at COB.
Error when: more than 3 active loan charges fail at COB.
Regulatory reach: none.
Owner: Loan Operations (steward Marcus Feld). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-CH-003 v1 — Paid flag agrees with the outstanding amount

Statement: A charge is flagged paid exactly when nothing is outstanding.
Dimension: Consistency **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0668
CDE: CDE-CH-001 Charge outstanding (m_loan_charge.amount_outstanding_derived)
Applies to: m_loan_charge.is_paid_derived, m_loan_charge.amount_outstanding_derived
Check: For every loan charge, is_paid_derived is true if and only if amount_outstanding_derived is zero.
Warning when: more than 0.05% of active loan charges fail at COB.
Error when: more than 0.5% of active loan charges fail at COB.
Regulatory reach: none.
Owner: Loan Operations (steward Marcus Feld). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-CH-004 v1 — Charge amount is positive

Statement: A charge is always a positive amount.
Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0669
CDE: CDE-CH-001 Charge outstanding (m_loan_charge.amount_outstanding_derived)
Applies to: m_loan_charge.amount
Check: For every loan charge, amount is greater than zero.
Warning when: any active loan charge fails at COB.
Error when: more than one active loan charge fails at COB.
Regulatory reach: none.
Owner: Loan Operations (steward Marcus Feld). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-CH-005 v1 — Every loan charge has a charge definition

Statement: Every fee on a loan is a fee the bank defined.
Dimension: Consistency **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0670
CDE: CDE-CH-001 Charge outstanding (m_loan_charge.amount_outstanding_derived)
Applies to: m_loan_charge.charge_id, m_charge.id
Check: For every loan charge, charge_id matches an id in m_charge.
Warning when: any active loan charge fails at COB.
Error when: more than one active loan charge fails at COB.
Regulatory reach: none.
Owner: Loan Operations (steward Marcus Feld). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-CH-006 v1 — Specified-due-date charges have a due date

Statement: A fee due on a date records that date.
Dimension: Completeness **Severity:** Low **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0671
CDE: CDE-CH-001 Charge outstanding (m_loan_charge.amount_outstanding_derived)
Applies to: m_loan_charge.due_for_collection_as_of_date
Check: For every active specified-due-date charge, due_for_collection_as_of_date is not null.
Warning when: more than 0.05% of active loan charges fail at COB.
Error when: more than 0.5% of active loan charges fail at COB.
Regulatory reach: none.
Owner: Loan Operations (steward Marcus Feld). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-CH-007 v1 — Waived amount never exceeds the charge

Statement: The bank cannot waive more than it charged.
Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0672
CDE: CDE-CH-001 Charge outstanding (m_loan_charge.amount_outstanding_derived)
Applies to: m_loan_charge.amount_waived_derived, m_loan_charge.amount
Check: For every loan charge, amount_waived_derived is at most amount.
Warning when: any active loan charge fails at COB.
Error when: more than one active loan charge fails at COB.
Regulatory reach: none.
Owner: Loan Operations (steward Marcus Feld). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-CH-008 v1 — Inactive charges carry nothing outstanding

Statement: A removed charge is not still owed.
Dimension: Consistency **Severity:** Medium **System:** S-LSP **Feed:** F-01 **Eagle rule:** EGL-0673
CDE: CDE-CH-001 Charge outstanding (m_loan_charge.amount_outstanding_derived)
Applies to: m_loan_charge.is_active, m_loan_charge.amount_outstanding_derived
Check: For every loan charge with is_active false, amount_outstanding_derived is zero.
Warning when: any active loan charge fails at COB.
Error when: more than 3 active loan charges fail at COB.
Regulatory reach: none.
Owner: Loan Operations (steward Marcus Feld). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Loan Operations (ITSM NPB-LOAN-OPS) or attaches to the open one for this rule, with the failing keys.

11. Customer rules (NPB-DQ-CL)

Customer rules protect client identity and age data on m_client, synchronised from the Customer Master. Rule owner by default: Customer Data Management. Rules in this family: 10.

NPB-DQ-CL-001 v1 — Client external id is unique

Statement: One person, one Customer Master id.
Dimension: Uniqueness **Severity:** Medium **System:** S-LSP **Feed:** F-04 **Eagle rule:** EGL-0686
CDE: CDE-CL-001 Client external id (m_client.external_id)
Applies to: m_client.external_id
Check: Across active clients, external_id has no duplicates.
Warning when: any active client fails at COB.
Error when: more than one active client fails at COB.
Regulatory reach: none.
Owner: Customer Data Management (steward Priya Natarajan). **Related:** NPB-DQ-CL-009.
Handling: Warning: DQ dashboard only. Error: opens an incident for Customer Data Management (ITSM NPB-CUST-DATA) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-CL-002 v1 — Date of birth is present for retail clients

Statement: The bank knows the age of every individual borrower.
Dimension: Completeness **Severity:** Low **System:** S-LSP **Feed:** F-04 **Eagle rule:** EGL-0687
CDE: CDE-CL-002 Client date of birth (m_client.date_of_birth)
Applies to: m_client.date_of_birth, m_client.legal_form_enum
Check: For every active client with legal_form_enum 1 (person), date_of_birth is not null.
Warning when: more than 0.05% of active clients fail at COB.
Error when: more than 0.5% of active clients fail at COB.
Regulatory reach: none.
Owner: Customer Data Management (steward Priya Natarajan). **Related:** NPB-DQ-CL-004.
Handling: Warning: DQ dashboard only. Error: opens an incident for Customer Data Management (ITSM NPB-CUST-DATA) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-CL-003 v1 — External id is present

Statement: Every client links to the Customer Master.
Dimension: Completeness **Severity:** Low **System:** S-LSP **Feed:** F-04 **Eagle rule:** EGL-0688
CDE: CDE-CL-001 Client external id (m_client.external_id)
Applies to: m_client.external_id
Check: For every active client, external_id is not null.
Warning when: more than 0.01% of active clients fail at COB.
Error when: more than 0.1% of active clients fail at COB.
Regulatory reach: none.
Owner: Customer Data Management (steward Priya Natarajan). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Customer Data Management (ITSM NPB-CUST-DATA) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-CL-004 v3 — Retail client age is between 18 and 110

Statement: Individual borrowers are adults and their recorded age is plausible.
Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-04 **Eagle rule:** EGL-0689
CDE: CDE-CL-002 Client date of birth (m_client.date_of_birth)
Applies to: m_client.date_of_birth, m_client.legal_form_enum
Check: For every active client with legal_form_enum 1 (person), age at COB computed from date_of_birth is between 18 and 110.
Warning when: more than 0.02% of active clients fail at COB.
Error when: more than 0.5% of active clients fail at COB.
Regulatory reach: none.
Owner: Customer Data Management (steward Priya Natarajan). **Related:** NPB-DQ-CL-002.
Handling: Warning: DQ dashboard only. Error: opens an incident for Customer Data Management (ITSM NPB-CUST-DATA) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-CL-005 v1 — Every loan's client exists

Statement: No loan points at a missing client.
Dimension: Consistency **Severity:** Medium **System:** S-LSP **Feed:** F-04 **Eagle rule:** EGL-0690
CDE: CDE-CL-001 Client external id (m_client.external_id)
Applies to: m_loan.client_id, m_client.id
Check: For every loan, client_id matches an active or closed client in m_client.
Warning when: any active client fails at COB.
Error when: more than one active client fails at COB.
Regulatory reach: none.
Owner: Customer Data Management (steward Priya Natarajan). **Related:** NPB-DQ-LN-017.
Handling: Warning: DQ dashboard only. Error: opens an incident for Customer Data Management (ITSM NPB-CUST-DATA) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-CL-006 v1 — Activation date is not in the future

Statement: A client cannot be activated after today.
Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-04 **Eagle rule:** EGL-0691
CDE: CDE-CL-001 Client external id (m_client.external_id)
Applies to: m_client.activation_date
Check: For every active client, activation_date is on or before the COB date.
Warning when: any active client fails at COB.
Error when: more than one active client fails at COB.
Regulatory reach: none.
Owner: Customer Data Management (steward Priya Natarajan). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Customer Data Management (ITSM NPB-CUST-DATA) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-CL-007 v1 — Display name is present

Statement: Every client has a name.
Dimension: Completeness **Severity:** Low **System:** S-LSP **Feed:** F-04 **Eagle rule:** EGL-0692
CDE: CDE-CL-001 Client external id (m_client.external_id)
Applies to: m_client.display_name
Check: For every active client, display_name is not null or blank.
Warning when: more than 0.01% of active clients fail at COB.
Error when: more than 0.1% of active clients fail at COB.
Regulatory reach: none.
Owner: Customer Data Management (steward Priya Natarajan). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Customer Data Management (ITSM NPB-CUST-DATA) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-CL-008 v1 — Client status is recognised

Statement: Every client has a defined status.
Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-04 **Eagle rule:** EGL-0693
CDE: CDE-CL-001 Client external id (m_client.external_id)
Applies to: m_client.status_enum
Check: For every client, status_enum is one of 100, 300, 600 or 700.
Warning when: any active client fails at COB.
Error when: more than one active client fails at COB.
Regulatory reach: none.
Owner: Customer Data Management (steward Priya Natarajan). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Customer Data Management (ITSM NPB-CUST-DATA) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-CL-009 v1 — External id matches the Customer Master

Statement: The id on the loan platform is the id in the Customer Master.
Dimension: Consistency **Severity:** Medium **System:** S-LSP **Feed:** F-04 **Eagle rule:** EGL-0694
CDE: CDE-CL-001 Client external id (m_client.external_id)
Applies to: m_client.external_id, cif.customer_master.external_id
Check: For every active client, external_id exists in cif.customer_master.
Warning when: more than 0.05% of active clients fail at COB.
Error when: more than 0.5% of active clients fail at COB.
Regulatory reach: none.
Owner: Customer Data Management (steward Priya Natarajan). **Related:** NPB-DQ-CL-001.
Handling: Warning: DQ dashboard only. Error: opens an incident for Customer Data Management (ITSM NPB-CUST-DATA) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-CL-010 v1 — Legal form is set

Statement: Every client is either a person or an entity.
Dimension: Completeness **Severity:** Low **System:** S-LSP **Feed:** F-04 **Eagle rule:** EGL-0695
CDE: CDE-CL-002 Client date of birth (m_client.date_of_birth)
Applies to: m_client.legal_form_enum
Check: For every active client, legal_form_enum is 1 (person) or 2 (entity).
Warning when: more than 0.05% of active clients fail at COB.
Error when: more than 0.5% of active clients fail at COB.
Regulatory reach: none.
Owner: Customer Data Management (steward Priya Natarajan). **Related:** NPB-DQ-CL-002.
Handling: Warning: DQ dashboard only. Error: opens an incident for Customer Data Management (ITSM NPB-CUST-DATA) or attaches to the open one for this rule, with the failing keys.

12. Ledger rules (NPB-DQ-GL)

Ledger rules protect loan accounting on acc_gl_journal_entry and its reconciliation to the General Ledger. Rule owner by default: Finance Controllership. Rules in this family: 8.

NPB-DQ-GL-001 v1 — Every loan transaction has balanced journal entries

Statement: Debits equal credits for every loan transaction.
Dimension: Accuracy **Severity:** High **System:** S-LSP **Feed:** F-03 **Eagle rule:** EGL-0706
CDE: CDE-GL-001 Journal amount (acc_gl_journal_entry.amount)
Applies to: acc_gl_journal_entry.amount, acc_gl_journal_entry.loan_transaction_id, acc_gl_journal_entry.type_enum
Check: For every non-reversed loan transaction, the sum of its debit journal amounts equals the sum of its credit journal amounts.
Warning when: any journal entry fails at COB.
Error when: more than one journal entry fails at COB.
Regulatory reach: Call Report RC item 12 (RCON2170).
Owner: Finance Controllership (steward Helen Okafor). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Finance Controllership (ITSM NPB-FIN-CTRL) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-GL-002 v2 — Principal outstanding reconciles to the GL

Statement: The loan book and the general ledger agree.
Dimension: Accuracy **Severity:** High **System:** S-GL **Feed:** F-10 **Eagle rule:** EGL-0707
CDE: CDE-GL-001 Journal amount (acc_gl_journal_entry.amount); CDE-LN-001 Loan principal outstanding (m_loan.principal_outstanding_derived)
Applies to: gl.ledger_balance.balance, m_loan.principal_outstanding_derived
Check: For every loan product, the sum of principal outstanding reconciles to the GL loans-receivable account balance within 0.01%.
Warning when: the two totals differ by more than 0.01%.
Error when: the two totals differ by more than 0.05%.
Regulatory reach: Call Report RC-C Part I item 12 (RCON2122).
Owner: Finance Controllership (steward Helen Okafor). **Related:** NPB-DQ-LN-003, NPB-DQ-GL-007.
Handling: Warning: DQ dashboard only. Error: opens an incident for Finance Controllership (ITSM NPB-FIN-CTRL) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-GL-003 v1 — Journal amount is positive

Statement: Journal amounts are positive; direction is debit or credit.
Dimension: Validity **Severity:** Medium **System:** S-LSP **Feed:** F-03 **Eagle rule:** EGL-0708
CDE: CDE-GL-001 Journal amount (acc_gl_journal_entry.amount)
Applies to: acc_gl_journal_entry.amount
Check: For every journal entry, amount is greater than zero.
Warning when: any journal entry fails at COB.
Error when: more than one journal entry fails at COB.
Regulatory reach: none.
Owner: Finance Controllership (steward Helen Okafor). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Finance Controllership (ITSM NPB-FIN-CTRL) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-GL-004 v1 — Journal entries use an enabled GL account

Statement: Nothing posts to a closed account.
Dimension: Consistency **Severity:** Medium **System:** S-LSP **Feed:** F-03 **Eagle rule:** EGL-0709
CDE: CDE-GL-001 Journal amount (acc_gl_journal_entry.amount)
Applies to: acc_gl_journal_entry.account_id, acc_gl_account.disabled
Check: For every journal entry, account_id refers to an acc_gl_account that is not disabled.
Warning when: any journal entry fails at COB.
Error when: more than one journal entry fails at COB.
Regulatory reach: none.
Owner: Finance Controllership (steward Helen Okafor). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Finance Controllership (ITSM NPB-FIN-CTRL) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-GL-005 v1 — Reversed transactions have reversing journals

Statement: When a transaction is reversed, so is its accounting.
Dimension: Consistency **Severity:** Medium **System:** S-LSP **Feed:** F-03 **Eagle rule:** EGL-0710
CDE: CDE-GL-001 Journal amount (acc_gl_journal_entry.amount); CDE-TX-007 Reversal flag (m_loan_transaction.is_reversed)
Applies to: acc_gl_journal_entry.reversed, m_loan_transaction.is_reversed
Check: For every reversed loan transaction, every journal entry it created is marked reversed.
Warning when: any journal entry fails at COB.
Error when: more than 3 journal entries posted on the COB date fail at COB.
Regulatory reach: none.
Owner: Finance Controllership (steward Helen Okafor). **Related:** NPB-DQ-TX-004.
Handling: Warning: DQ dashboard only. Error: opens an incident for Finance Controllership (ITSM NPB-FIN-CTRL) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-GL-006 v1 — Journal date equals the transaction date

Statement: Accounting lands on the day the business event happened.
Dimension: Consistency **Severity:** Medium **System:** S-LSP **Feed:** F-03 **Eagle rule:** EGL-0711
CDE: CDE-GL-001 Journal amount (acc_gl_journal_entry.amount); CDE-TX-006 Transaction date (m_loan_transaction.transaction_date)
Applies to: acc_gl_journal_entry.entry_date, m_loan_transaction.transaction_date
Check: For every journal entry with a loan_transaction_id, entry_date equals that transaction's transaction_date.
Warning when: more than 0.05% of journal entries posted on the COB date fail at COB.
Error when: more than 0.5% of journal entries posted on the COB date fail at COB.
Regulatory reach: none.
Owner: Finance Controllership (steward Helen Okafor). **Related:** none.
Handling: Warning: DQ dashboard only. Error: opens an incident for Finance Controllership (ITSM NPB-FIN-CTRL) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-GL-007 v1 — Every loan product is mapped to GL accounts

Statement: Every product knows where its accounting goes.
Dimension: Completeness **Severity:** Medium **System:** S-LSP **Feed:** F-03 **Eagle rule:** EGL-0712
CDE: CDE-GL-001 Journal amount (acc_gl_journal_entry.amount)
Applies to: acc_product_mapping.gl_account_id, acc_product_mapping.product_id
Check: For every active loan product, acc_product_mapping holds a GL account for each required financial account type.
Warning when: never: any failure is graded Error.
Error when: any active loan product fails at COB.
Regulatory reach: Call Report RC-C Part I item 12 (RCON2122).
Owner: Finance Controllership (steward Helen Okafor). **Related:** NPB-DQ-GL-002.
Handling: Warning: DQ dashboard only. Error: opens an incident for Finance Controllership (ITSM NPB-FIN-CTRL) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-GL-008 v1 — Provision expense agrees with the provision change

Statement: The provision booked in the ledger matches the provisioning run.

Dimension: Accuracy **Severity:** High **System:** S-LSP **Feed:** F-03 **Eagle rule:** EGL-0713

CDE: CDE-PV-001 Provision amount (m_loanproduct_provisioning_entry.reseve_amount); CDE-GL-001 Journal amount (acc_gl_journal_entry.amount)

Applies to: m_loanproduct_provisioning_entry.reseve_amount, acc_gl_journal_entry.amount

Check: For every provisioning run, the provision expense journals equal the change in provision amount since the previous run, within USD 1.

Warning when: never: any failure is graded Error.

Error when: any provisioning run fails at COB.

Regulatory reach: Call Report RC item 4.c (RCON3123); FR Y-9C HC item 4.c (BHCK3123).

Owner: Finance Controllership (steward Helen Okafor). **Related:** NPB-DQ-RP-007.

Handling: Warning: DQ dashboard only. Error: opens an incident for Finance Controllership (ITSM NPB-FIN-CTRL) or attaches to the open one for this rule, with the failing keys.

13. Regulatory reporting rules (NPB-DQ-RP)

Reporting rules tie the quarterly Call Report and FR Y-9C extracts back to the warehouse and the transactions. Rule owner by default: Regulatory Reporting. Rules in this family: 10.

NPB-DQ-RP-001 v2 — RCON2122 ties to the EDW loan total

Statement: Total loans on the Call Report equal the warehouse total of loans net of unearned income.

Dimension: Accuracy **Severity:** High **System:** S-RRH **Feed:** F-05 **Eagle rule:** EGL-0726

CDE: CDE-LN-001 Loan principal outstanding (m_loan.principal_outstanding_derived)

Applies to: rrh.call_report_extract.amount, edw.fact_loan_daily.principal_outstanding

Check: At each quarter-end, RC-C item 12 (RCON2122) equals the EDW total of loans net of unearned income within USD 1,000.

Warning when: the two totals differ by more than USD 1,000.

Error when: the two totals differ by more than USD 25,000.

Regulatory reach: Call Report RC-C Part I item 12 (RCON2122).

Owner: Regulatory Reporting (steward Victor Osei). **Related:** NPB-DQ-LN-003, NPB-DQ-GL-002.

Handling: Warning: DQ dashboard only. Error: opens an incident for Regulatory Reporting (ITSM NPB-REG-REP) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-RP-002 v1 — RC-C categories add up to total loans

Statement: The RC-C category lines add up to the total reported.

Dimension: Consistency **Severity:** High **System:** S-RRH **Feed:** F-05 **Eagle rule:** EGL-0727

CDE: CDE-LN-001 Loan principal outstanding (m_loan.principal_outstanding_derived)

Applies to: rrh.call_report_extract.amount

Check: At each quarter-end, the sum of RC-C category lines equals RC-C item 12.

Warning when: the two totals differ at all.

Error when: the two totals differ by more than USD 1,000.

Regulatory reach: Call Report RC-C Part I item 12 (RCON2122); Call Report RC-C Part I item 1.c.(1) (RCON1797); Call Report RC-C Part I item 1.c.(2)(a) (RCON5367); Call Report RC-C Part I item 1.c.(2)(b) (RCON5368); Call Report RC-C Part I item 6.c (RCONK137); Call Report RC-C Part I item 6.d (RCONK207).

Owner: Regulatory Reporting (steward Victor Osei). **Related:** NPB-DQ-LN-018.

Handling: Warning: DQ dashboard only. Error: opens an incident for Regulatory Reporting (ITSM NPB-REG-REP) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-RP-003 v1 — Charge-offs agree with charge-off transactions

Statement: Charge-offs reported equal the charge-off transactions in the quarter.

Dimension: Accuracy **Severity:** High **System:** S-RRH **Feed:** F-05 **Eagle rule:** EGL-0728

CDE: CDE-TX-002 Principal portion (m_loan_transaction.principal_portion_derived)

Applies to: rrh.call_report_extract.amount, edw.fact_loan_txn_daily.principal_portion

Check: For the quarter, RI-B total charge-offs (RIAD4635) equals the sum of charge-off principal in the EDW within USD 1,000.

Warning when: the two totals differ by more than USD 1,000.

Error when: the two totals differ by more than USD 10,000.

Regulatory reach: Call Report RI-B Part I item 9 (RIAD4635); FR Y-9C HI-B Part I item 9 (BHCK4635).

Owner: Regulatory Reporting (steward Victor Osei). **Related:** NPB-DQ-TX-017.

Handling: Warning: DQ dashboard only. Error: opens an incident for Regulatory Reporting (ITSM NPB-REG-REP) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-RP-004 v1 — Recoveries agree with recovery transactions

Statement: Recoveries reported equal the recovery transactions in the quarter.

Dimension: Accuracy **Severity:** High **System:** S-RRH **Feed:** F-05 **Eagle rule:** EGL-0729

CDE: CDE-TX-001 Transaction amount (m_loan_transaction.amount)

Applies to: rrh.call_report_extract.amount, edw.fact_loan_txn_daily.amount

Check: For the quarter, RI-B total recoveries (RIAD4605) equals the sum of recovery transactions in the EDW within USD 1,000.

Warning when: the two totals differ by more than USD 1,000.

Error when: the two totals differ by more than USD 10,000.

Regulatory reach: Call Report RI-B Part I item 9 (RIAD4605); FR Y-9C HI-B Part I item 9 (BHCK4605).

Owner: Regulatory Reporting (steward Victor Osei). **Related:** NPB-DQ-TX-018.

Handling: Warning: DQ dashboard only. Error: opens an incident for Regulatory Reporting (ITSM NPB-REG-REP) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-RP-005 v1 — RC-N past-due amounts agree with arrears

Statement: Past-due amounts reported come from arrears aging buckets.

Dimension: Consistency **Severity:** High **System:** S-RRH **Feed:** F-05 **Eagle rule:** EGL-0730

CDE: CDE-AR-002 Total overdue (m_loan_arrears_aging.total_overdue_derived)

Applies to: rrh.call_report_extract.amount, edw.fact_arrears_daily.total_overdue

Check: At each quarter-end, RC-N 30-89, 90+ and nonaccrual totals equal the EDW arrears totals by bucket within USD 1,000.

Warning when: the two totals differ by more than USD 1,000.

Error when: the two totals differ by more than USD 25,000.

Regulatory reach: Call Report RC-N item 9 (RCON1406); Call Report RC-N item 9 (RCON1407); Call Report RC-N item 9 (RCON1403).

Owner: Regulatory Reporting (steward Victor Osei). **Related:** NPB-DQ-AR-003.

Handling: Warning: DQ dashboard only. Error: opens an incident for Regulatory Reporting (ITSM NPB-REG-REP) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-RP-006 v1 — BHCK2122 ties to the EDW loan total

Statement: Total loans on the FR Y-9C equal the warehouse total of loans net of unearned income.

Dimension: Accuracy **Severity:** High **System:** S-RRH **Feed:** F-06 **Eagle rule:** EGL-0731

CDE: CDE-LN-001 Loan principal outstanding (m_loan.principal_outstanding_derived)

Applies to: rrh.fry9c_extract.amount, edw.fact_loan_daily.principal_outstanding

Check: At each quarter-end, HC-C item 12 (BHCK2122) equals the EDW total of loans net of unearned income within USD 1,000.

Warning when: the two totals differ by more than USD 1,000.

Error when: the two totals differ by more than USD 25,000.

Regulatory reach: FR Y-9C HC-C item 12 (BHCK2122).

Owner: Regulatory Reporting (steward Victor Osei). **Related:** NPB-DQ-RP-001.

Handling: Warning: DQ dashboard only. Error: opens an incident for Regulatory Reporting (ITSM NPB-REG-REP) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-RP-007 v1 — Allowance ties to the provision ledger

Statement: The allowance reported equals the provision on the books.

Dimension: Accuracy **Severity:** High **System:** S-RRH **Feed:** F-05 **Eagle rule:** EGL-0732

CDE: CDE-PV-001 Provision amount (m_loanproduct_provisioning_entry.reseve_amount)

Applies to: rrh.call_report_extract.amount, edw.fact_loan_provision.provision_amount

Check: At each quarter-end, RC item 4.c (RCON3123) equals the EDW provision total within USD 1,000.

Warning when: the two totals differ by more than USD 1,000.

Error when: the two totals differ by more than USD 10,000.

Regulatory reach: Call Report RC item 4.c (RCON3123); FR Y-9C HC item 4.c (BHCK3123).

Owner: Regulatory Reporting (steward Victor Osei). **Related:** NPB-DQ-GL-008.

Handling: Warning: DQ dashboard only. Error: opens an incident for Regulatory Reporting (ITSM NPB-REG-REP) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-RP-008 v1 — Every RC-C category has a mapped product

Statement: Each category the bank reports is fed by at least one product.

Dimension: Completeness **Severity:** Medium **System:** S-RRH **Feed:** F-05 **Eagle rule:** EGL-0733

CDE: CDE-LN-001 Loan principal outstanding (m_loan.principal_outstanding_derived)

Applies to: edw.fact_loan_daily.call_report_category

Check: For every RC-C category with a prior-quarter balance, at least one loan product maps to it.

Warning when: never: any failure is graded Error.

Error when: any RC-C category fails at COB.

Regulatory reach: Call Report RC-C Part I item 1.c.(1) (RCON1797); Call Report RC-C Part I item 1.c.(2)(a) (RCON5367); Call Report RC-C Part I item 1.c.(2)(b) (RCON5368); Call Report RC-C Part I item 6.c (RCONK137); Call Report RC-C Part I item 6.d (RCONK207).

Owner: Regulatory Reporting (steward Victor Osei). **Related:** NPB-DQ-LN-018.

Handling: Warning: DQ dashboard only. Error: opens an incident for Regulatory Reporting (ITSM NPB-REG-REP) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-RP-009 v1 — Interest and fee income agrees with the portions

Statement: Interest and fee income reported equals the interest and fee portions collected.

Dimension: Accuracy **Severity:** High **System:** S-RRH **Feed:** F-05 **Eagle rule:** EGL-0734

CDE: CDE-TX-003 Interest portion (m_loan_transaction.interest_portion_derived); CDE-TX-004 Fee portion (m_loan_transaction.fee_charges_portion_derived)

Applies to: rrh.call_report_extract.amount, edw.fact_loan_txn_daily.interest_portion, edw.fact_loan_txn_daily.fee_portion

Check: For the quarter, RI item 1.a (RIAD4010) equals the sum of interest and fee portions in the EDW, adjusted for accruals, within USD 5,000.

Warning when: the two totals differ by more than USD 5,000.

Error when: the two totals differ by more than USD 50,000.

Regulatory reach: Call Report RI item 1.a (RIAD4010).

Owner: Regulatory Reporting (steward Victor Osei). **Related:** NPB-DQ-TX-006.

Handling: Warning: DQ dashboard only. Error: opens an incident for Regulatory Reporting (ITSM NPB-REG-REP) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-RP-010 v1 — The extract is dated the quarter-end COB

Statement: A quarterly report is built from the quarter-end close of business.

Dimension: Validity **Severity:** Medium **System:** S-RRH **Feed:** F-05 **Eagle rule:** EGL-0735

CDE: CDE-LN-001 Loan principal outstanding (m_loan.principal_outstanding_derived)

Applies to: rrh.call_report_extract.report_date

Check: For every extract, report_date is the last business day of the quarter in the NorthPeak business calendar.

Warning when: never: any failure is graded Error.

Error when: any quarterly extract fails at COB.

Regulatory reach: Call Report RC-C Part I item 12 (RCON2122); FR Y-9C HC-C item 12 (BHCK2122).

Owner: Regulatory Reporting (steward Victor Osei). **Related:** none.

Handling: Warning: DQ dashboard only. Error: opens an incident for Regulatory Reporting (ITSM NPB-REG-REP) or attaches to the open one for this rule, with the failing keys.

14. Feeds rules (NPB-DQ-FD)

Feed rules protect the timeliness and completeness of the daily feeds that every other family depends on. Rule owner by default: Data Platform Engineering. Rules in this family: 4.

NPB-DQ-FD-001 v1 — F-01 lands by 06:00 on each business day

Statement: The daily loan snapshot is in the warehouse before the business day starts.
Dimension: Timeliness **Severity:** Medium **System:** S-EDW **Feed:** F-01 **Eagle rule:** EGL-0746
CDE: CDE-LN-001 Loan principal outstanding (m_loan.principal_outstanding_derived)
Applies to: edw.feed_audit.landed_at
Check: On every business day, F-01 (LSP to EDW loans) lands by 06:00 ET.
Warning when: the deadline is missed.
Error when: the deadline is missed by more than 60 minutes.
Regulatory reach: none.
Owner: Data Platform Engineering (steward Jonah Kim). **Related:** NPB-DQ-FD-002, NPB-DQ-LN-014.
Handling: Warning: DQ dashboard only. Error: opens an incident for Data Platform Engineering (ITSM NPB-DATA-PLAT) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-FD-002 v1 — F-01 row count matches the source

Statement: Every loan the platform holds arrives in the warehouse.
Dimension: Completeness **Severity:** Medium **System:** S-EDW **Feed:** F-01 **Eagle rule:** EGL-0747
CDE: CDE-LN-001 Loan principal outstanding (m_loan.principal_outstanding_derived)
Applies to: edw.feed_audit.source_rows, edw.feed_audit.target_rows
Check: On every business day, F-01 rows landed match the LSP row count within 0.1%.
Warning when: the two totals differ by more than 0.1%.
Error when: the two totals differ by more than 0.5%.
Regulatory reach: Call Report RC-C Part I item 12 (RCON2122).
Owner: Data Platform Engineering (steward Jonah Kim). **Related:** NPB-DQ-FD-001, NPB-DQ-RP-001.
Handling: Warning: DQ dashboard only. Error: opens an incident for Data Platform Engineering (ITSM NPB-DATA-PLAT) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-FD-003 v1 — F-02 row count matches the source

Statement: Every transaction of the day arrives in the warehouse.
Dimension: Completeness **Severity:** Low **System:** S-EDW **Feed:** F-02 **Eagle rule:** EGL-0748
CDE: CDE-TX-001 Transaction amount (m_loan_transaction.amount)
Applies to: edw.feed_audit.source_rows, edw.feed_audit.target_rows
Check: On every business day, F-02 rows landed match the LSP transaction count within 0.1%.
Warning when: the two totals differ by more than 0.1%.
Error when: the two totals differ by more than 0.5%.
Regulatory reach: none.
Owner: Data Platform Engineering (steward Jonah Kim). **Related:** NPB-DQ-TX-016.
Handling: Warning: DQ dashboard only. Error: opens an incident for Data Platform Engineering (ITSM NPB-DATA-PLAT) or attaches to the open one for this rule, with the failing keys.

NPB-DQ-FD-004 v1 — F-07 lands by 05:30 on each business day

Statement: Arrears are in the warehouse before the EDW snapshot.

Dimension: Timeliness **Severity:** Medium **System:** S-EDW **Feed:** F-07 **Eagle rule:** EGL-0749

CDE: CDE-AR-001 Overdue-since date (m_loan_arrears_aging.overdue_since_date_derived)

Applies to: edw.feed_audit.landed_at

Check: On every business day, F-07 (Collections to EDW arrears) lands by 05:30 ET.

Warning when: the deadline is missed.

Error when: the deadline is missed by more than 45 minutes.

Regulatory reach: none.

Owner: Data Platform Engineering (steward Jonah Kim). **Related:** NPB-DQ-AR-001, NPB-DQ-AR-010.

Handling: Warning: DQ dashboard only. Error: opens an incident for Data Platform Engineering (ITSM NPB-DATA-PLAT) or attaches to the open one for this rule, with the failing keys.

Appendix A. Report line and MDRM crosswalk

Report line numbers and MDRM codes in this rulebook are illustrative. They follow the public FFIEC 031/041 Call Report and FR Y-9C schedules; verify every code against the FFIEC MDRM dictionary before relying on it.

MDRM	Report	Schedule	Item	Caption	Rules
RCON1797	Call Report	RC-C Part I	1.c. (1)	Revolving, open-end loans secured by 1-4 family residential properties	NPB-DQ-LN-018, NPB-DQ-RP-002, NPB-DQ-RP-008
RCON5367	Call Report	RC-C Part I	1.c. (2)(a)	Closed-end loans secured by 1-4 family residential properties: first liens	NPB-DQ-LN-018, NPB-DQ-RP-002, NPB-DQ-RP-008
RCON5368	Call Report	RC-C Part I	1.c. (2)(b)	Closed-end loans secured by 1-4 family residential properties: junior liens	NPB-DQ-LN-018, NPB-DQ-RP-002, NPB-DQ-RP-008
RCONK137	Call Report	RC-C Part I	6.c	Automobile loans	NPB-DQ-LN-018, NPB-DQ-RP-002, NPB-DQ-RP-008
RCONK207	Call Report	RC-C Part I	6.d	Other consumer loans	NPB-DQ-LN-018, NPB-DQ-RP-002, NPB-DQ-RP-008
RCON2122	Call Report	RC-C Part I	12	Total loans and leases, net of unearned income	NPB-DQ-LN-001, NPB-DQ-LN-002, NPB-DQ-LN-003, NPB-DQ-LN-013, NPB-DQ-TX-004, NPB-DQ-GL-002, NPB-DQ-GL-007, NPB-DQ-RP-001, NPB-DQ-RP-002, NPB-DQ-RP-010, NPB-DQ-FD-002
RCON3123	Call Report	RC	4.c	Allowance for credit losses on loans and leases	NPB-DQ-GL-008, NPB-DQ-RP-007
RCON2170	Call Report	RC	12	Total assets	NPB-DQ-LN-004, NPB-DQ-GL-001
RCON1406	Call Report	RC-N	9	Total loans: past due 30 through 89 days	NPB-DQ-TX-009, NPB-DQ-TX-010, NPB-DQ-SC-004, NPB-DQ-AR-001, NPB-DQ-AR-003, NPB-DQ-AR-005, NPB-DQ-AR-006, NPB-DQ-AR-007, NPB-DQ-RP-005
RCON1407	Call Report	RC-N	9	Total loans: past due 90 days or more	NPB-DQ-AR-003, NPB-DQ-AR-005, NPB-DQ-AR-008, NPB-DQ-RP-005
RCON1403	Call Report	RC-N	9	Total loans: nonaccrual	NPB-DQ-AR-008, NPB-DQ-RP-005
RIAD4635	Call Report	RI-B Part I	9	Total charge-offs	NPB-DQ-LN-015, NPB-DQ-TX-017, NPB-DQ-RP-003
RIAD4605	Call Report	RI-B Part I	9	Total recoveries	NPB-DQ-TX-018, NPB-DQ-RP-004
RIAD4010	Call Report	RI	1.a	Interest and fee income on loans	NPB-DQ-LN-008, NPB-DQ-TX-006, NPB-DQ-TX-013, NPB-DQ-TX-014, NPB-DQ-RP-009
BHCK2122	FR Y-9C	HC-C	12	Total loans and leases, net of unearned income	NPB-DQ-LN-001, NPB-DQ-LN-003, NPB-DQ-RP-006, NPB-DQ-RP-010
BHCK3123	FR Y-9C	HC	4.c	Allowance for loan and lease losses	NPB-DQ-GL-008, NPB-DQ-RP-007

BHCK1406	FR Y-9C	HC-N	9	Total loans: past due 30 through 89 days	NPB-DQ-AR-001, NPB-DQ-AR-003
BHCK1407	FR Y-9C	HC-N	9	Total loans: past due 90 days or more	NPB-DQ-AR-003
BHCK1403	FR Y-9C	HC-N	9	Total loans: nonaccrual	NPB-DQ-AR-008
BHCK4635	FR Y-9C	HI-B Part I	9	Total charge-offs	NPB-DQ-TX-017, NPB-DQ-RP-003
BHCK4605	FR Y-9C	HI-B Part I	9	Total recoveries	NPB-DQ-TX-018, NPB-DQ-RP-004

Appendix B. Business calendar

NorthPeak Bank US business calendar 2026. Business days are Monday to Friday except these Federal Reserve holidays. Quarter-end COBs in the second half of 2026: 2026-09-30, 2026-12-31.

Date	Holiday
2026-01-01	New Year's Day
2026-01-19	Birthday of Martin Luther King, Jr.
2026-02-16	Washington's Birthday
2026-05-25	Memorial Day
2026-06-19	Juneteenth National Independence Day
2026-07-03	Independence Day (observed)
2026-09-07	Labor Day
2026-10-12	Columbus Day
2026-11-11	Veterans Day
2026-11-26	Thanksgiving Day
2026-12-25	Christmas Day

Appendix C. Change log and retired rules

C.1 Re-graded in v3.2

- NPB-DQ-LN-003 v2: Principal outstanding reconciles to its components
- NPB-DQ-TX-009 v2: A short payment is held in suspense until a full periodic payment
- NPB-DQ-AR-001 v2: Overdue-since is set within one business day
- NPB-DQ-CL-004 v3: Retail client age is between 18 and 110
- NPB-DQ-GL-002 v2: Principal outstanding reconciles to the GL
- NPB-DQ-RP-001 v2: RCON2122 ties to the EDW loan total

C.2 Retired rules

These rules are no longer in force. Their ids are not reused; Eagle no longer runs them.

Rule id	Title	Reason
NPB-DQ-LN-019	Loan officer is assigned to every active loan	Retired in v3.2: the loan officer is not a critical data element.
NPB-DQ-TX-019	Every transaction carries a free-text note	Retired in v3.2: notes are optional in the payments channels.
NPB-DQ-CL-011	Client mobile number is in E.164 format	Retired in v3.2: moved to the Customer Master's own controls.
NPB-DQ-GL-009	Journal entries carry a description	Retired in v3.2: descriptions are generated, not captured.

Appendix D. Glossary

Term	Meaning
Close of business (COB)	The business day whose data is being graded.
Critical data element (CDE)	A data element whose error would materially misstate a regulatory filing, financial statement or customer outcome.
Data quality dimension	Completeness, validity, accuracy, consistency, timeliness or uniqueness.
Eagle	The bank's DQ monitor; it runs each rule at COB and emits exception groups.
Exception group	All failures of one rule version on one COB, as Eagle publishes them.
Feed	A scheduled transfer of data between two systems.
ITSM	The bank's service-management system for incidents, problems and changes.
Lineage	The documented path of a value from its system of record to a report line.
MDRM	Micro Data Reference Manual: the Federal Reserve's catalogue of reporting codes.
Olympus	The profile service that keeps baseline failure rates and recent changes per data platform.
Precedent	A closed incident whose confirmed cause and fix inform a new investigation.
Rule Drafting case	A proposal to change this rulebook, opened when an exception is a false positive.
Warning / Error	The two grades a rule can give; only Error opens or attaches an incident.