

The Complete Origin Story of the x402 Protocol

Executive Summary

The x402 protocol represents the culmination of a three-decade-old idea finally meeting the technology to make it work. HTTP status code 402 "Payment Required" was written into the web's DNA as early as 1996–1997 but was deliberately left "reserved for future use" because no viable digital payment mechanism existed at the time. In May 2025, Coinbase's Developer Platform team—led by Erik Reppel, Nemil Dalal, and Dan Kim—revived this dormant status code as an open standard for embedding stablecoin micropayments directly into HTTP requests. The protocol draws explicit lineage from Balaji Srinivasan's work at 21.co, which attempted Bitcoin-based micropayments in 2015–2017 but was stymied by high transaction costs and limited scalability. What changed: stablecoins eliminated volatility, Layer 2 rollups like Base collapsed fees from dollars to fractions of a cent, and AI agents created urgent demand for machine-to-machine payments. By late 2025, Coinbase and Cloudflare co-founded the x402 Foundation for neutral governance, Google integrated x402 into its Agent Payments Protocol (AP2), and the protocol had processed over 100 million payments at \$600 million in annualized volume.[1][2][3][4]

HTTP 402: The Web's Dormant Payment Code

Origins in the HTTP Specification

The 402 "Payment Required" status code traces back to the earliest formal HTTP specifications. RFC 1945, published in May 1996 and authored by Tim Berners-Lee, Roy Fielding, and Henrik Frystyk Nielsen, documented HTTP/1.0 and included 402 in the range of

defined status codes, though it did not elaborate on its semantics beyond listing it as an extension code. The first explicit definition appeared in RFC 2068, the HTTP/1.1 specification published in January 1997 by Fielding, Gettys, Mogul, Frystyk, and Berners-Lee. Section 10.4.3 of that RFC states simply: "This code is reserved for future use." [5][6]

That single sentence—"reserved for future use"—persisted through subsequent revisions. RFC 7231 (June 2014), which updated the HTTP/1.1 semantics, maintained the same reserved designation. The original intent behind 402 was that it "might be used as part of some form of digital cash or micropayment scheme," as Wikipedia's documentation of the standard notes, "but that has not happened, and this code is not usually used." [7][8]

Why It Remained Dormant for Nearly Three Decades

The web's early architects anticipated that monetization would become a core protocol-level function. As the Techdirt series "Error 402" recounts, the developers "contemplating that monetization would be built in to the web as a core bit of functionality. And then... they didn't. Things got pretty busy and pretty crazy pretty fast." The 1990s web lacked the prerequisite infrastructure: there was no universally accepted digital currency, no low-friction payment rail suitable for sub-dollar transactions, and no standardized protocol for machines to negotiate payments autonomously. Credit cards and PayPal eventually filled the gap for human-to-human transactions, but their high fees (typically 2.9% + \$0.30 per transaction), multi-day settlement times, and geographic restrictions made them fundamentally unsuitable for micropayments. The result was a ~28-year gap between the code's reservation and its first serious implementation. [9][10][1]

The Intellectual Predecessor: [21.co](#) and Balaji Srinivasan

21.co's Ambitious Bet on Bitcoin Micropayments

Coinbase's x402 launch post explicitly credits the protocol's intellectual lineage: "This protocol draws inspiration from Balaji and team's work on crypto micropayments with 21.co many years ago." [1]

21 Inc. (originally 21e6, a reference to Bitcoin's 21 million supply cap) was founded in 2013 by **Matthew Pauker** and **Balaji Srinivasan**. The company operated in stealth for over a year before revealing in March 2015 that it had raised \$116 million in venture capital—an extraordinary sum for a Bitcoin startup—from investors including Qualcomm, Andreessen Horowitz, Khosla Ventures, PayPal co-founders Peter Thiel and Max Levchin, eBay co-founder Jeff Skoll, and Dropbox CEO Drew Houston.[11]

21's core thesis was building a "machine-payable web." In February 2016, the company launched the 21 Bitcoin Computer, a \$400 Raspberry Pi-based hardware device designed for mining Bitcoin and building applications on the Bitcoin blockchain. CEO Balaji Srinivasan's vision was to make "Bitcoin a first class citizen within the Linux environment"—abstracting cryptocurrency into the command line and the developer experience so that micropayments could be as natural as making an API call.[12][13]

The software component was even more ambitious. 21 built open-source tools enabling developers to set up Bitcoin micropayment channels and charge per API request, per data query, or per micro-task. Srinivasan described use cases ranging from paid email (where recipients could charge senders micropayments to filter spam) to machine-to-machine payments between IoT devices.[14][13]

Why 21.co Didn't Achieve Mass Adoption

Three structural barriers prevented 21.co's vision from scaling:

1. **Expensive payment channel setup/teardown:** Bitcoin payment channels required locking funds upfront and settling on the main chain, with each open/close transaction costing significant fees. Coinbase's x402 launch post notes that "you could only

- achieve micropayments with Bitcoin payment channels, which required expensive setup/teardown."[1]
2. **Bitcoin's volatility and scalability limits:** Bitcoin's 10-minute block times and fluctuating value made it poorly suited for instant, predictable micropayments. Settlement was slow, and the blockchain could not handle the transaction throughput required for a global micropayment system.[13]
 3. **Limited geographic reach and adoption:** 21's paid task platform was only available in two countries (the U.S. and India), and it took 10 days before users received their first payment. The developer tooling, while innovative, required significant technical sophistication to deploy.[13]

In October 2017, [21.co](#) rebranded to [Earn.com](#), pivoting to a paid messaging and micro-task platform. In April 2018, **Coinbase acquired [Earn.com](#)**, bringing Srinivasan's team and vision for internet micropayments under the Coinbase umbrella. This acquisition planted the seeds that would grow into x402 seven years later.[11]

What Changed: The Three Technology Shifts

The Coinbase x402 launch post identifies why the timing is finally right: "with modern L2s like Base, onchain fees have dropped to 1 cent, so many of the applications they prototyped are becoming possible." Three converging shifts made x402 viable where [21.co](#)'s approach was not.[1]

Stablecoins

USDC and other dollar-pegged stablecoins eliminated the volatility problem that plagued Bitcoin micropayments. A payment of \$0.01 in USDC is worth \$0.01 when sent and \$0.01 when received—no exchange rate risk, no need for real-time price conversion. Gagan Mac, VP Product Management at Circle (USDC's issuer), described x402 as a protocol that "elegantly simplifies real-time monetization by removing friction around registrations, authentication, and complex signatures." Citi called this era the "ChatGPT moment" for

payments, while a16z labeled it the "WhatsApp moment" for stablecoins.[1]

Layer 2 Rollups

Ethereum Layer 2 networks—particularly Coinbase's own Base rollup—reduced transaction costs by orders of magnitude. Base's fees are approximately \$0.0001 per transfer, compared to \$1–\$5 on Ethereum mainnet. This 10,000x reduction made sub-cent micropayments economically feasible for the first time. The x402 protocol operates primarily on Base, though it maintains chain-agnostic design principles allowing deployment across Solana, Polygon, and other networks.[15]

AI Agents

The rise of autonomous AI agents created entirely new demand for machine-to-machine payment infrastructure. AI agents can think, reason, and act—but until x402, they had no built-in way to pay for services without human intervention. When an agent encounters a paywall or premium resource, it can now attach a signed stablecoin payment, resume the interaction, and continue toward its goal—all within a standard HTTP request/response cycle. This is the use case [21.co](#) prototyped conceptually but lacked the infrastructure to deliver at scale.[2][1]

Coinbase Revives 402: The May 2025 Launch

The Team

Coinbase formally launched x402 on **May 6, 2025**, as an open standard under the Apache 2.0 license. The protocol was developed by the Coinbase Developer Platform team and announced by three named authors:[16][1]

Pers on	Role	Contribution
Erik Reppel	Head of Engineering, Coinbase Developer Platform	Creator and lead architect of x402; co-author of the whitepaper[17][15]
Nemil Dalal	Head of Coinbase Developer Platform	Strategic leadership; co-author of whitepaper[15][18]
Dan Kim	Head of Digital Asset Listings & Services	Business development and partnerships; co-author of whitepaper[18][15]

Additional whitepaper co-authors include **Ronnie Caspers**, **Kevin Leffew**, and **Danny Organ** from the Coinbase Developer Platform team. Reppel has a computer science background from the University of Victoria and has positioned x402 as the culmination of Coinbase's exploration of internet payment standards dating back to 2015.[19][15]

In announcing the launch, Reppel stated: "Just like HTTPS secured the web, x402 could define the next era of the internet; one where value moves as freely and instantly as information. We're laying the groundwork for an economy run not just by people, but by software—autonomous, intelligent, and always on."[1]

How It Works

The protocol follows a straightforward HTTP handshake:[1]

1. A client (AI agent, app, or script) sends a standard HTTP request to a resource.
2. The server responds with **HTTP 402 Payment Required**, including payment details (price, acceptable tokens, payment address).
3. The client constructs a signed payment payload using a supported stablecoin (e.g., USDC).
4. The client retries the request with an X-PAYMENT header containing the encoded payment.

5. A payment facilitator (such as the Coinbase x402 Facilitator) verifies and settles the transaction.
6. The server returns the requested data with an X-PAYMENT-RESPONSE header confirming success.

Launch Partners

The May 2025 launch included collaborations with **AWS, Anthropic, Circle, and NEAR** as initial partners. Early ecosystem builders included Hyperbolic (GPU inference payments), XMTP (messaging-based payments), Neynar (Farcaster social graph access), Chainlink (VRF-based NFT minting demo), and [Cal.com](#) (paid scheduling), among dozens of others.[1]

The x402 Foundation: Coinbase and Cloudflare

Announcement and Structure

On **September 23, 2025**, Coinbase and Cloudflare jointly announced their intent to create the **x402 Foundation**. The announcement was made from San Francisco and included public statements from both companies' leadership.[17][20]

Matthew Prince, co-founder and CEO of Cloudflare, stated: "Coinbase deserves immense credit for starting the work on the x402 protocol and we're excited to partner with them on our shared vision for a neutral foundation. The Internet's core protocols have always been driven by independent governance, which is why we're proud to work with Coinbase to ensure x402 has the same path, given its likelihood to become a core protocol for agentic commerce."[17]

Erik Reppel added: "Coinbase has been exploring Internet payment standards since 2015, and the technology is finally here. Agentic commerce is a once-in-a-generation opportunity to rethink how value moves online. The x402 Foundation will help lay the groundwork to make it happen."[17]

Mission and Governance

The Foundation's stated mission is to establish x402 as the universal, open standard for internet-native payments—particularly AI-driven, autonomous transactions. Key governance principles include:[21][20][18]

- **Neutral governance:** No single company controls x402. The Foundation is structured to ensure transparent, independent stewardship of the protocol.
- **Open-source reference implementations:** All implementations remain fully open source under permissive licenses, ensuring anyone can inspect, extend, or build on them.
- **Specification management:** The Foundation will maintain and version the specification and publish reference implementations.
- **Community-driven development:** The Foundation invites contributions from developers, infrastructure providers, and enterprises.

As of the September 2025 announcement, Cloudflare's blog noted that specifics of the Foundation's formal structure were forthcoming —"Stay tuned for more announcements on the specifics of the structure very soon." [21]

Cloudflare's Strategic Context

The Foundation launch was catalyzed in part by a real-world dispute. In August 2025, Cloudflare publicly criticized Perplexity AI for using undeclared crawlers to evade robots.txt directives. This conflict exposed a fundamental tension: AI agents could extract web content without compensating publishers. Before x402, Cloudflare was already sending over 1 billion HTTP 402 "Payment Required" responses daily to bots and crawlers, but without a standardized specification, these responses were ignored.[22]

The x402 Foundation enabled Cloudflare to operationalize its **pay-per-crawl** model: site owners set crawling prices, agents receive 402 responses with price lists, and access is granted upon proof of payment. Cloudflare also shipped x402 support in its **Agents SDK** and **MCP (Model Context Protocol) integrations**. [22][21]

Industry Adoption and Ecosystem Growth

Google Agent Payments Protocol (AP2)

On **September 15, 2025**—eight days before the Foundation announcement—Google announced the **Agent Payments Protocol (AP2)**, an open protocol for AI agent-led payments. AP2 is payment-agnostic by design, supporting credit cards, real-time bank transfers, and digital currencies. For the crypto layer, Google launched the **A2A x402 extension** in collaboration with Coinbase, the Ethereum Foundation, and MetaMask.[23]

Erik Reppel endorsed the integration: "x402 and AP2 show that agent-to-agent payments aren't just an experiment anymore, they're becoming part of how developers actually build." MetaMask's AI Lead, **Marco De Rossi**, added that "Blockchains are the natural payment layer for agents, and Ethereum will be the backbone of this." [23]

Circle

Circle, the issuer of USDC, is actively contributing to the x402 ecosystem. In October 2025, Circle proposed connecting **Circle Gateway** with x402, enabling chain-abstracted USDC settlement across multiple blockchains. Gateway's batching feature allows thousands of transactions to be processed together at dramatically lower cost. Circle is also participating in Google's AP2, leveraging the Gateway x402 integration to support both protocols.[24]

Stripe

On **February 11, 2026**, Stripe launched x402 payment support on Coinbase's Base network, enabling developers to accept USDC payments from AI agents. This integration brought x402 into mainstream fintech infrastructure, bridging traditional payment processing with decentralized micropayment rails.[25]

Other Key Integrations

Company / Project	Integration	Date
Anthropic	MCP Protocol integration for agent payments[1]	May 2025
AWS	Launch collaborator[1]	May 2025
NEAR	Cross-chain settlements via NEAR intents[1]	May 2025
Cloudflare	Agents SDK, MCP servers, pay-per-crawl[21]	September 2025
Google	AP2 with A2A x402 extension[23]	September 2025
MetaMask	Self-custody agent payments via AP2[23]	September 2025
Stripe	x402 on Base for AI agent USDC payments[25]	February 2026
MultiversX	Agentic payments implementation[26]	February 2026

Current State: Adoption Metrics and Transaction Data

Transaction Volume

By the end of 2025, the x402 protocol had processed over **100 million payments** across several applications. Annualized payment volume reached **\$600 million** across all supported blockchains, with more than 50% flowing through the Coinbase facilitator.[27][3][4]

Chain Distribution

As of January 2026, Base and Solana are competing for dominance in x402 payment activity:[3][4]

Chain	Share of x402 Transactions	Notable Data Point
Base	~63% of cumulative transactions (454,900 of 727,500 on a tracked Tuesday)[3]	Led in total cumulative transactions
Solana	~35% (257,400 transactions) [3]	Briefly surpassed Base at 51% of daily volume on January 11, 2026[4]
Polygon PoS	~2% (15,200 transactions) [3]	Growing role in protocol rollout

On January 11, 2026, Solana accounted for \$34,600 in daily x402 volume versus Base's \$34,300, with combined daily volume of \$69,000. Agent-to-agent services generated the largest category of payments at \$49,600, followed by data-as-a-service at \$15,000.[4][3]

Market Forecasts

Galaxy Digital projected in December 2025 that x402 could capture **30% of Base daily transactions** and **5% of Solana transactions** in 2026. Gartner has forecast that the broader autonomous transaction economy could reach **\$30 trillion by 2030**. Venture capital firm a16z forecast that x402 may capture a significant share of this market over the next five years if enterprise and consumer adoption continues at its current pace.[28][3]

Ecosystem Scale

By mid-2025, dozens of organizations were involved in refining the protocol. The October 2025 Payments MCP launch integrated with Claude Desktop, Google Gemini, OpenAI Codex, and Cherry Studio. The protocol's open standard structure has attracted projects

spanning autonomous infrastructure, agent interactions, social/messaging platforms, real-time data providers, and traditional commerce integrations.[2][15][1]

Timeline

Date	Milestone
May 1996	RFC 1945 (HTTP/1.0) includes 402 in status code range[6]
January 1997	RFC 2068 (HTTP/1.1) formally defines 402 as "reserved for future use"[5]
2013	21 Inc. (21e6) founded by Matthew Pauker and Balaji Srinivasan[11]
March 2015	21 Inc. reveals \$116M in venture funding for Bitcoin micropayments[11]
2016	21 Bitcoin Computer launches; Srinivasan demos machine-payable web[12]
October 2017	21.co rebrands to Earn.com [11]
April 2018	Coinbase acquires Earn.com [11]
June 2014	RFC 7231 maintains 402 as reserved[8]
May 6, 2025	Coinbase launches x402 with AWS, Anthropic, Circle, NEAR[1]
September 15, 2025	Google announces AP2 with A2A x402 extension[23]
September 23, 2025	Coinbase and Cloudflare announce x402 Foundation[17]
October 2025	Circle proposes Gateway x402 integration[24]
December 2025	x402 reaches \$600M annualized volume, 100M+ payments[3][27]
February 2026	Stripe launches x402 on Base; Solana briefly leads in daily volume[25][4]

References

1. [Introducing x402: a new standard for internet-native payments](#) - Coinbase is launching x402, a payment protocol that enables instant stablecoin payments directly ove...
2. [How will AI Agents pay each other using the x402 payments protocol](#) - The x402 protocol revives HTTP 402, enabling AI agents to make instant micropayments autonomously us...
3. [X402 Payments: Solana Narrowing Gap With Base - The Cryptonomist](#) - X402 Payments Activity Shows Solana Narrowing The Gap With Base As Daily Volume Grows And Coinbase R...
4. [Solana tops Base for the first time in automated stablecoin transactions](#) - Solana surpassed Base in x402 on-chain transactions on Sunday, with SOL recording 518,400 payments a...
5. [RFC 2068: Hypertext Transfer Protocol -- HTTP/1.1](#)
6. [RFC 1945 - Hypertext Transfer Protocol -- HTTP/1.0](#) - The Hypertext Transfer Protocol (HTTP) is an application-level protocol with the lightness and speed...
7. [List of HTTP status codes - Wikipedia](#)
8. [RFC 7231 - Hypertext Transfer Protocol \(HTTP/1.1\) - IETF Datatracker](#) - The Hypertext Transfer Protocol (HTTP) is a stateless %application- level protocol for distributed,...
9. [Error 402: Exploring The Little Understood History Of Online ...](#) - I realized recently that I had now passed 30 years on the internet, having obtained my first interne...
10. [402 Payment Required - HTTP status code explained](#) - What is '402 Payment Required'? Learn how to use and/or fix this HTTP status code, with free example...
11. [21 - Bitcoin Wiki](#)
12. [Here's why 21 is the most exciting bitcoin company right now](#) - An ambitious plan to remove the friction from all Internet commerce.
13. [06: Balaji Srinivasan — the Third Web is Coming | by Flux Podcast](#) - Listen to the episode here
14. [21 with Balaji Srinivasan - Software Engineering Daily](#) - Bitcoin is underappreciated even to this day. The public focus is usually on the speculative value, ...

15. [X402 Protocol: The HTTP-native Payment Standard for Autonomous ...](#) - The X402 protocol, developed by Coinbase, revolutionizes internet payments by enabling instant stabl...
16. [Web2 Payment Required, Web3 Payment Done | Observers](#) - x402 is a new open-source protocol from Coinbase that enables on-chain payments directly over HTTP u...
17. [Cloudflare and Coinbase Will Launch x402 Foundation](#) - Cloudflare, Inc. (NYSE: NET), the leading connectivity cloud company, today announced the intent to ...
18. [x402: An Open Standard for Internet Native Payments - LinkedIn](#) - TL;DR: x402 must remain open and neutral to become the internet's native payment standard. Like HTTP...
19. [x402 - Decentralized Finance - IQ.wiki](#) - x402 is an open-source payments protocol by Coinbase, built on the HTTP 402 standard. It enables int...
20. [Coinbase and Cloudflare Will Launch the x402 Foundation](#) - Tl;dr: Coinbase is announcing our intent to launch the x402 Foundation, in collaboration with Cloudf...
21. [Launching the x402 Foundation with Coinbase, and support for ...](#) - Cloudflare is partnering with Coinbase to create the x402 Foundation and adding x402 support to the ...
22. [Cloudflare and x402: The Future of the Agent Web | Four Pillars](#) - The rules of the web are changing: Humans view, Agents pay. This is the future of the Agent Web envi...
23. [Announcing Agent Payments Protocol \(AP2\) | Google Cloud Blog](#) - Learn more about the Agent Payments Protocol (AP2), an open protocol that builds on A2A, Agent to Ag...
24. [Enabling Machine-to-Machine Micropayments with Gateway ... - Circle](#) - Circle is incubating prototypes and products at the intersection of crypto and AI. First up: machine...
25. [Stripe Launches x402 Payments on Base, Enabling AI Agent ...](#)
26. [Agentic Payments Live on MultiversX](#) - The implementation is available today. Builders who want to experiment with agentic payments on Mult...
27. [x402 Hits \\$600M Annualized Volume as Solana Fuels Rapid Adoption](#) - Solana News Today: x402 Hits \$600M Annualized Volume as Solana Fuels Rapid Adoption
28. [AI Meets Crypto: The Rise of Autonomous Payments with x402](#) - As AI gains the ability to transact independently, x402 is set to

standardize payments in the crypto...