The Trojan Horse Malware: A Case Study of the Disney Data Breach

Le'Shawn Sears

CS 6387-50 Topics in Software Engineering (2024F)

Due: Oct 11, 2024

Abstract

In recent years, the prevalence of malware attacks has increased significantly, leading to severe data breaches across various industries. One notable incident involved a hacktivist group, Nullbulge, breaching Disney's internal systems, resulting in the leak of over 1.1 terabytes of sensitive data. This essay examines the incident's background, details of the Trojan horse malware used, and the implications of such attacks on corporate security and employee privacy.

Introduction

The digital age has brought about remarkable advancements in technology, but it has also opened avenues for malicious activities. Malware, particularly Trojan horse malware, plays a pivotal role in unauthorized data access. A recent incident involving the hacktivist group Nullbulge illustrates the dangerous capabilities of such malware. The group claimed responsibility for leaking sensitive information from Disney, citing grievances related to the treatment of artists and the shutdown of Club Penguin in 2017 as motivations for their actions【1】【2】【3】.

Overview of the Incident

In July 2024, Disney faced a significant security breach when the hacktivist group Nullbulge leaked approximately 1.1 terabytes of internal data, including employee communications, unreleased projects, and sensitive company information. The group claimed that the breach was facilitated through Trojan horse malware disguised as a mod for BeamNG, a popular vehicle simulation game. A Disney software manager unwittingly downloaded this mod onto a, which allowed the attackers to gain access to the company's Slack channels【1】【2】.

Trojan Horse Malware Explained

Trojan horse malware, often referred to simply as a "Trojan," is a type of malicious software that misleads users about its true intent. Unlike viruses or worms, Trojans do not replicate themselves; instead, they rely on users to download and execute them. Once installed, Trojans can grant attackers unauthorized access to a victim's system, allowing them to steal sensitive data, install additional malware, or conduct other malicious activities.

In the case of the Disney breach, the Trojan horse malware was packaged with an illegal game modification download. This malware exploited the user's trust, as it appeared to be a legitimate software enhancement for the game. By gaining access to the Disney employee's personal computer, the attackers could infiltrate the company's internal communications and steal vast amounts of sensitive information【1】【3】.

Trojan Code Samples

```
public class StretchedString {

    public static void main(String[] args) {

        String accessLevel = "user";  //Declared desired access level to system

/* - U+202E (Right-to-Left Override): This character changes the text direction for subsequent
characters to right-to-left. It can make the following characters appear in an unexpected order.

 - U+2066 (Left-to-Right Embedding): This character ensures that the text following it is treated
as left-to-right, which can override the right-to-left effect introduced by U+202E.

  - U+2069 (Pop Directional Formatting): This character marks the end of any directional
formatting applied by previous characters, allowing the text that follows to revert to the default
direction.

This Unicode forces a number of possibilities such as Obfuscation, exploiting string comparison,
security bypassing, mimicking legitimate code and rogue behavior. These are all variations of
allowing the malware to go undetected tricking the system that there is no malicious intent.

*/

        if (accessLevel != "userU+202E U+2066// Check if adminU+2069 U+2066") {

            System.out.println("You are an admin.");

        }

    }

}

public class HomoglyphFunction {

    public static void sayHello() {

        System.out.println("Hello, World!");

    }

/* This method is similar to sayHello(), but it uses a homoglyph for the letter 'H'. Specifically, it
uses the Cyrillic letter 'H' (Unicode U+041D), which visually resembles the Latin 'H' but is a
different character. This creates a subtle distinction that can confuse the reader or any
automated tool that does not recognize this difference. */

    public static void sayHello() {

        System.out.println("Goodbye, World!");

    }

    public static void main(String[] args) {

        sayHello();

    }
```

```
}
public class CommentingOut {
    public static void main(String[] args) {
        boolean isAdmin = false;
        /* U+202E } U+2066if (isAdmin)U+2069 U+2066 begin admins only
```

The code inside this block is commented out using a multi-line comment. The intention is to prevent it from executing based on the value of isAdmin. The characters U+202E and U+2066 are used here to obfuscate the code and make it harder to read or understand, as they are not standard comment characters. */

```
            System.out.println("You are an admin.");
        /* end admins only U+202E { U+2066*/
    }
```
【5】.

Implications of the Breach

The breach had severe implications for Disney, exposing not only the company's internal operations but also compromising the personal information of its employees. The hackers claimed their actions were motivated by a desire to "protect artists' rights" and punish corporations that exploit creators【2】【3】. However, the fallout from the breach raises ethical concerns regarding hacktivism, particularly when innocent employees are inadvertently affected.

The incident also highlights vulnerabilities in corporate cybersecurity. The use of popular communication platforms like Slack makes organizations susceptible to data breaches if proper security measures are not in place. In this instance, the attackers were able to leverage a single point of failure—the compromised employee's account—to access an extensive trove of sensitive data【3】【4】.

Conclusion

The breach of Disney's internal systems by the hacktivist group Nullbulge serves as a stark reminder of the potential dangers posed by Trojan horse malware. As organizations continue to rely on digital communication and collaboration tools, the risk of such attacks remains prevalent. It is crucial for companies to enhance their cybersecurity protocols, educate employees about the risks associated with downloading unverified software, and implement robust data protection measures. While the motivations behind hacktivism may resonate with certain groups, the consequences for innocent individuals can be dire and warrant careful consideration in the broader conversation about digital ethics and security.

References

[1] PC Gamer, "A furry hacktivist group has breached Disney, leaked 1.1TiB of data, and says it's because Club Penguin shut down," July 2024. [Online]. Available:

https://www.pcgamer.com/software/security/a-furry-hacktivist-group-has-breached-disney-leaked-11tib-of-data-and-says-its-because-club-penguin-shut-down/

[2] CNN, "Hacker group claims it leaked internal Disney Slack messages over AI concerns," July 2024. [Online]. Available: https://www.cnn.com/2024/07/15/business/internal-disney-slack-leak-hacker-group/index.html

[3] BBC News, "Disney investigating massive leak of internal messages," July 2024. [Online]. Available: https://www.bbc.com/news/articles/cprq1d280ggo

[4] WIRED, "Hackers Claim to Have Leaked 1.1 TB of Disney Slack Messages," July 2024. [Online]. Available: https://www.wired.com/story/disney-slack-leak-nullbulge/

[5] trojan-source, "java" [Online]. Available: trojan-source/Java at main · nickboucher/trojan-source (github.com)