Create Your First Django App and Deploy using Docker



Estimated time needed: 20 minutes

In this lab, you will create your first Django project, Django app, Django view, and a Docker image of your app.


Learning Objectives

- Create your first Django project and app using command line utils
- Create your first Django view to return a simple HTML page
- Create a Docker container image of your application


Working with files in Cloud IDE

If you are new to Cloud IDE, this section will show you how to create and edit files, which are part of your project, in Cloud IDE.

To view your files and directories inside Cloud IDE, click on this files icon to reveal it.




Click on the Terminal menu, and then New Terminal.



This will open a new terminal where you can run your commands.

about:blank 1/13



Concepts covered in the lab

- 1. Django project: Defines the structure of your application and configuration files.
- 2. Django app: A Django application that includes models, views, templates, URLs, and other resources like static files.
- 3. View: A function that determines what to do with incoming requests, and how to generate the corresponding response.
- 4. URL or urls.py: Serves as the central URL configuration for your application, mapping incoming URL patterns to corresponding view functions or class-based views.
- 5. Template: A file that defines the structure and presentation of the output to be rendered and displayed in a web browser.
- 6. Docker: An open-source platform that allows you to automate the deployment and management of applications within isolated environments called containers.
- 7. Containerization: An isolated environment that contains all the necessary dependencies and configurations required for an application to run reliably across different computing environments.

Create Your First Django Project

Before starting the lab, make sure your current directory is /home/project.

- Install these must-have packages and setup the environment.
- 1. 1
- 2. 2 3. 3
- 4. 4
- 1. pip install --upgrade distro-info
- 2. pip3 install --upgrade pip==23.2.1
- 3. pip install virtualenv
- 4. virtualenv djangoenv5. source djangoenv/bin/activate
- Copied! Executed!

First, we need to install Django related packages.

- Go to terminal and run:
- 1. 1
- 1. pip install Django

Copied! Executed!

- Once the installation is finished, you can create your first Django project by running:
- 1. 1
- 1. django-admin startproject firstproject

Copied! Executed!

A folder called firstproject will be created which is a container wrapping up settings and configurations for a Django project.

- If your current working directory is not /home/project/firstproject, cd to the project folder
- 1. 1
- 1. cd firstproject

Copied! Executed!


- and create a Django app called firstapp within the project
- 1. 1
- 1. python3 manage.py startapp firstapp

Copied! Executed!

Django created a project scaffold for you containing your first firstapp app.

about:blank 2/13

Your CloudIDE workspace should look like the following:



The scaffold contains the fundamental configuration and setting files for a Django project and app:

- For project-related files:
 - manage.py is a command-line interface used to interact with the Django project to perform tasks such as starting the server, migrating models, and so on.
 - firstproject/settings.py contains the settings and configurations information.
 - o firstproject/urls.py contains the URL and route definitions of your Django apps within the project.
- · For app-related files:
 - firstapp/admin.py: is for building an admin site
 - firstapp/models.py: contains model classes
 - firstapp/views.py: contains view functions/classes
 - firstapp/urls.py: contains URL declarations and routing for the app
 - firstapp/apps.py: contains configuration meta data for the app
 - firstapp/migrations/: model migration scripts folder
- Before starting the app, you will to perform migrations to create necessary database tables:
- 1. 1
- python3 manage.py makemigrations

Copied! Executed!

- and run migration
- 1. 1
- python3 manage.py migrate

Copied! Executed!


- Then start a development server hosting apps in the firstproject:
- 1. 1
- 1. python3 manage.py runserver



To see your first Django app from Theia,

• Click on the Skills Network button on the left, it will open the "Skills Network Toolbox". Then click the Other then Launch Application. From there you should be able to enter the port 8000 and launch.

about;blank 3/13



and you should see the following welcome page:

django View <u>release notes</u>



The install worked successfully! Congratulations!

You are seeing this page because <u>DEBUG=True</u> is in your settings file and you have not configured any URLs.

When developing Django apps, in most cases Django will automatically load the updated files and restart the development server. However, it might be safer to restart the server manually if you add/delete files in your project.

Let's try to stop the Django server now by pressing:

• Control + C or Ctrl + C in the terminal

Add Your First View

about:blank 4/13

Next, let's include your firstapp into firstproject

Open firstproject/settings.py file.

```
Open settings.py in IDE
```

Find INSTALLED_APPS section, and add a new app entry as

- 'firstapp.apps.FirstappConfig',

Copied!

Your INSTALLED_APPS should look like the following

```
Application definition
\checkmark INSTALLED APPS = [
      'firstapp.apps.FirstappConfig',
      'django.contrib.admin',
      'django.contrib.auth',
      'django.contrib.contenttypes',
      'django.contrib.sessions',
      'django.contrib.messages',
      'django.contrib.staticfiles',
```

You can also see some pre-installed Django apps such as admin for managing the Admin site, auth for authentication, etc.

Next, we need to add the urls.py of firstapp to firstproject so that views of firstapp can be properly routed.

- Create an empty urls.py under firstapp folder
- 1. 1 2. 2
- 1. cd firstapp # Make sure you are in firstapp directory
- 2. touch urls.pv

Copied! Executed!

• Open firstproject/urls.py, you can find a path function: from django.urls import path, has been already imported.

Open urls.py in IDE

Now also import an include method from django.urls package:

- 1. from django.urls import include, path

Copied!

- Then add a new path entry
- path('firstapp/', include('firstapp.urls')),

Your firstproject/urls.py now should look like the following:

about:blank 5/13

```
from django.contrib import admin
from django.urls import include, path
urlpatterns = [
    path('admin/', admin.site.urls),
    path('firstapp/', include('firstapp.urls')),
]
```

Now you can create your first view to receive HTTPRequest and return a HTTPResponse wrapping a simple HTML page as its content.

• Open firstapp/views.py, write your first view after the comment # Create your views here.

```
Open views.py in IDE
  2. 2
  3. 3
  1. from django.http import HttpResponse
  3. def index(request):
         # Create a simple html page as a string
         template = "<html>" \
                     "This is your first view" \
"</html>"
         # Return the template as content argument in HTTP response
  8.
  9.
         return HttpResponse(content=template)
Copied!
```

Next, configure the URL for the index view.

• Open firstapp/urls.py, add the following code:

```
Open urls.py in IDE
  1. 1
  2. 2
  3. 3
  1. from django.urls import path
  2. from . import views
  4. urlpatterns = [
           # Create a path object defining the URL pattern to the index view path(route='', view=views.index, name='index'),
  5.
Copied!
```

That's it, now let's test your first view.

• Run Django sever if not started:

```
1. 1
1. cd ..
2. python3 manage.py runserver
```

Copied! Executed!

Now click the Launch Application button below to open the Application in a browser.

Launch Application

Django will map any HTTP requests starting with /firstapp to firstapp and search any matches for paths defined in firstapp/urls.py.

That's it, you should see your the HTTPResponse returned by your first view, which is a simple HTML page with content This is your first view.

about:blank 6/13

Coding Practice: Add a View to Return Current Date

• Complete and add the following code snippet to create a view to returning today's date.

Add the a get_date() view function in firstapp/views.py (remember to save the updated file):

Copied!

and add a /date URL path to firstapp/urls.py for get_date() view:

```
1. 1
2. 2
3. 3
4. 4
5. 5
6. 6

1. urlpatterns = [
2.  # Create a path object defining the URL pattern to the index view
3. path(route='', view=views.index, name='index'),
4.  # Add another path object defining the URL pattern using `/date` prefix
5. path(route='#<HINT> add a date URL path here#', view=#add the get_date function name here #, name='date'),
6. ]
```

Copied!

▶ Click here to see solution

Now click on the launch application button to open the /date route you just created above

Launch Application

Containerizing the app using Docker

Docker is a powerful tool that makes it easy to run applications regardless of the machine you wrote the code on and the machine you want to run it on. It is widely used in practice as it allows developers to avoid the "But it runs on my laptop!" problem when their code doesn't work.

You will need to install Docker first from this link if you are working locally.

This is how it works for (basic) python applications:

1. Create a requirements.txt file

Open settings.py in IDE

- 2. Create a Dockerfile which contains instructions on how to build a Docker image
- 3. Run docker compose up to create a container image, and run it
- 4. Commit and push the image to a remote repo so others can run it exactly as you've configured!

Docker images are commonly used in conjunction with Kubernetes, which is a service that manages containers.

You will be briefly introduced to how you can setup this Django application to run using Docker.

Before going into the technical stuff revolving around Docker, we just need to make one final change to our codebase. By deafult, django is configured to block all traffic from all hosts including the traffic coming from CloudIDE until we explicitly define in them in settings.py.

Therefore, open the setting.py file and change the ALLOWED_HOSTS = [] code to:

```
1. 1
   1. ALLOWED_HOSTS = ['*','.us-south.codeengine.appdomain.cloud']
Copied!
```

about:blank 7/13

```
Selection
File
      Edit
                       View
                              Go
                                   Run
                                         Terminal
                                                   Help
                        settings.py ×
 EXPLORER
                          firstproject > firstproject > settings.py > ...
> OPEN EDITORS
                          17

∨ PROJECT ひ

                           18
firstproject
                                 # Quick-start development setting
                           19
 > firstapp
                                 # See https://docs.djangoproject.
                           20

√ firstproject

                           21
                                 # SECURITY WARNING: keep the seci
                           22
     __pycache
                                 SECRET_KEY = 'django-insecure-yy3
                           23
      _init__.py
                           24
    asgi.py
                           25
                                 # SECURITY WARNING: don't run wit
    settings.py
                           26
                                 DEBUG = True
                          27
    urls.py
                                 ALLOWED_HOSTS = ['*']
                          28
    wsgi.py
                           29
   db.sqlite3
                           30
   Dockerfile
                                 # Application definition
                          31
                          32
   manage.py
                                 INSTALLED_APPS = [
                          33
   requirements.txt
                                      'django.contrib.admin',
                           34
                                      'django.contrib.auth',
                          35
                                      'django.contrib.contenttypes
                          36
                                      'django.contrib.sessions',
                          37
                                      'django.contrib.messages',
                           38
```

Now lets start working with Docker.

First we need to create the requirements.txt file, which we use to tell Docker what python packages it needs to install. Run the following command in the main /firstproject folder.

- 1. 1
- 2. 2
- 1. pip install pipreqs
- 2. pipreqs .

Copied! Executed!

Next, we want to create a Dockerfile which instructs Docker how to build your application (in the same directory):

Run the following command to create an empty Dockerfile

- 1. 1
- 1. touch Dockerfile

Copied! Executed!

about:blank 8/13

Then open the newly created Dockerfile and copy the following contents to it.

```
1. 1
2. 2
3. 3
4. 4
5. 5
6. 6
6. 7. 7
8. 8
9. 9
1. # syntax=docker/dockerfile:1
2. FROM python:3
3. ENV PYTHONDONTWRITEBYTECODE=1
4. ENV PYTHONDONTWRITEBYTECODE=1
5. WORKDIR /code
6. COPY requirements.txt /code/
7. RUN pip install -r requirements.txt
8. COPY. /code/
9. CMD ["python", "manage.py", "runserver", "0.0.0.0:8000"]

Copied!
```

The code above will be run line by line. The FROM line indicates what base container image we want to build on, and in this case we want to use a python 3 image. You can find more details on how this code works here.

Now we can run the following command to create and run the container image:

```
1. 1
1. docker build . -t my-django-app:latest && docker run -e PYTHONUNBUFFERED=1 -p 8000:8000 my-django-app

Copied! Executed!
```

You should see something like:

```
[+] Running 1/1

# Container firstproject-web-1 Created

Attaching to firstproject-web-1

firstproject-web-1 | Watching for file changes with StatReloader

firstproject-web-1 | Performing system checks...

firstproject-web-1 | System check identified no issues (0 silenced).

firstproject-web-1 | March 07, 2023 - 14:53:31

firstproject-web-1 | Django version 4.1.7, using settings 'firstproject.settir

firstproject-web-1 | Starting development server at http://0.0.0.0:8000/
```

You can launch the application the same way you have previously in this project as well, through Launch Application and specifying port 8000.

Alternatively, you can launch the application directly by clicking on this button.

```
Web Application
```

With this, you can easily share the Docker image by following these instructions.

Deploying to Code Engine

If you would like to host your application and have it be available for anyone to use, you can follow these steps in order to deploy it. The deployment will be to IBM Cloud's Code Engine. IBM Cloud Code Engine is a fully managed, cloud-native service for running containerized workloads on IBM Cloud. It allows developers to deploy and run code in a secure, scalable and serverless environment, without having to worry about the underlying infrastructure.


The following steps in Part 1 allow you to test deploy to a IBM Skills Network Code Engine environment to test if everything is working just fine, which is deleted after a few days. Part 2 shows the steps to deploy for real to your own account.

Part 1: Deploying to Skills Network Code Engine


Step 1. Create Code Engine Project

In the left hand navigation pannel, there is an option for the Skills Network Toolbox. Simply open that and that expand the *CLOUD* section and then click on *Code Engine*. Finally cick on Create Project

about:blank 9/13




about:blank 10/13



Step 2. Click on Code Engine CLI Button

From the same page simply click on Code Engine CLI button. This will open a new terminal and will login to a code engine project with everything alraedy set up for you.

about:blank 11/13



Step 3. Deploy Your App

First, give a name to your Code Engine application, we will call it my-django-app as default

1. 1

1. APP_NAME=my-django-app

Copied! Executed!

Then tag and push the built image to IBM's icr registry:

- 1. 1 2. 2

- REGISTRY=us.icr.io
 docker tag \${APP_NAME}:latest \${REGISTRY}/\${SN_ICR_NAMESPACE}/\${APP_NAME}:latest
 docker push \${REGISTRY}/\${SN_ICR_NAMESPACE}/\${APP_NAME}:latest

```
Copied! Executed!
```

Finally, from the same terminal window run the following command to deploy your app to Code Engine.

- 1. ibmcloud ce application create --name \${APP_NAME} --image \${REGISTRY}/\${SN_ICR_NAMESPACE}/\\${APP_NAME}:latest --registry-secret icr-secret --port 8000

```
Copied! Executed!
```

▶ Troubleshooting

Once the app is deployed, you should see a url outputted in the terminal.

Append /firstapp to the url and simply copy paste it to your preferred browser.

Enjoy your app deployed live on the web thanks to Code Engine.

You can check the status, logs and events of the application with the following commands.

- ibmcloud ce app logs --application \${APP_NAME}



- 1. ibmcloud ce app events --application \${APP_NAME}



Summary

In this lab, you have created your first Django project, first Django app, and first Django view to return a simple HTML page. You also learned to create a Docker image of your app, which makes it simple to share and run it on any computer.

Author(s)

Yan Luo Richard Ye Talha Siddiqui

Changelog

Date	Version	Changed by	Change Description
30-Nov-2020	1.0	Yan Luo	Initial version created
07-Mar-2023	1.1	Richard Ye	Deploy using Docker
08-Mar-2023	1.2	Talha Siddiqui	Deploy to CodeEngine
17-Mar-2023	1.3	K Sundararajan	App launch instructions updated
21-Mar-2023	1.4	K Sundararajan	Instructions updated
07-Jul-2023	1.5	K Sundararajan	Small update as per latest UI
11-Jul-2023	1.6	K Sundararajan	Updated instructions based on SME review
14-Aug-2023	1.7	Rajashree Patil	Updated instructions for code engine section
21-Sep-2023	1.8	K Sundararajan	Removed the "Congratulations Section" having reference to deploying to Billing-enabled IBM account

© IBM Corporation 2023. All rights reserved.

about:blank 13/13