



CASOS DE PRUEBAS DE API

Para el desarrollo de esta actividad se utilizó la herramienta Postman y la API libre PokemonApi. Se realizaron 10 llamados, 5 correctos y 5 incorrectos.


Se realizaron 5 llamados correctos:




Se modifico valor de `"base_experience": 101`




Se modifico valor de `"name": "limber"`



Se modificó valor de `"url": "https://pokeapi.co/api/v2/version/1/"`



Se modificó valor de `decía https://pokeapi.co/api/v2/type/3`



Se modificó valor de `decía https://pokeapi.co/api/v2/pokemon?limit=100000&offset=0`

Se realizaron 5 llamados incorrectos

GET <https://pokeapi.co/api/v2/ability/battle-armores> Send

Params Authorization Headers (7) Body Pre-request Script Tests Settings Cookies Beautify

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   "effect_changes": [],
3   "effect_entries": [
4     {
5       "effect": "Ataqueen können keinen kritischen Treffer landen.\n\nDiese Fähigkeit ist identisch mit shell armor.",
6       "language": {
7         "name": "de",
8         "url": "https://pokeapi.co/api/v2/language/6/"
9       },
10      "short_effect": "Schützt vor kritischen Treffern."
11    }
12  ]
13 }
```

Body Cookies Headers (21) Test Results Status: 404 Not Found Time: 2.22 s Size: 987 B Save as Example

Pretty Raw Preview Visualize Text 1 Not Found

Se modificó valor decía <https://pokeapi.co/api/v2/ability/battle-armor>

GET <https://pokeapi.co/api/v2/type/100> Send

Params Authorization Headers (7) Body Pre-request Script Tests Settings Cookies Beautify

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1354 {
1355   "slot": 2
1356 }
```

Body Cookies Headers (21) Test Results Status: 404 Not Found Time: 2.30 s Size: 982 B Save as Example

Pretty Raw Preview Visualize Text 1 Not Found

Se modificó valor decía <https://pokeapi.co/api/v2/type/3>

PokeAPI / Caso feliz Save

GET <https://pokeapi.co/api/v2/characteristic/100/> Send

Params Authorization Headers (7) Body Pre-request Script Tests Settings Cookies Beautify

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   "id": 1,
3   "gene_modulo": 0,
4   "possible_values": [
5     0,
6     5,
7     10,
8     15,
9     20,
10    25,
11    30
12  ]
13 }
```

Body Cookies Headers (21) Test Results Status: 404 Not Found Time: 2.32 s Size: 981 B Save as Example

Pretty Raw Preview Visualize Text 1 Not Found

Se modificó valor decía <https://pokeapi.co/api/v2/characteristic/1/>

The screenshot shows a REST client interface with a GET request to `https://pokeapi.co/api/v2/pokemon-habitat/pepe/`. The URL is highlighted with a green circle. The request body is a JSON object:

```
1 {
2   "id": 1,
3   "name": "cave",
4   "names": [
5     {
6       "name": "grottes",
7       "language": {
8         "name": "fr",
9         "url": "https://pokeapi.co/api/v2/language/5/"
10      }
11   ]
12 }
```

The status bar at the bottom indicates "Status: 404 Not Found", "Time: 2.19 s", and "Size: 983 B".

Se modificó valor decía <https://pokeapi.co/api/v2/pokemon-habitat/cave/>

The screenshot shows a REST client interface with a GET request to `https://pokeapi.co/api/v2/stat2`. The URL is highlighted with a green circle. The request body is a JSON object:

```
1 {
2   "id": 2,
3   "name": "attack",
4   "game_index": 2,
5   "is_battle_only": false,
6   "affecting_moves": {
7     "increase": [
8       {
9         "change": 2,
10        "move": {
11          "name": "swords-dance",
12          "url": "https://pokeapi.co/api/v2/move/44/"
13        }
14      }
15     ]
16   }
17 }
```

The status bar at the bottom indicates "Status: 404 Not Found", "Time: 1057 ms", and "Size: 982 B".

Se modifico decía <https://pokeapi.co/api/v2/stat/2>